NAB/1

法定傳染病統計

STATISTICS OF NOTIFIABLE INFECTIOUS DISEASES

{自明治十三年
{至大正十二年

(1880—1923)

大正十三年十二月刊行

内務省衛生局

SANITARY BUREAU, HOME DEPARTMENT,

TOKYO.

1924

K 53999

22900395231

Presented by

Dr Garo Kashida

February 1926

WELLCOME INSTITUTE
LIBRARY
Coll. welMOmec
Call
No. K53999

傳染病統計ヲ蒐集スルニ當リ傳染病豫防法規ノ沿革ノ大要ヲ誌スヘシ

本邦ニ於テ傳染病豫防ニ關スル規定ヲ設ケタルハ明治八年四月太政官達第四十九號（惡疫流行ノ際貧困者救助處分規則）ニ始マリ次テ同九年二月內務省達乙第十二號（惡疫流行ノ際派出スル醫師ヲシテ施治患者ノ病症經過及治癒死亡ヲ屆出テシメ同時ニ其他ノ醫師ノ施治ニ係ルモノモ同樣屆出テシムルコト）同年五月內務省甲第十六號（天然痘豫防規則）同十年八月內務省乙第七十九號（虎列刺病豫防心得竝ニ附錄トシテ消毒藥及消毒方法ヲ定ム）同十二年六月太政官達第二十三號（虎列刺病假豫防規則）等ヲ經テ同十三年七月ニ至リ傳染病豫防規則ヲ定メタリ本規則ニ規定セラレタル傳染病ノ種類ハ虎列刺、腸窒扶私、赤痢、發疹窒扶私、痘瘡、實布垤里亞ノ六種ニシテ明治三十年四月法律第三十六號傳染病豫防法ヲ制定シ前記傳染病豫防規則ニ規定セラレタル傳染病以外ニ「ペスト」及猩紅熱ヲ加ヘタリ之ト同時ニ同十三年傳染病豫防規則ハ廢止セリ明治三十八年三月法律第五十六號ヲ以テ傳染病豫防法ノ一部改正ヲナシ實布垤里亞ニ格魯布ヲ含マシメ同四十四年四月「パラチフス」ヲ、大正七年四月流行性腦脊髓膜炎ヲ傳染病豫防法ニ依ル豫防方法ノ施行ヲ必要トスル傳染病ト指定シ大正十一年十月法律第三十二號ヲ以テ傳染病豫防法ノ一部改正ヲナシ前記ノ「パラチフス」及流行性腦脊髓膜炎ヲ加ヘ赤痢ノ內ニ疫痢ヲ含マシメタリ

右ノ如ク明治十三年七月ニ及ヒテ漸ク傳染病豫防ニ關スル規定稍々整フルニ至リタルモノナルカ故ニ同年以降ノ事實ヲ掲載セリ

明治十三年以後ニ於テ左ノ如ク行政區劃ノ變更アリタルヲ以テ本表ニ於ケル各地方別ニ記載ノ數ハ其ノ變更以前ノモノハ變更以前ニ於ケル行政區劃ニ依リ掲載セリ但シ福井縣ハ變更以前ノモノモ福井縣ニ記載セリ

東京府	明治二十六年四月神奈川縣ノ內西、南、北ノ三多摩郡ヲ分割編入
奈良縣	同二十年十一月大阪府ノ內大和一圓ヲ分割置縣

福井縣	同十四年二月滋賀縣ノ內若狹一圓及石川縣ノ內越前一圓ヲ分割置縣
富山縣	同十六年五月石川縣ノ內越中一圓ヲ分割置縣
鳥取縣	同十四年九月鳥根縣ノ內因幡一圓及伯耆一圓ヲ分割置縣
香川縣	同二十一年十二月愛媛縣ノ內讃岐一圓ヲ分割置縣
佐賀縣	同十六年五月長崎縣ノ內肥前一圓ヲ分割置縣
宮崎縣	同年同月鹿兒島縣ノ內日向一圓ヲ分割置縣

本統計表ニ於テハ便宜左ノ如ク各地方ノ區劃ヲ定メタリ

北海道區	北海道
東北區	青森、巖手、宮城、秋田、山形、福島ノ六縣
關東區	茨城、栃木、群馬、埼玉、千葉、東京、神奈川ノ一府六縣
北陸區	新潟、富山、石川、福井ノ四縣
東山區	長野、岐阜、滋賀ノ三縣
東海區	山梨、靜岡、愛知、三重ノ四縣
近畿區	奈良、和歌山、京都、大阪、兵庫ノ二府三縣
中國區	鳥取、島根、岡山、廣島、山口ノ五縣
四國區	德島、香川、愛媛、高知ノ四縣
九州區	福岡、佐賀、長崎、熊本、大分、宮崎、鹿兒島ノ七縣
沖繩區	沖繩縣

一、累年患者死者總數ノ第一表及患者百人中死亡比例ノ第二表ト第十三表以下ノ累年患者、死者地方別及人口壹萬ニ對スル患者、死者地方別各表ノ明治十九年迄ニ於ケル各年每ノ合計ハ其ノ當時ノ會計年度ニ依リテ調査シタルモノナルヲ以テ第三、四、五、七、八、十ノ各月別表トハ符合セサルモノアルナリ尙第一表中ニハ在監人ヲ含ミ第十三表以下地方別諸表ニハ在監人ヲ含マス

一、第三、四、五、七、八、十各表ノ明治十九年迄ニ於テ各年每ノ月別數ヲ加ヘタルモノト合計欄ニ記載ノ數ト符合セサルモノアルハ月ノ不

詳ナルモノアルヲ以テ其ノ年ノ合計欄ニノミ加算シ又死亡數ヲ合計欄ニノミ記載シタルモノアルハ月別ノ數ノ不詳ナル故ナリ尙同表ノ明治二十年以降ノ三ケ年ヲ月別ニセザルハ四期報ナルガ故ナリ

一、第三十三表ヨリ第四十二表迄ノ諸表ニ大正十一、十二年ニ於ケル死亡率ノ記載ナキハ總死亡數ヲ目下統計局ニ於テ調査中ナルガ故ナリ

一、第四十表ニ於テ總死亡十五歲迄ト限定シタルハ「ヂフテリア」ノ死亡數ハ殆ンド十五歲迄ナルガ爲メニ右ノ死亡數ニ依リ比例ヲ示シタルモノナリ而シテ明治三十一年前ハ年齡地方別ノ死亡數不明ナリ

一、第四十三表以下第五十表迄ニ於ケル各市ノ各年ニ於テ空欄ハ市(區)制施行後ノモノノミ記載シタル故ナリ

大正十三年十二月

内務省衛生局

目　次

		頁
第一表	累年傳染病患者及死亡總數（自明治十三年 至大正十二年）	2
第二表	傳染病患者百人中死亡比較（自明治十三年 至大正十二年）	4
第三表	「コレラ」月別累年比較（自明治十三年 至大正十二年）	6
第四表	赤痢月別累年比較（自明治十三年 至大正十二年）	8
第五表	腸「チフス」月別累年比較（自明治十三年 至大正十二年）	10
第六表	「パラチフス」月別累年比較（自明治四十四年 至大正十二年）	12
第七表	痘瘡月別累年比較（自明治十三年 至大正十二年）	14
第八表	發疹「チフス」月別累年比較（自明治十三年 至大正十二年）	16
第九表	猩紅熱月別累年比較（自明治三十年 至大正十二年）	18
第十表	「ヂフテリア」月別累年比較（自明治十三年 至大正十二年）	20
第十一表	流行性腦脊髓膜炎月別累年比較（自大正七年 至同十二年）	22
第十二表	「ペスト」月別累年比較（自明治三十年 至大正十二年）	22
第十三表	「コレラ」累年地方別（自明治十三年 至大正十二年）	24
第十四表	赤痢累年地方別（自明治十三年 至大正十二年）	30
第十五表	腸「チフス」累年地方別（自明治十三年 至大正十二年）	36
第十六表	「パラチフス」累年地方別（自明治四十四年 至大正十二年）	42
第十七表	痘瘡累年地方別（自明治十三年 至大正十二年）	44
第十八表	發疹「チフス」累年地方別（自明治十三年 至大正十二年）	50
第十九表	猩紅熱累年地方別（自明治三十年 至大正十二年）	56
第二十表	「ヂフテリア」累年地方別（自明治十三年 至大正十二年）	60
第二十一表	流行性腦脊髓膜炎累年地方別（自大正七年 至同十二年）	66
第二十二表	「ペスト」累年地方別（自明治三十年 至大正十二年）	68
第二十三表	人口壹萬ニ對スル「コレラ」患者及死亡地方別（自明治十三年 至大正十二年）	72
第二十四表	人口壹萬ニ對スル赤痢患者及死亡地方別（自明治十三年 至大正十二年）	78
第二十五表	人口壹萬ニ對スル腸「チフス」患者及死亡地方別（自明治十三年 至大正十二年）	84
第二十六表	人口壹萬ニ對スル「パラチフス」患者及死亡地方別（自明治四十四年 至大正十二年）	90
第二十七表	人口壹萬ニ對スル痘瘡患者及死亡地方別（自明治十三年 至大正十二年）	92
第二十八表	人口壹萬ニ對スル發疹「チフス」患者及死亡地方別（自明治十三年 至大正十二年）	98

頁
第二十九表　人口壹萬ニ對スル猩紅熱患者及死亡地方別（自明治三十年 至大正十二年）… … 104
第三十表　人口壹萬ニ對スル「ヂフテリア」患者及死亡地方別（自明治十三年 至大正十二年）… 108
第三十一表　人口壹萬ニ對スル流行性腦脊髓膜炎患者及死亡地方別（自大正七年 至同十二年）114
第三十二表　人口壹萬ニ對スル「ペスト」患者及死亡地方別（自明治三十年 至大正十二年）… … 116
策三十三表　總死亡千ニ對スル「コレラ」死亡地方別（自明治十三年 至大正十年）… … … … 120
第三十四表　總死亡千ニ對スル赤痢死亡地方別（自明治十三年 至大正十年）… … … … 124
第三十五表　總死亡千ニ對スル腸「チフス」死亡地方別（自明治十三年 至大正十年）… … … 128
第三十六表　總死亡千ニ對スル「パラチフス」死亡地方別（自明治四十四年 至大正十年）… … 132
第三十七表　總死亡千ニ對スル痘瘡死亡地方別（自明治十三年 至大正十年）… … … … 134
第三十八表　總死亡千ニ對スル發疹「チフス」死亡地方別（自明治十三年 至大正十年）… … … 138
第三十九表　總死亡千ニ對スル猩紅熱死亡地方別（自明治三十年 至大正十年）… … … … 142
第四十表　滿十五歲迄ノ總死亡千ニ對スル「ヂフテリア」ノ死亡地方別（自明治三十二年 至大正十年）… … … … 144
第四十一表　總死亡千ニ對スル流行性腦脊髓膜炎死亡地方別（自大正七年 至同十年）… … 146
第四十二表　總死亡千ニ對スル「ペスト」死亡地方別（自明治三十年 至大正十年）… … … … 148
第四十三表　累年各市ニ於ケル赤痢患者及死亡（自明治四十年 至大正十二年）… … … … 150
第四十四表　累年各市ニ於ケル腸「チフス」患者及死亡（自明治四十年 至大正十二年）… … … 158
第四十五表　累年各市ニ於ケル「パラチフス」患者及死亡（自明治四十四年 至大正十二年）… … 166
第四十六表　累年各市ニ於ケル「ヂフテリア」患者及死亡（自明治四十年 至大正十二年）… … … 170
第四十七表　人口壹萬ニ對スル赤痢患者及死亡都市別（自明治四十年 至大正十二年）… … … 178
第四十八表　人口壹萬ニ對スル腸「チフス」患者及死亡都市別（自明治四十年 至大正十二年）… … 186
第四十九表　人口壹萬ニ對スル「パラチフス」患者及死亡都市別（自明治四十四年 至大正十二年）… 194
第五十表　人口壹萬ニ對スル「ヂフテリア」患者及死亡都市別（自明治四十年 至大正十二年）… 198
第五十一表　統計區劃別赤痢患者人口壹萬比例累年比較（自明治十三年 至大正十二年）… … 206
第五十二表　統計區劃別腸「チフス」患者人口壹萬比例累年比較（自明治十三年 至大正十二年）… 207
第五十三表　統計區劃別「ヂフテリア」患者人口壹萬比例累年比例（自明治十三年 至大正十二年）… 208

SANITARY BUREAU
OF
HOME DEPARTMENT.

December, 1924.

Preceding the compilation of the statistics of infectious disease, we give hereunder a cursory history of the laws and regulations of this country regarding the prevention of infectious disease.

The first measures for the prevention of infectious disease in this country were taken by Decree No. 49 of the Supreme Council of the Empire in April, 1875 (Regulations for the relief of the poor during the prevalence of epidemics); subsequently there were enacted the Ordinance No. 12 B of the Home Department in February, 1876 (providing that physicians should report the condition of the patients attended by them, suffering from epidemics), the Ordinance No. 16 A of the Home Dopartment in May of the same year (Regulations for the Prevention of Small-Pox), the Ordinance No. 79 B of the Home Department in August, 1877 (providing for preventive measures in case of cholera), the Decree No. 23 of the Supreme Council of the Empire in June, 1879 (Provisional Regulations for the Prevention of Cholera), and the Regulations for the Prevention of Infectious Diseases in July, 1880, which provided for the undermentioned diseases to be reportable ones:

Cholera,
Typhoid Fever,
Dysentery,
Typhus,
Small-Pox,
Diphtheria.

By Law No. 36 for the Prevention of Infectious Diseases enacted in April, 1897, plague and scarlet fever were made reportable in addition to the 6 infectious diseases mentioned above, while the Regulations for the Prevention of Infectious Diseases were abrogated.

Croup was recognized as included in diphtheria by Law No. 56 in March, 1905, amending in part the above Law; para-typhoid fever and epidemic cerebrospinal

meningitis were likewise designated in April, 1911 and in April, 1918 respectively as infectious diseases to be dealt with under the said law.

Again, in October, 1922, an amendment being made in some respects to the Law for the Prevention of Infectious Diseases, both para-typhoid fever and epidemic cerebrospinal meningitis were added to the group of infectious diseases mentioned in the law, and EKIRI (infant dysentery) was included in dysentery.

The progress of the measures for the prevention of infectious diseases had, as thus described, been gradual, and it was by the enactment of Regulations for the Prevention of Infectious Diseases in July, 1880, that preventive measures in this country came to be established, and, therefore, in the present statistics, the figures since 1880 have alone been given.

The administrative areas having been modified as follows in 1880, the number of cases and deaths, in years preceding the modification, for each prefecture, was given in these tables in accordance with the former boundaries, with the exception of Fukui Prefecture, which remained always unchanged in spite of the modification.

Tōkiō Prefecture	Addition of West-, South-, and North-Tama Counties to this prefecture, dividing from Kanagawa Prefecture in April, 1893.
Nára Prefecture	Establishment of this prefecture in total area of Yamato Province dividing from Ōsaka Prefecture in Nov., 1887.
Fukui Prefecture	Establishment of this prefecture in both total areas of Wakasa Province in Shiga Prefecture and Echizen Province in Ishikawa Prefecture in Feb., 1881.
Toyama Prefecture	Establishment of this prefecture in Ettchū Province, dividing from Ishikawa Prefecture in May, 1883.
Tottori Prefecture	Establishment of this prefecture in both total areas of Hōki Province and Inaba Province in Shimane Prefecture in Sept., 1881.
Kagawa Prefecture	Establishment of this prefecture in total area of Sanuki Province, dividing from Ehime Prefecture in Dec., 1888.
Saga Prefecture	Establishment of this prefecture in total area ef Hizen Province in May, 1883.
Miyazaki Prefecture	Establishment of this prefecture in total area of Hiuga Province in May, 1883.

The list devided into following districts for the convenience:—

Hokkaidō Ku ····· Hokkaidō.

Tōhoku Ku	Aomori Ken, Iwate Ken, Miyagi Ken, Akita Ken, Yamagata Ken, Fukushima Ken.
Kantō Ku.	Ibaraki Ken, Tochigi Ken, Gumma Ken, Saitama Ken, Chiba Ken, Tōkyō Fu, Kanagawa Ken.
Hokuriku Ku	Niigata Ken, Toyama Ken, Ishikawa Ken, Fukui Ken.
Tōsan Ku	Nagano Ken, Gifu Ken, Shiga Ken.
Tōkai Ku	Yamanashi Ken, Shizuoka Ken, Aichi Ken, Mie Ken.
Kinki Ku	Nara Ken, Wakayama Ken, Kyōto Fu, Ōsaka Fu, Hyōgo Ken.
Chūgoku Ku	Tottori Ken, Shimane Ken, Okayama Ken, Hiroshima Ken, Yamaguchi Ken.
Shikoku Ku	Tokushima Ken, Kagawa Ken, Ehime Ken, Kōchi Ken.
Kyūshū Ku	Fukuoka Ken, Saga Ken, Nagasaki Ken, Kumamoto Ken, Ōita Ken, Miyazaki Ken, Kagoshima Ken.
Okinawa Ku	Okinawa Ken.

Having been calculated according to the then fiscal year, Table No. 1 (total number of cases and deaths in successive years) and Table No. 2 (death-rate percent) and yearly totals up to 1886 of the tables No. 13 et seq, classified according to the cases, deaths and districts in successive years, as well as to the cases, deaths and districts per 10,000 respectively, do not wholly correspond to the tables Nos. 3, 4, 5, 7, 8 and 10, classified according to month. Table No. 1 includes prisoners, while the tables No. 13 et seq, classified according to districts, exclude them.

The total number for each month up to 1886 in tables Nos. 3, 4, 5, 7, 8 and 10 does not, in some cases, correspond to the number of the "total" column, for some numbers for which the corresponding months are not known have been added in the number of the "total" column only; and some of the total number of deaths are mentioned in the total column only, because the corresponding months are not known. These tables are not classified according to months for the 3 succeeding years after 1887, owing to the fact that the report was then published quarterly.

The death-rate for both 1922 and 1923 is left blank in tables Nos. 33–42, because the total number of deaths for these years is now under investigation in the Statistics Bureau.

The reason why, in Table No. 40, all deaths are limited to those taking place under 15 years of age, is because the number of deaths from diphtheria is mostly of

persons under 15 years of age and the proportion is consequently shown according to these numbers. Before 1878 the number of deaths by district and by age is not known.

The blank in the column for each year and for each city in Table Nos. 43–50, is due to the fact that this entry was made only for the years since the time when the municipality and district system were put in force.

CONTENTS.

Page.

Table No. I. Total Number of Cases and Deaths of Infectious Diseases. (1880–1923) 2

Table No. II. Deaths per 100 Cases of Infectious Diseases. (1880–1923) 4

Table No. III. Cases of Cholera, and Deaths thereof, in Each Month. (1880–1923) 6

Table No. IV. Cases of Dysentery, and Deaths thereof, in Each Month. (1880–1923) 8

Table No. V. Cases of Typhoid Fever, and Deaths thereof, in Each Month. (1880–1923) 10

Table No. VI. Cases of Paratyphoid, and Deaths thereof, in Each Month. (1911–1923) 12

Table No. VII. Cases of Small-Pox, and Deaths thereof, in Each Month. (1880–1923) 14

Table No. VIII. Cases of Typhus, and Deaths thereof, in Each Month. (1880–1923) 16

Table No. IX. Cases of Scarlet Fever, and Deaths thereof, in Each Month. (1897–1923) 18

Table No. X. Cases of Diphtheria, and Deaths thereof, in Each Month. (1880–1923) 20

Table No. XI. Cases of Cerebro-Spinal Meningitis, and Deaths thereof, in Each Month. (1918–1923) 22

Table No. XII. Cases of Plague, and Deaths thereof, in Each Month. (1897–1923) 22

Table No. XIII. Cases and Deaths of Cholera in Each Prefecture. (1880–1923) ... 24

Table No. XIV. Cases and Deaths of Dysentery in Each Prefecture. (1880–1923) ... 30

Table No. XV. Cases and Deaths of Typhoid Fever in Each Prefecture. (1880–1923) 36

Table No. XVI. Cases and Deaths of Para-Typhoid in Each Prefecture. (1911–1923) 42

Table No. XVII. Cases and Deaths of Small-Pox in Each Prefecture. (1880–1923) 44

Table No. XVIII. Cases and Deaths of Typhus in Each Prefecture. (1880–1923) ... 50

Table No. XIX. Cases and Deaths of Scarlet Fever in Each Prefecture. (1897–1923) 56

Table No. XX. Cases and Deaths of Diphtheria in Each Prefecture. (1880–1923) 60

Table No. XXI. Cases and Deaths of Cerebro-Spinal Meningitis in Each Prefecture. (1918–1923) 66

Table No. XXII. Cases and Deaths of Plague in Each Prefecture. (1897–1923) 68

Table No. XXIII. Cases and Deaths of Cholera per 10,000 Population in Each Prefecture. (1880–1923) 72

Table No. XXIV. Cases and Deaths of Dysentery per 10,000 Population in Each Prefecture. (1880–1923) 78

Table No. XXV. Cases and Deaths of Typhoid Fever per 10,000 Population in Each Prefecture. (1880–1923) 84

Table No. XXVI. Cases and Deaths of Para-Typhoid per 10,000 Population in Each Prefecture. (1911–1923) 90

Table No. XXVII. Cases and Deaths of Small-Pox per 10,000 Population in Each Prefecture. (1880–1923) 92

Page.

Table No. XXVIII. Cases and Deaths of Typhus per 10,000 Population in Each Prefecture. (1880–1923) 98

Table No. XXIX. Cases and Deaths of Scarlet Fever per 10,000 Population in Each Prefecture. (1897–1923) 104

Table No. XXX. Cases and Deaths of Diphtheria per 10,000 Population in Each Prefecture. (1880–1923) 108

Table No. XXXI. Cases and Deaths of Cerebro-Spinal Meningitis per 10,000 Population in Each Prefecture. (1918–1923) 114

Table No. XXXII. Cases and Deaths of Plague per 10,000 Population in Each Prefecture. (1897–1923) 116

Table No. XXXIII. Deaths of Cholera per 1,000 Deaths in General. (1880–1921) 120

Table No. XXXIV. Deaths of Dysentery per 1,000 Deaths in General. (1880–1921) 124

Table No. XXXV. Deaths of Typhoid Fever per 1,000 Deaths in General. (1880–1921) 128

Table No. XXXVI. Deaths of Para-Typhoid per 1,000 Deaths in General. (1911–1921) 132

Table No. XXXVII. Deaths of Small-Pox per 1,000 Deaths in General. (1880–1921) 134

Table No. XXXVIII. Deaths of Typhus per 1,000 Deaths in General. (1880–1921) 138

Table No. XXXIX. Deaths of Scarlet Fever per 1,000 Deaths in General. (1897–1921) 142

Table No. XL. Deaths of Diphtheria per 1,000 Deaths in General under 15 years. (1899–1921) 144

Table No. XLI. Deaths of Cerebro-Spinal Meningitis per 1,000 Deaths in General. (1918–1921) 146

Table No. XLII. Deaths of Plague per 1,000 Deaths in General. (1897–1921) ... 148

Table No. XLIII. Cases and Deaths of Dysentery in Each City. (1907–1923) ... 150

Table No. XLIV. Cases and Deaths of Typhoid Fever in Each City. (1907–1923) 158

Table No. XLV. Cases and Deaths of Para-Typhoid in Each City. (1911–1923) 166

Table No. XLVI. Cases and Deaths of Diphtheria in Each City. (1907–1923) ... 170

Table No. XLVII. Cases and Deaths of Dysentery per 10,000 Population in Each City. (1907–1923) 178

Table No. XLVIII. Cases and Deaths of Typhoid Fever per 10,000 Populaion in Each City. (1907–1923) 196

Table No. XLIX. Cases and Deaths of Para-Typhoid per 10,000 Population in Each City. (1911–1923) 194

Table No. L. Cases and Deaths of Diphtheria per 10,000 Population in Each City. (1907–1923) 198

Table No. LI. Cases of Dysentery per 10,000 Population in Each Statistical District. (1880–1923) 206

Table No. LII. Cases of Typhoid Fever per 10,000 Population in Each Statistical District. (1880–1923) 207

Table No. LIII. Cases of Diphtheria per 10,000 Population in Each Statistical District. (1880–1923) 208

北海道
北海道區
HOKKAIDŌ KU
東北區
TŌHOKU KU
青森
秋田
岩手
山形
宮城
新潟
福島
北陸區
HOKURIKU KU
石川
富山
福井
岐阜
長野
東山區
TŌSAN KU
滋賀
關東區
KANTŌ KU
群馬
栃木
茨城
埼玉
東京
千葉
神奈川
山梨
東海區
TŌKAI KU
愛知
三重
靜岡
近畿區
KINKI KU
京都
大阪
奈良
和歌山
兵庫
中國區
CHŪGOKU KU
鳥取
島根
岡山
廣島
山口
四國區
SHIKOKU KU
香川
愛媛
德島
高知
九州區
KYŪSHŪ KU
福岡
佐賀
大分
熊本
宮崎
鹿兒島
沖繩區
OKINAWA KU.
沖繩

第一表　累年傳染病患者

Table No. I.　Total Number of Cases and

	コレラ Cholera.		赤痢 Dysentery.		腸チフス Typhoid Fever.		パラチフス Paratyphoid.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.	1,580	618	5,047	1,305	17,140	4,177		
同十四年 1881.	9,389	6,237	7,001	1,837	24,033	5,866		
同十五年 1882.	51,631	33,84	4,330	1,313	19,308	5,231		
同十六年 1883.	969	434	21,172	5,066	18,769	5,043		
同十七年 1884.	904	417	22,702	6,036	23,279	5,969		
同十八年 1885.	13,824	9,329	47,377	10,690	29,504	6,672		
同十九年 1886.	155,923	108,405	24,326	6,839	66,224	13,807		
同二十年 1887.	1,228	654	16,149	4,257	47,449	9,813		
同二十一年 1888.	811	460	26,815	6,576	43,600	9,211		
同二十二年 1889.	751	431	22,873	5,970	35,849	8,623		
同二十三年 1890.	46,019	35,227	42,635	8,706	34,736	8,464		
同二十四年 1891.	11,142	7,760	46,358	11,208	43,967	9,614		
同二十五年 1892.	874	497	70,842	16,844	35,636	8,529		
同二十六年 1893.	633	364	167,305	41,282	34,069	8,183		
同二十七年 1894.	546	314	155,140	38,094	36,667	8,054		
同二十八年 1895.	55,144	40,154	52,711	12,959	37,015	8,401		
同二十九年 1896.	1,481	908	85,876	22,356	42,505	9,174		
同三十年 1897.	894	488	91,077	23,189	26,998	5,854		
同三十一年 1898.	655	374	90,976	22,392	25,297	5,697		
同三十二年 1899.	829	487	108,713	23,763	27 673	6,452		
同三十三年 1900.	378	231	46,255	10,164	23,855	5,362		
同三十四年 1901.	101	67	49,635	10,889	24,112	5,411		
同三十五年 1902.	13,362	9,226	36,996	8,442	21,094	4,808		
同三十六年 1903.	177	91	30,311	7,209	18,852	4,292		
同三十七年 1904.	1	1	22,772	5,166	19,635	4,627		
同三十八年 1905.	—	—	37,988	8,606	22,879	5,276		
同三十九年 1906.	—	—	22,277	5,144	25,178	5,897		
同四十年 1907.	3,632	2,526	24,942	5,946	25,988	5,693		
同四十一年 1908.	652	401	32,809	7,846	24,501	5,331		
同四十二年 1909.	328	221	28,006	6,836	25,116	5,473		
同四十三年 1910.	2,849	1,957	31,960	7,053	35,387	7,585		
同四十四年 1911.	9	4	27,464	6,009	34,138	6,830	2,124	236
大正元年 1912.	2,720	1,683	25,667	5,721	31,528	6,289	4,050	460
同二年 1913.	78	22	16,779	3,691	27,717	5,443	3,869	473
同三年 1914.	5	4	26,127	5,718	35,471	6,626	6,897	783
同四年 1915.	—	—	21,137	4,368	36,460	7,137	7,049	671
同五年 1916.	10,371	6,260	22,452	4,554	41,918	8,396	6,781	737
同六年 1917.	894	541	14,942	3,160	35,199	7,254	5,731	715
同七年 1918.	—	—	13,998	2,823	43,151	9,873	5,794	747
同八年 1919.	2,912	915	12,915	2,920	54,706	11,156	7,435	836
同九年 1920.	4,985	3,121	12,738	2,961	53,925	10,327	7,734	850
同十年 1921.	29	16	12,445	2,941	50,133	10,634	6,291	802
同十一年 1922.	743	427	15,135	3,975	52,419	11,226	7,121	835
同十二年 1923.	4	2	20,266	7,372	52,628	11,369	5,315	690
同十三年 1924.								
同十四年 1925.								
同十五年 1926.								
同十六年 1927.								

及死亡總數

Deaths of Infectious Diseases.

痘瘡 Small-Pox.		發疹チフス Typhus.		猩紅熱 Scarlet Fever.		ヂフテリア Diphtheria.		流行性腦脊髓炎 Cerebro-Spinal Meningitis.		ペスト Plague.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3,415	731	1,527	360			1,838	1,019				
2,570	453	1,395	335			2,033	1,110				
1,105	197	629	194			2,038	1,130				
1,271	295	412	120			2,307	1,231				
1,703	410	3,459	445			2,237	1,266				
12,759	3,329	2,302	365			2,798	1,439				
58,337	18,676	8,225	1,577			3,265	1,465				
39,779	9,967	2,487	448			2,741	1,429				
4,052	853	1,131	207			2,582	1,450				
1,324	328	300	88			2,669	1,494				
296	25	251	67			2,448	1,438				
3,608	721	1,194	203			3,429	1,974				
33,779	8,409	281	62			4,359	2,531				
41,898	11,852	228	56			5,726	3,205				
12,418	3,342	139	33			5,308	2,903				
1,287	268	186	49			6,100	3,025				
10,704	3,388	92	28			8,613	3,296				
41,946	12,276	58	23	37	3	15,486	5,579			1	1
1,752	362	41	15	74	7	19,692	6,453			—	—
1,215	245	55	13	86	6	21,033	6,667			63	45
111	4	73	13	77	12	17,875	5,660			168	153
92	4	21	7	46	3	14,882	4,686			3	3
46	7	22	3	125	11	15,005	4,314			14	9
72	6	8	5	123	11	13,702	4,175			58	50
1,188	237	35	4	102	9	12,649	3,720			1	1
278	62	2	2	133	12	13,261	3,883			282	218
96	109	4	1	255	36	14,188	4,188			498	383
1,034	437	8	1	522	67	14,762	4,293			646	574
18,075	5,838	3	1	860	128	17,790	4,971			347	280
106	26	3	2	1,537	337	18,102	5,121			389	313
80	13	5	4	2,359	464	19,099	5,069			49	41
202	34	3	3	1,339	200	20,094	5,229			—	—
14	1	1	1	1,207	146	19,251	4,761			—	—
108	39	—	—	1,293	106	19,137	5,011			27	20
485	110	7,309	1,234	1,250	80	18,343	4,580			83	70
17	3	499	64	1,145	74	19,701	4,709			20	17
264	48	606	117	1,056	50	14,249	3,960			77	65
5,121	1,158	219	28	1,257	65	17,487	4,375			25	23
1,467	285	229	28	1,019	65	15,748	3,849	1,054	636	1	1
4,055	1,115	225	30	1,325	109	14,280	3,343	2,458	1,261	3	2
316	844	66	3	1,368	90	15,173	3,439	948	491	22	16
889	212	171	22	1,589	82	14,522	3,501	772	413	2	—
679	124	23	7	1,657	97	13,737	3,254	935	544	118	89
1,922	381	14	3	1,562	88	12,776	3,111	708	374	1	1

第二表　傳染病患者

Table No. II.　Deaths Per 100 Cases of

	コレラ Cholera.	赤痢 Dysentery.	腸チフス Typhoid Fever.	パラチフス Paratyphoid.
明治十三年 1880.	39.11	25.86	24.37	
同十四年 1881.	66.43	26.24	24.41	
同十五年 1882.	65.43	30.32	27.09	
同十六年 1883.	44.79	23.93	26.87	
同十七年 1884.	46.13	26.59	25.64	
同十八年 1885.	67.48	22.56	22.61	
同十九年 1886.	69.25	28.11	20.85	
同二十年 1887.	53.26	26.36	20.68	
同二十一年 1888.	56.72	24.52	21.13	
同二十二年 1889.	57.39	26.10	24.05	
同二十三年 1890.	76.55	20.42	24.37	
同二十四年 1891.	69.65	24.18	21.87	
同二十五年 1892.	56.86	23.78	23.93	
同二十六年 1893.	57.50	24.67	24.02	
同二十七年 1894.	57.51	24.56	21.97	
同二十八年 1895.	72.82	24.59	22.70	
同二十九年 1896.	61.31	26.03	21.58	
同三十年 1897.	54.59	25.48	21.68	
同三十一年 1898.	57.10	24.61	22.52	
同三十二年 1899.	58.50	21.86	23.32	
同三十三年 1900.	71.11	21.97	22.48	
同三十四年 1901.	66.34	21.94	22.44	
同三十五年 1902.	69.05	22.82	22.79	
同三十六年 1903.	51.41	28.78	22.77	
同三十七年 1904.	100.00	22.69	23.57	
同三十八年 1905.	—	22.66	23.06	
同三十九年 1906.	—	23.09	23.42	
同四十年 1907.	69.54	23.84	21.90	
同四十一年 1908.	61.50	23.91	21.76	
同四十二年 1909.	67.38	24.41	21.79	
同四十三年 1910.	68.69	22.07	21.47	
同四十四年 1911.	44.44	21.88	20.01	11.11
大正元年 1912.	61.88	22.29	19.95	11.36
同二年 1913.	28.21	22.00	19.64	12.23
同三年 1914.	80.00	21.88	18.72	11.35
同四年 1915.	—	20.67	19.57	9.52
同五年 1916.	60.36	20.28	20.03	10.87
同六年 1917.	60.51	21.15	20.61	12.48
同七年 1918.	—	20.17	22.88	12.89
同八年 1919.	31.42	22.61	20.39	11.24
同九年 1920.	62.61	23.25	19.15	10.99
同十年 1921.	55.17	23.63	21.21	12.75
同十一年 1922.	57.47	26.27	21.40	11.73
同十二年 1923.	50.00	36.37	21.60	12.98
同十三年 1924.				
同十四年 1925.				
同十五年 1926.				
同十六年 1927.				

百人中死亡比例

Infections Diseases.

痘瘡 Small-Pox.	發疹チフス Typhus.	猩紅熱 Scarlet Fever.	ヂフテリア Diphtheria.	流行性腦脊髓膜炎 Cerebro-Spinal Menigitis.	ペスト Plague.
21.41	23.57		55.44		
17.63	24.01		54.60		
17.83	30.84		55.53		
23.21	29.12		53.36		
24.07	12.88		56.59		
26.09	15.86		51.47		
25.47	19.17		44.87		
25.06	18.01		52.13		
21.05	18.30		56.16		
24.77	29.33		56.01		
8.45	26.69		58.74		
19.98	17.00		57.57		
24.89	22.06		58.06		
28.29	24.56		55.97		
26.91	23.74		54.69		
20.82	26.34		49.59		
31.65	30.43		38.27		
29.27	39.66	8.11	36.02		100.00
20.65	36.59	9.46	32.77		—
20.11	23.64	6.98	31.70		71.43
3.60	17.81	15.58	31.66		91.07
4.35	33.33	6.52	31.49		100.00
15.22	13.64	8.80	28.76		64.28
8.33	62.50	8.94	30.47		86.21
19.95	11.43	8.82	29.41		100.00
22.30	100.00	9.02	29.28		77.01
21.96	25.00	14.12	29.52		76.91
42.26	12.50	12.84	29.08		88.85
32.30	33.33	14.88	27.94		80.69
24.53	66.67	21.93	28.29		80.46
16.25	80.00	19.67	26.54		83.67
16.83	100.00	14.94	23.06		—
7.14	100.00	12.10	24.73		—
36.11	—	8.20	26.18		74.07
22.68	16.88	6.32	24.97		84.27
17.64	12.83	6.46	23.90		85.00
18.18	19.31	4.73	24.37		84.41
22.61	12.79	4.17	25.02		92.00
19.43	12.23	6 38	24.44	63.34	100.00
27.45	13.33	9.23	23.41	51.30	66.67
26.65	4.55	6.58	22.67	51.79	75.43
23.85	12.87	5.16	24.11	53.50	—
18.26	30.43	5.80	23.69	58.18	75.42
19.83	21.43	5.63	24.35	52.82	100.00

第三表 「コレラ」月別

Table No. III. Cases of Cholera, and Deaths

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.	—		2		3		5		41		141	
同 十四年 1881.	—		1		2		2		10		55	
同 十五年 1882.	12		—		—		7		191		1,388	
同 十六年 1883.	4		—		1		—		6		45	
同 十七年 1884.	—		—		2		—		7		72	
同 十八年 1885.												
同 十九年 1886.	108	88	175	126	131	107	407	286	4,840	3,614	8,254	6,575
同 二十年 1887.			10	7					273	111		
同 二十一年 1888.			—	—					54	28		
同 二十二年 1889.			4	1					41	26		
同 二十三年 1890.	—	—	—	—	—	—	2	2	4	2	58	38
同 二十四年 1891.	8	9	—	—	—	—	3	3	9	3	67	37
同 二十五年 1892.	5	4	—	1	1	—	—	—	8	5	52	32
同 二十六年 1893.	1	—	—	—	2	—	2	1	2	1	30	13
同 二十七年 1894.	—	—	—	—	2	2	1	—	10	3	90	51
同 二十八年 1895.	2	1	2	2	27	20	159	117	542	396	2,558	1,782
同 二十九年 1896.	31	22	8	4	—	—	3	1	5	4	99	52
同 三十年 1897.	5	6	2	—	1	1	1	—	3	—	48	22
同 三十一年 1898.	—	—	2	1	26	5	16	4	22	5	27	15
同 三十二年 1899.	—	—	—	—	2	—	1	—	12	4	83	53
同 三十三年 1900.	—	—	—	—	1	1	4	2	4	3	19	11
同 三十四年 1901.	—	—	—	—	—	—	—	—	1	1	—	—
同 三十五年 1902.	—	—	—	—	—	—	—	—	—	—	69	40
同 三十六年 1903.	9	7	3	1	—	—	—	—	—	—	4	1
同 三十七年 1904.	—	—	—	—	—	—	1	1	—	—	—	—
同 三十八年 1905.	—	—	—	—	—	—	—	—	—	—	—	—
同 三十九年 1906.	—	—	—	—	—	—	—	—	—	—	—	—
同 四十年 1907.	—	—	—	—	—	—	—	—	—	—	—	—
同 四十一年 1908.	6	2	2	1	—	—	4	1	—	—	1	—
同 四十二年 1909.	—	—	—	—	—	—	—	—	—	—	—	—
同 四十三年 1910.	—	—	—	—	—	—	—	—	—	—	—	—
同 四十四年 1911.	3	1	—	—	—	—	—	—	—	—	—	—
大正 元年 1912.	—	—	—	—	—	—	—	—	—	—	—	—
同 二年 1913.	38	8	38	14	—	—	—	—	—	—	—	—
同 三年 1914.	—	—	—	—	—	—	—	—	—	—	—	—
同 四年 1915.	—	—	—	—	—	—	—	—	—	—	—	—
同 五年 1916.	—	—	—	—	—	—	—	—	—	—	—	—
同 六年 1917.	149	78	216	116	16	20	4	1	—	—	—	—
同 七年 1918.	—	—	—	—	—	—	—	—	—	—	—	—
同 八年 1919.	—	—	—	—	—	—	—	—	—	—	—	—
同 九年 1920.	—	—	—	—	—	—	—	—	—	—	487	276
同 十年 1921.	—	—	—	—	2	2	—	—	—	—	2	2
同 十一年 1922.	—	—	—	—	—	—	—	—	—	—	—	—
同 十二年 1923.	—	—	—	—	—	—	—	—	—	—	—	—
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

累 年 比 較

thereof, in Each Month.

七 月 July.		八 月 Aug.		九 月 Sept.		十 月 Oct.		十 一 月 Nov.		十 二 月 Dec.		合 計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
403		332		136		41		9		3		1,580	618
301		560		2,180		4,530		847		56		9,328	6,197
9,041		25,637		12,412		2,610		312		21		51,631	33,784
312		382		141		57		12		2		969	434
313		305		160		38		3		—		900	415
												13,772	9,310
21,071	14,624	57,687	37,650	44,598	31,552	14,814	12,625	1,992	1,736	180	111	155,923	108,405
		864	485					81	51			1,228	654
		708	409					49	23			811	460
		665	380					41	24			751	431
2,367	1,494	11,081	7,830	21,466	16,589	9,869	8,297	1,058	877	114	98	46,019	35,227
430	233	628	356	3,342	1,979	4,776	3,531	1,674	1,456	205	153	11,142	7,760
306	189	289	140	162	100	43	21	8	4	—	1	874	497
177	106	231	136	133	73	50	32	5	2	—	—	633	364
194	100	123	74	50	30	29	17	29	20	18	17	546	314
8,057	5,632	23,172	16,533	14,094	10,439	5,801	4,577	693	623	37	32	55,144	40,154
351	203	414	224	188	95	250	178	109	99	23	26	1,481	908
198	109	405	221	183	92	39	32	9	5	—	—	894	488
198	123	197	119	108	65	49	30	10	7	—	—	655	374
320	181	291	176	80	48	36	19	3	5	1	1	829	487
75	43	185	120	76	41	11	7	2	2	1	1	378	231
21	16	56	33	20	13	3	3	—	1	—	—	101	67
496	309	4,582	2,887	5,803	3,807	2,094	1,853	260	280	58	50	13,362	9,226
3	2	13	8	1	—	57	23	87	49	—	—	177	91
—	—	—	—	—	—	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	504	434	1,399	814	1,039	796	569	387	121	95	3,632	2,526
—	—	16	11	125	74	240	147	254	161	4	4	652	401
—	—	1	1	6	3	294	191	27	26	—	—	328	221
—	—	—	—	217	123	2,121	1,377	467	412	44	45	2,849	1,957
—	—	5	2	1	1	—	—	—	—	—	—	9	4
82	24	26	12	903	559	972	597	623	397	114	94	2,720	1,683
—	—	2	—	—	—	—	—	—	—	—	—	78	22
—	—	—	—	4	3	1	1	—	—	—	—	5	4
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	1,305	631	5,841	3,238	2,567	1,810	546	471	112	110	10,371	6,260
—	—	46	32	327	201	121	81	15	12	—	—	894	541
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	61	24	660	204	1,752	538	429	143	10	6	2,912	915
1,880	1,127	1,441	946	874	556	281	192	20	22	2	2	4,985	3,121
—	—	—	—	—	—	25	12	—	—	—	—	29	16
—	—	—	—	214	111	525	311	4	5	—	—	743	427
—	—	—	—	—	—	—	—	4	2	—	—	4	2

第四表　赤痢月別

Table No. IV.　Cases of Dysentery, and Deaths

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.	57		52		57		67		95		299	
同 十四年 1881.	39		4		6		6		22		67	
同 十五年 1882.	3		3		6		11		14		138	
同 十六年 1883.	8		4		9		8		8		70	
同 十七年 1884.	8		5		3		5		26		205	
同 十八年 1885.												
同 十九年 1886.												
同 二十年 1887.			49	49					244	33		
同 二十一年 1888.			45	26					301	52		
同 二十二年 1889.			54	45					271	40		
同 二十三年 1890.	12	8	5	1	9	3	21	2	127	14	1,363	192
同 二十四年 1891.	51	22	6	2	9	3	16	3	87	16	557	89
同 二十五年 1892.	39	38	29	9	18	6	55	14	178	37	1,137	156
同 二十六年 1893.	111	53	46	12	42	16	32	10	99	34	917	150
同 二十七年 1894.	166	98	65	21	49	18	117	22	1,234	140	6,111	880
同 二十八年 1895.	118	58	64	32	69	21	117	32	639	88	2,384	371
同 二十九年 1896.	73	33	48	14	51	12	80	17	176	40	1,074	200
同 三十年 1897.	91	33	50	18	65	21	101	21	160	33	766	88
同 三十一年 1898.	117	82	80	18	85	21	127	33	322	62	1,899	300
同 三十二年 1899.	150	58	100	58	103	20	147	29	870	115	4,089	568
同 三十三年 1900.	152	55	75	19	92	17	158	29	299	40	1,136	156
同 三十四年 1901.	125	43	81	21	103	13	128	21	363	44	1,176	155
同 三十五年 1902.	92	29	47	9	91	22	116	12	273	40	1,396	211
同 三十六年 1903.	88	26	67	14	75	18	121	11	205	38	793	113
同 三十七年 1904.	72	14	52	16	86	15	110	22	229	33	735	108
同 三十八年 1905.	67	12	57	11	123	22	91	13	193	31	1,162	158
同 三十九年 1906.	82	34	51	11	40	8	75	15	191	33	616	93
同 四十年 1907.	64	21	18	4	71	16	71	9	150	29	558	70
同 四十一年 1908.	51	10	28	4	42	8	53	7	201	26	916	105
同 四十二年 1909.	37	19	35	7	42	8	76	17	148	29	645	95
同 四十三年 1910.	43	14	48	13	49	8	57	12	244	36	1,143	171
同 四十四年 1911.	64	20	59	12	58	10	73	11	256	43	1,125	157
大正 元年 1912.	114	14	51	11	66	16	99	23	386	55	1,620	262
同 二年 1913.	72	19	59	17	57	15	115	26	282	65	1,039	188
同 三年 1914.	82	14	57	10	66	12	99	26	306	48	1,627	246
同 四年 1915.	87	35	86	26	96	23	123	39	264	49	1,088	180
同 五年 1916.	80	23	85	14	99	24	133	26	408	73	1,507	214
同 六年 1917.	84	41	66	21	76	18	116	16	223	44	577	90
同 七年 1918.	112	24	79	19	105	23	115	17	250	37	514	87
同 八年 1919.	38	18	40	16	62	16	75	13	241	54	1,137	222
同 九年 1920.	52	5	35	12	44	12	77	18	169	38	574	108
同 十年 1921.	101	32	72	27	90	18	86	14	266	53	647	128
同 十一年 1922.	51	21	66	14	73	13	135	29	353	61	796	171
同 十二年 1923.	131	52	104	42	155	65	254	106	546	244	1,439	570
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

累 年 比 較

thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
721		1,756		996		643		241		12		4,996	?
882		2,035		1,334		1,090		599		60		7,001	1,837
413		956		998		680		292		27		4,289	1,300
862		3,764		5,737		6,906		3,629		167		21,172	5,066
1,572		5,269		8,546		5,981		871		32		22,524	5,989
												47,183	10,627
												24,326	6,839
		9,512	2,198					6,344	1,977			16,149	4,257
		14,321	3,519					12,148	2,979			26,815	6,576
		15,725	3,730					6,823	2,155			22,873	5,970
7,386	1,054	12,431	2,404	10,327	2,133	7,350	1,780	2,769	761	833	354	42,633	8,706
3,716	668	9,086	1,957	9,193	2,307	10,538	2,501	12,153	2,959	946	681	46,358	11,208
8,476	1,354	19,906	4,050	17,999	4,489	12,598	3,463	9,348	2,590	1,059	638	70,842	16,844
10,918	1,828	36,222	7,237	51,444	11.694	47,690	13,007	18,581	6,462	1,203	779	167,305	41,282
24,433	4,489	49,427	11,328	35,196	9,328	26,894	7,413	9,581	3,426	1,867	931	155,140	38,094
5,971	1,167	13,036	2,750	15,577	3,900	10,150	2,825	3,822	1,337	764	378	52,711	12,959
7,903	1,330	27,861	5,813	27,619	7,383	15,526	5,266	4,611	1,786	854	462	85,876	22,356
7,400	1,228	33,493	6,702	27,030	7,819	13,770	4,360	7,144	2,280	1,007	586	91,077	23,189
14,583	2,374	30,212	6,723	23,430	6,289	12,554	3,713	6,354	1.996	1,213	781	90,976	22,392
19,113	3,168	27,575	6,039	30,210	6,739	21,733	4,951	3,877	1,549	746	469	108,713	23,763
4,435	751	11,796	2,284	13,764	3,116	9,459	2,403	4,198	1,037	691	257	46,255	10,164
4,810	840	11,139	2,068	14,913	3,148	13,123	3,029	3,168	1,251	506	256	49,635	10,889
5,237	838	9,072	1,886	10,348	2,274	7,039	2,019	2,758	846	527	256	36,996	8,442
3,264	611	7,394	1,550	8,785	1,987	7,226	1,919	2,073	797	220	125	30,311	7,209
3,218	542	6,549	1,400	6,248	1,431	4,001	1,034	1,256	436	216	115	22,772	5,166
7,143	1,203	12,092	2,445	8,559	2,094	5,396	1,580	2,540	835	565	202	37,988	8,606
2,625	440	7,479	1,562	6,123	1,477	3,237	908	1,473	450	285	113	22,277	5,144
2,859	510	6,291	1,356	7,674	1,825	4,711	1,294	2,099	616	376	196	24,942	5,946
4,273	809	11,389	2,378	9,278	2,447	4,559	1,313	1,808	597	211	142	32,809	7,846
3,499	649	8,105	1,865	8,597	2,022	4,796	1,365	1,657	570	369	190	28,006	6,836
5,751	967	11,136	2,308	8,136	1,937	3,809	1,064	1,299	425	246	98	31,961	7,053
4,688	880	9,263	1,844	7,403	1,679	2,968	825	1,082	386	427	142	27,466	6,009
5,371	1.049	8,618	1,814	5,545	1,298	2,568	732	996	301	233	146	25,667	5,721
3,366	668	4,269	876	3,705	810	2,370	575	1,079	285	366	147	16,779	3,691
5,275	1,021	5,947	1,296	5,780	1,232	3,666	953	2,662	572	560	288	26,127	5,718
3,579	621	6,242	1,137	4,804	1,059	2,865	658	1,429	373	474	168	21,137	4,368
5,104	840	6,811	1,333	4,541	1,011	2,183	590	1,081	268	420	138	22,452	4,554
2,875	420	4,577	866	3,377	806	2,134	542	658	199	179	97	14,942	3,160
2,723	402	4,155	785	3,156	671	2,008	473	647	205	134	80	13,998	2,823
2,247	453	3,419	706	2,342	581	1,680	441	1,371	300	263	100	12,915	2,920
2,003	398	3,362	726	3,313	824	1,801	473	1,016	251	292	96	12,738	2,961
1,824	321	3,224	762	3,327	752	1,938	500	682	240	188	94	12,445	2,941
2,382	491	4,093	913	3,355	792	2,421	812	1,098	460	312	197	15,135	3,975
3,645	1,344	4,375	1,590	4,462	1,290	3,571	1,253	1,253	550	331	266	20,266	7,372

第五表　腸「チフス」月別

Table No. V.　Cases of Typhoid Fever, and Deaths

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.	515		515		497		505		671		852	
同 十四年 1881.	1,111		600		800		1,068		1,579		1,543	
同 十五年 1882.	1,212		802		947		878		1,031		1,155	
同 十六年 1883.	1,288		575		699		882		1,296		1,295	
同 十七年 1884.	1,088		809		793		1,044		1,399		1,669	
同 十八年 1885.												
同 十九年 1886.												
同 二十年 1887.			6,682	1,535					12,992	2,268		
同 二十一年 1888.			6,439	1,572					11,289	1,750		
同 二十二年 1889.			5,002	1,366					6,568	1,428		
同 二十三年 1890.	2,032	568	1,421	386	1,592	380	1,715	402	2,626	540	2,329	527
同 二十四年 1891.	1,529	556	853	285	1,125	264	2,175	392	3,886	724	5,702	1,038
同 二十五年 1892.	1,827	541	1,388	382	1,454	366	1,615	405	2,430	468	3,044	628
同 二十六年 1893.	1,557	508	1,165	361	1,417	368	1,472	340	1,963	450	2,471	520
同 二十七年 1894.	1,639	515	1,043	319	884	226	1,011	256	1,824	338	2,867	515
同 二十八年 1895.	1,726	509	1,194	340	1,362	335	1,579	351	2,207	447	2,868	553
同 二十九年 1896.	2,252	552	2,012	441	1,891	413	1,955	412	2,889	625	2,783	580
同 三十年 1897.	1,819	455	1,277	299	1,300	351	1,408	270	1,854	351	1,982	371
同 三十一年 1898.	1,050	318	934	236	846	251	839	217	1,212	259	1,422	299
同 三十二年 1899.	1,260	388	919	287	1,019	289	1,066	250	1,635	303	1,963	418
同 三十三年 1900.	1,077	308	772	225	586	189	625	146	1,233	243	1,725	362
同 三十四年 1901.	1,075	293	811	251	712	226	827	189	1,395	275	1,508	325
同 三十五年 1902.	1,115	287	650	198	760	211	796	181	1,065	240	1,367	277
同 三十六年 1903.	1,042	232	770	182	867	230	745	180	924	239	1,204	236
同 三十七年 1904.	886	235	756	215	843	248	802	225	1,134	231	1,227	293
同 三十八年 1905.	898	211	667	173	575	198	636	161	956	210	1,185	269
同 三十九年 1906.	1,173	322	1,140	343	984	284	1,010	258	1,295	311	1,656	341
同 四十年 1907.	1,060	273	739	222	702	243	920	228	1,322	269	1,694	330
同 四十一年 1908.	1,066	250	1,096	267	845	256	835	242	968	221	1,351	250
同 四十二年 1909.	1,031	274	887	213	765	209	790	200	1,176	222	1,279	280
同 四十三年 1910.	1,430	266	985	250	1,073	301	1,522	314	2,490	446	2,582	515
同 四十四年 1911.	1,250	319	1,116	303	1,032	241	1,031	223	1,482	254	1,920	313
大正 元年 1912.	1,877	398	1,388	363	1,309	322	1,236	291	1,633	307	1,908	369
同 二年 1913.	1,251	307	984	234	1,034	258	981	198	1,355	250	1,701	286
同 三年 1914.	1,317	299	1,342	247	2,049	409	2,104	364	2,608	410	2,660	398
同 四年 1915.	1,688	334	1,329	318	1,066	255	1,250	258	1,793	315	2,389	433
同 五年 1916.	1,953	438	1,796	467	1,304	364	1,372	311	2,076	378	2,975	455
同 六年 1917.	1,426	347	1,421	319	1,085	261	1,173	247	1,663	325	1,932	369
同 七年 1918.	1,610	394	1,491	405	2,615	679	2,924	729	2,827	620	2,878	609
同 八年 1919.	1,563	337	1,652	398	1,862	429	1,901	465	2,688	500	4,041	692
同 九年 1920.	1,492	360	987	251	1,095	232	1,257	278	2,019	317	3,489	552
同 十年 1921.	2,486	500	1,864	451	1,738	475	1,608	340	2,603	425	3,659	629
同 十一年 1922.	1,816	376	1,475	393	1,819	391	2,029	451	3,012	546	4,090	642
同 十二年 1923.	1,977	420	1,682	428	1,637	410	1,480	352	2,415	455	3,297	637
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

累 年 比 較

thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
852		1,583		1,829		1 520		1,084		577		11,000	?
2,217		2,843		3,298		3,452		2,738		1,629		24,033	5,866
1,440		2,217		2,751		2,305		1,517		997		18,258	4,954
1,295		1,815		2,997		2,840		2,280		1,485		18,769	5.032
1,626		2,519		3,320		3,347		1,977		1 219		20,816	5,699
												27,934	6,483
												66,224	13,807
		14,880	2,912					12,895	3,098			47,449	9,813
		12,617	2 743					13,255	3 146			43,600	9,211
		12,028	2,602					12,251	3,227			35,849	8,623
2,650	603	3,550	838	5,146	1,159	5,621	1,309	3,544	977	2,510	775	34,736	8,464
4,842	1,028	4,690	940	6,037	1,255	5,850	1,286	4,311	1,009	2,967	837	43,967	9,614
3,246	734	4,695	938	5,230	1,165	5,052	1,252	3,397	921	2,258	729	35,636	8,529
2,825	646	4,015	827	5,852	1,190	5,411	1,262	3,731	1,016	2,190	695	34,069	8,183
3,455	681	6,060	1,068	6,346	1,298	5,408	1,141	3,831	995	2,299	702	36,667	8,054
3,910	759	5,224	1,056	6,259	1,312	4,721	1,167	3,435	869	2,530	703	37,015	8,401
3,291	614	5 080	924	7,143	1,309	6,289	1,455	4,106	1,057	2,814	792	42,505	9,174
2,206	421	3,390	600	4,213	859	3,443	771	2,382	595	1,652	497	26,998	5,854
2,272	417	3,670	678	4,425	901	3,948	873	2,858	665	1,821	583	25,297	5,697
2,958	565	4,462	953	4,541	947	3,537	829	2,569	719	1,744	504	27,673	6,452
2,064	436	2,996	619	4,408	818	3,891	885	2,651	621	1,827	510	23,855	5 362
2,174	393	3,236	656	4.399	861	3,762	814	2,499	621	1,714	507	24,112	5,411
2,251	441	2,638	550	3,468	738	3,223	719	2,163	499	1,598	467	21,094	4,808
1,466	330	2,595	483	3,174	634	2,926	655	1,852	507	1,287	384	18,852	4,292
1,713	401	2,855	585	3,035	654	3,070	606	2,043	535	1,271	399	19,635	4,627
2,144	419	3,397	633	4,157	881	3,609	879	2,759	694	1,896	548	22,879	5,276
2,275	450	3,652	684	4,011	829	3,629	847	2,602	643	1,751	585	25,178	5,897
2,573	462	3,729	725	4,569	908	4,087	821	2,640	652	1,953	560	25,988	5,693
2,328	432	3 628	580	4,537	861	3,672	768	2,456	641	1,719	563	24,501	5,331
2,260	449	4,195	700	4,663	856	3,733	854	2,506	626	1,831	590	25,116	5,473
3,205	781	4,615	751	6,729	1,177	5,380	1,148	3,362	994	2,014	642	35 387	7,585
3,064	513	5,315	817	6,549	1,219	4,955	1,058	3,742	874	2,682	696	34,138	6,830
3,176	493	4,747	812	5,216	867	4,130	856	2,803	639	2,105	572	31,528	6,289
2,678	433	3,900	647	4,819	812	4,107	768	2,916	680	1,991	570	27,717	5,443
3,381	566	4,174	739	5,412	968	4,591	911	3,213	662	2,620	653	35,471	6,626
3,611	583	4,997	829	6,437	1,108	5,439	1,096	3,669	859	2,792	749	36,460	7,137
4,867	726	6,732	1,184	7,835	1,409	5,326	1,175	3,126	786	2,556	703	41,918	8 396
3,260	538	5,051	861	5,911	1,074	5,686	1,031	4,056	1,069	2,535	813	35,199	7,254
4,096	757	6,652	1,139	8,008	1,461	6,381	1,498	2,321	997	1,348	585	43,151	9,873
5,408	920	8,595	1,401	10,153	1,884	7,656	1,718	5,418	1,260	3,769	1,152	54,706	11,156
5,961	924	8,527	1,344	10,827	1,921	8,128	1,716	5,900	1,358	4,243	1,074	53,925	10,327
5,038	945	7,666	1,381	8,304	1,571	6,760	1,600	4,736	1,329	3,671	988	50,133	10 634
5,305	931	8,353	1,530	9,231	1,894	7,255	1,726	4,892	1,353	3,142	993	52,419	11,226
4,839	917	7,225	1,445	7,203	1,345	8,465	1,793	6,719	1,632	5,689	1,535	52,628	11,369

第六表 「パラチフス」

Table No. VI. Cases of Paratyphoid, and

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治四十四年 1911.	—	—	—	—	—	—	—	—	—	—	—	—
大正 元 年 1912.	106	15	83	15	109	19	107	13	149	14	218	30
同 二 年 1913.	115	11	65	12	107	27	93	20	206	23	325	28
同 三 年 1914.	240	30	218	35	325	41	370	55	532	59	560	45
同 四 年 1915.	179	16	136	17	123	21	163	23	506	29	338	24
同 五 年 1916.	154	36	165	25	123	11	163	25	325	23	390	32
同 六 年 1917.	161	19	135	30	95	21	148	14	229	30	343	52
同 七 年 1918.	173	25	142	22	154	36	184	40	332	41	450	49
同 八 年 1919.	112	19	108	16	117	17	205	29	316	28	415	44
同 九 年 1920.	183	31	111	21	85	11	115	12	197	19	398	23
同 十 年 1921.	219	39	163	22	117	25	186	19	326	27	452	47
同 十一年 1922.	215	17	121	21	111	25	163	11	340	30	584	51
同 十二年 1923.	146	21	107	19	126	20	124	13	235	36	374	40
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

月別累年比較

Deaths thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	573	47	611	57	479	52	271	48	190	32	2,124	236
468	34	859	54	889	110	614	79	296	51	152	26	4,050	460
423	64	582	64	747	71	584	66	361	49	261	38	3,869	473
779	64	954	90	1,145	104	776	124	649	77	349	59	5,897	783
870	69	1,121	90	1,343	132	1,366	95	556	84	348	71	7,049	671
873	70	1,254	107	1,491	167	957	115	547	71	339	55	6,781	737
594	55	1,009	104	1,185	105	962	120	558	86	312	79	5,731	715
806	54	1,093	98	1,211	121	899	133	215	93	135	35	5,794	747
872	72	1,329	130	1,695	173	1,187	136	722	94	357	78	7,435	836
1,071	93	1,552	153	1,857	198	1,094	145	718	76	353	68	7,734	850
761	92	1,085	128	1,341	146	819	118	539	83	283	56	6,291	802
930	87	1,322	151	1,446	155	1,091	122	535	100	263	65	7,121	835
636	66	1,031	110	727	104	944	116	527	87	338	58	5,315	690

第七表　痘瘡月別

Table No. VII.　Cases of Small-Pox, and Deaths

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.	520		519		759		800		615		402	
同 十四年 1881.	406		410		478		481		260		184	
同 十五年 1882.	256		211		240		159		110		61	
同 十六年 1883.	16		51		98		207		290		221	
同 十七年 1884.	128		151		149		147		75		119	
同 十八年 1885.												
同 十九年 1886.												
同 二十年 1887.			25,049	6,243					11,066	2,703		
同 二十一年 1888.			2,224	500					1,370	240		
同 二十二年 1889.			675	197					567	116		
同 二十三年 1890.	6	—	20	3	28	4	42	3	80	7	46	3
同 二十四年 1891.	17	3	57	10	202	44	344	79	421	78	291	42
同 二十五年 1892.	3,656	828	5,965	1,181	5,996	1,255	5,159	1,013	3,034	764	1,835	599
同 二十六年 1893.	7,364	2,136	7,639	2,174	8,309	2,219	6,221	1,797	4,246	1,254	2,565	796
同 二十七年 1894.	2,224	547	2,502	691	2,922	770	2,045	628	1,321	328	768	202
同 二十八年 1895.	124	20	338	81	290	70	193	41	122	18	85	14
同 二十九年 1896.	84	10	176	44	449	132	642	196	865	251	754	228
同 三十年 1897.	9,942	2,843	13,209	3,665	10,190	3,261	4,003	1,148	2,107	563	1,110	362
同 三十一年 1898.	310	70	297	67	176	28	166	40	171	27	88	18
同 三十二年 1899.	160	48	164	47	240	39	185	35	177	34	125	13
同 三十三年 1900.	6	1	6	—	6	—	5	—	15	1	32	—
同 三十四年 1901.	2	—	6	—	4	—	9	—	21	—	16	3
同 三十五年 1902.	—	—	3	1	1	—	2	—	6	—	7	1
同 三十六年 1903.	5	2	11	3	16	—	11	—	7	1	5	—
同 三十七年 1904.	2	—	58	2	171	37	537	97	237	61	124	32
同 三十八年 1905.	31	3	97	24	59	14	44	13	31	8	8	—
同 三十九年 1906.	31	3	72	18	122	35	89	14	77	18	50	9
同 四十年 1907.	8	1	1	—	2	—	51	7	51	6	16	1
同 四十一年 1908.	4,484	1,394	5,437	1,498	4,687	1,461	1,815	895	926	314	526	165
同 四十二年 1909.	19	8	3	2	13	2	39	5	19	7	8	1
同 四十三年 1910.	5	—	5	1	18	4	24	4	8	2	13	1
同 四十四年 1911.	2	1	111	20	25	6	29	2	21	5	4	—
大正 元年 1912.	—	—	4	—	1	—	—	—	3	1	3	—
同 二年 1913.	2	—	1	—	1	1	7	2	11	2	52	16
同 三年 1914.	1	—	15	3	40	10	81	19	101	24	113	22
同 四年 1915.	5	1	4	—	5	—	2	1	—	—	—	—
同 五年 1916.	1	—	8	2	15	4	52	7	101	15	17	2
同 六年 1917.	253	43	675	149	1,076	236	905	207	1,225	251	700	176
同 七年 1918.	157	29	182	30	335	54	192	44	216	35	86	12
同 八年 1919.	509	139	858	257	807	258	616	142	555	139	383	77
同 九年 1920.	211	63	347	99	572	127	720	180	695	193	437	118
同 十年 1921.	11	4	89	26	228	50	222	46	161	34	78	21
同 十一年 1922.	39	6	87	17	82	16	100	20	170	25	153	26
同 十二年 1923.	70	18	320	72	262	57	285	47	250	46	322	53
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

累 年 比 較

thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
295		98		100		147		201		329		4,785	?
109		40		9		60		31		86		2,554	453
27		4		3		15		13		4		1,103	197
137		44		33		34		55		85		1,271	295
80		35		22		34		146		617		1,703	410
												12,618	3,299
												73,337	18,676
		1,974	485					1,690	536			39,779	9,967
		233	50					225	63			4,052	853
		52	13					30	2			1,324	328
21	—	8	1	12	3	4	—	23	—	6	1	296	25
154	34	90	17	69	17	137	37	588	92	1,238	268	3,608	721
831	265	528	203	345	138	1,083	281	1,790	651	3,557	1,231	33,779	8,409
1,130	341	556	183	420	116	582	132	1,159	266	1,707	437	41,898	11,851
258	79	121	36	29	13	49	11	72	14	107	23	12,418	3,342
52	7	17	4	3	—	5	3	29	7	29	3	1,287	268
405	147	205	80	319	146	858	377	1,872	650	4,075	1,127	10.704	3,388
482	170	136	41	63	9	188	53	249	73	267	88	41,946	12,276
111	18	66	20	39	10	77	18	90	20	161	26	1,752	362
70	9	25	6	11	2	16	—	28	3	14	9	1,215	245
16	—	8	—	5	1	4	1	4	—	4	—	111	4
24	1	3	—	2	—	—	—	2	—	3	—	92	4
8	—	7	—	1	—	1	1	3	1	7	3	46	7
11	—	4	—	—	—	—	—	1	—	1	—	72	6
40	6	9	—	—	—	5	1	1	1	4	—	1,188	237
2	—	—	—	—	—	5	—	—	—	1	—	278	62
41	9	3	1	2	1	8	1	1	—	—	—	496	109
15	—	4	2	1	—	25	6	90	31	770	383	1,034	437
121	73	36	28	2	—	8	3	5	2	28	5	18,075	5,838
2	1	—	—	—	—	1	—	—	—	2	—	106	26
5	1	—	—	—	—	1	—	1	—	—	—	80	13
—	—	1	—	—	—	—	—	7	—	2	—	202	34
1	—	—	—	1	—	—	—	1	—	—	—	14	1
13	8	8	4	7	3	3	3	1	—	2	—	108	39
64	12	8	7	2	1	25	4	18	6	17	2	485	110
—	—	—	—	—	—	—	—	1	1	—	—	17	3
1	1	—	—	—	—	—	—	16	4	53	13	264	48
171	43	15	27	10	3	12	2	10	5	69	16	5,121	1,158
9	3	6	2	10	2	11	4	72	19	191	51	1,467	285
78	25	23	10	11	4	21	8	73	21	121	35	4,055	1,115
142	33	27	4	4	2	6	25	6	—	—	—	3,167	844
49	17	19	7	5	—	6	1	3	2	18	4	889	212
38	8	2	3	1	—	1	—	—	—	6	3	679	124
103	23	27	4	2	—	37	3	37	6	207	52	1,922	381

第八表　發疹「チフス」

Table No. VIII.　Cases of Typhus, and

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.	168		155		167		206		196		120	
同 十四年 1881.	56		41		59		72		241		315	
同 十五年 1482.	29		18		38		59		100		81	
同 十六年 1883.	18		9		18		68		64		58	
同 十七年 1884.	4		25		75		174		214		222	
同 十八年 1885.												
同 十九年 1886.												
同 二十年 1887.			456	74					1,477	211		
同 二十一年 1888.			213	40					615	79		
同 二十二年 1889.			118	20					95	32		
同 二十三年 1890.	3	3	8	3	38	7	57	10	47	10	41	10
同 二十四年 1891.	2	—	2	1	37	3	375	27	283	54	257	44
同 二十五年 1892.	8	5	6	1	10	2	24	7	76	14	76	8
同 二十六年 1893.	3	2	—	1	11	3	22	3	29	10	65	13
同 二十七年 1894.	2	1	4	1	5	1	10	2	20	1	26	6
同 二十八年 1895.	1	1	8	1	8	2	11	2	37	9	44	10
同 二十九年 1896.	—	—	3	1	19	2	12	2	13	6	24	6
同 三十年 1897.	1	1	9	1	5	4	2	2	3	1	15	6
同 三十一年 1898.	—	—	—	—	2	—	2	1	4	—	7	2
同 三十二年 1899.	—	—	1	1	2	1	9	—	16	1	8	3
同 三十三年 1900.	6	1	1	1	4	—	3	2	2	—	10	3
同 三十四年 1901.	—	—	—	—	1	1	4	1	3	—	—	1
同 三十五年 1902.	2	—	—	—	1	—	—	—	3	—	9	1
同 三十六年 1903.	—	—	2	2	—	—	2	1	1	—	—	—
同 三十七年 1904.	—	—	—	—	1	—	2	1	12	2	10	1
同 三十八年 1905.	—	—	—	—	—	—	—	—	—	—	2	—
同 三十九年 1906.	—	—	—	—	—	—	1	—	—	—	—	—
同 四十年 1907.	—	—	—	—	1	—	—	—	1	—	3	1
同 四十一年 1908.	—	—	—	—	1	1	2	—	—	—	—	—
同 四十二年 1909.	—	—	—	—	1	1	—	—	—	—	1	—
同 四十三年 1910.	2	1	—	—	—	—	—	—	—	—	—	—
同 四十四年 1911.	—	—	1	1	—	—	—	—	—	—	—	—
大正 元年 1912.	—	—	—	—	—	—	—	—	—	—	—	—
同 二年 1913.	—	—	—	—	—	—	—	—	—	—	—	—
同 三年 1914.	—	—	—	—	1,497	143	1,919	314	1,997	388	1,142	188
同 四年 1915.	8	2	27	4	59	8	65	11	112	11	83	9
同 五年 1916.	19	1	22	3	119	27	132	23	123	20	99	27
同 六年 1917.	2	—	1	—	1	—	38	5	54	7	45	2
同 七年 1918.	—	—	15	2	21	5	32	2	57	4	36	3
同 八年 1919.	—	—	10	—	15	4	21	3	51	4	62	6
同 九年 1920.	1	—	1	—	—	—	1	—	7	—	15	—
同 十年 1921.	6	1	6	1	41	3	15	5	26	4	42	3
同 十一年 1922.	—	—	—	—	—	—	—	—	1	—	3	—
同 十二年 1923.	—	—	—	—	1	1	—	—	—	—	1	—
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

月別累年比較

Deaths thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
65		145		150		95		62		22		1,551	?
248		93		80		57		38		29		1,329	335
61		72		71		38		29		14		610	189
40		38		24		41		22		12		412	120
115		82		64		44		23		18		1,060	235
												1,405	249
												8,225	1,577
		466	134					88	29			2,487	448
		251	67					52	21			1,131	207
		69	26					18	10			300	88
19	7	12	5	16	6	5	4	1	1	4	1	251	67
155	43	48	15	11	6	15	5	6	2	3	3	1,194	203
38	10	17	4	9	3	8	4	5	3	4	1	281	62
51	14	17	5	9	3	11	1	6	1	4	—	228	56
14	2	21	9	14	5	15	3	3	2	5	—	139	33
36	10	13	9	18	3	7	1	3	—	—	1	186	49
9	3	5	3	1	1	2	—	3	3	1	1	92	28
7	2	5	3	2	2	2	1	5	—	2	—	58	23
8	7	7	1	3	1	3	—	5	3	1	—	41	15
4	3	12	3	2	1	1	—	—	—	—	—	55	13
7	1	15	3	16	2	6	—	1	—	2	—	73	13
4	1	3	1	—	—	—	—	1	1	4	1	21	7
3	—	3	1	—	—	—	—	1	1	—	—	22	3
1	1	—	—	1	1	—	—	—	—	1	—	8	5
6	—	—	—	1	—	—	—	—	—	3	—	35	4
—	2	—	—	—	—	—	—	—	—	—	—	2	2
1	—	1	1	—	—	—	—	1	—	—	—	4	1
1	—	—	—	2	—	—	—	—	—	—	—	8	1
—	—	—	—	—	—	—	—	—	—	—	—	3	1
—	—	—	—	—	—	—	—	—	—	1	1	3	2
2	2	—	—	—	—	1	1	—	—	—	—	5	4
—	—	—	—	1	1	—	—	1	1	—	—	3	3
—	—	—	—	—	—	—	—	1	1	—	—	1	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—
555	101	108	80	44	12	31	5	11	1	5	2	7,309	1,234
54	4	50	6	17	2	4	5	4	1	16	1	499	64
12	3	23	1	52	9	4	1	—	1	1	1	606	117
37	7	30	3	5	3	—	—	2	1	4	—	219	28
48	2	7	4	7	4	6	2	—	—	—	—	229	28
43	6	11	3	3	1	5	2	1	—	3	1	225	30
35	2	2	—	3	1	1	—	—	—	—	—	66	3
30	4	2	—	2	—	1	1	—	—	—	—	171	22
13	2	2	3	2	—	1	1	1	1	—	—	23	7
11	1	—	—	—	—	—	—	1	—	—	1	14	3

第九表　猩紅熱月別

Table No. IX.　Cases of Scarlet Fever, and

	一月 Jan.		二月 Feb		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治三十年 1897.	—	—	—	—	—	—	—	—	12	1	6	—
同 三十一年 1898.	6	—	6	1	3	—	7	—	8	1	9	—
同 三十二年 1899.	9	1	4	1	8	—	7	—	6	—	5	—
同 三十三年 1900.	14	3	6	1	6	1	8	3	7	—	8	1
同 三十四年 1901.	1	—	6	1	2	—	7	—	5	—	5	1
同 三十五年 1902.	2	—	11	1	13	—	17	1	20	2	19	1
同 三十六年 1903.	12	1	7	2	14	1	18	2	15	4	13	1
同 三十七年 1904.	5	—	15	1	10	1	14	1	7	—	6	—
同 三十八年 1905.	5	1	11	1	15	—	16	2	14	2	6	—
同 三十九年 1906.	12	—	11	3	19	3	11	4	24	1	22	3
同 四十年 1907.	31	1	30	4	43	8	55	5	47	3	53	8
同 四十一年 1908.	88	14	76	13	78	12	80	9	88	7	72	6
同 四十二年 1909.	93	21	152	28	165	30	121	21	119	19	101	15
同 四十三年 1910.	199	34	220	49	356	64	419	65	291	61	220	64
同 四十四年 1911.	131	25	130	24	184	16	130	18	152	19	170	37
大正 元年 1912.	87	12	88	5	123	16	132	21	119	8	110	14
同 二年 1913.	120	18	123	12	136	7	137	13	138	16	110	7
同 三年 1914.	111	10	127	7	152	6	136	10	153	8	85	4
同 四年 1915.	86	6	119	8	140	12	108	6	123	7	96	6
同 五年 1916.	104	1	83	4	90	9	114	5	108	8	102	1
同 六年 1917.	148	5	110	5	119	9	119	9	164	6	124	9
同 七年 1918.	88	3	104	6	123	8	141	6	119	3	93	5
同 八年 1919.	80	4	91	9	128	12	143	16	141	10	158	15
同 九年 1920.	122	6	115	12	112	7	149	10	133	11	129	5
同 十年 1921.	140	8	146	7	150	8	139	7	117	7	149	5
同 十一年 1922.	143	8	120	8	136	14	153	10	180	11	152	10
同 十二年 1923.	122	5	164	9	177	13	163	9	153	9	131	11
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

累 年 比 較

Deaths thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
4	2	2	—	2	—	—	—	7	—	4	—	37	3
5	—	1	—	3	—	9	1	5	2	12	2	74	7
5	—	6	1	2	—	11	1	14	2	9	—	86	6
7	1	5	1	2	1	3	—	10	—	1	—	77	12
3	—	1	—	—	—	—	—	7	1	9	—	46	3
17	2	2	1	2	—	9	—	8	2	5	1	125	11
4	—	1	—	7	—	14	—	10	—	8	—	123	11
7	1	3	—	5	1	2	—	17	1	11	3	102	9
15	2	2	1	9	1	7	—	11	1	22	1	133	12
34	3	18	1	12	—	20	4	33	5	39	9	255	36
68	10	26	5	20	3	30	4	44	4	75	12	522	67
42	5	33	4	28	3	53	8	110	17	112	30	860	128
139	36	74	20	83	33	128	26	157	37	205	51	1,537	337
144	41	81	19	61	9	106	17	117	14	145	27	2,359	464
93	17	58	9	36	2	58	7	102	13	95	13	1,339	200
90	11	59	8	52	8	111	16	119	15	117	12	1,207	146
92	3	54	5	51	1	97	5	114	6	121	13	1,293	106
73	7	45	5	48	—	99	3	121	10	100	10	1,250	80
75	2	34	2	65	4	73	8	102	7	124	6	1,145	74
67	2	48	5	37	3	82	—	109	2	112	10	1,056	50
70	1	42	3	55	2	83	4	116	5	107	7	1,257	65
61	5	36	2	39	5	59	6	76	9	80	7	1,019	65
103	4	57	3	55	7	93	9	139	11	137	9	1,325	109
66	3	51	3	79	6	130	7	142	12	140	8	1,368	90
78	6	59	3	86	5	128	9	215	12	182	5	1,589	82
139	4	58	5	73	5	126	10	211	4	166	8	1,657	97
110	3	60	3	53	3	89	7	150	7	190	9	1,562	88

第十表 「ヂフテリア」

Table No. X. Cases of Diphtheria, and

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治十三年 1880.	105		118		130		152		103		109	
同 十四年 1881.	119		120		173		157		165		169	
同 十五年 1882.	201		169		182		217		180		151	
同 十六年 1883.	181		163		212		213		157		200	
同 十七年 1884.	164		151		197		183		207		176	
同 十八年 1885.												
同 十九年 1886.												
同 二十年 1887.			758	430					725	379		
同 二十一年 1888.			696	417					594	355		
同 二十二年 1889.			770	437					648	384		
同 二十三年 1890.	265	176	176	107	206	128	208	115	178	106	152	82
同 二十四年 1891.	280	167	244	152	385	164	273	165	283	168	347	196
同 二十五年 1892.	419	279	303	189	393	242	347	207	366	219	302	187
同 二十六年 1893.	601	356	515	312	535	320	495	282	492	264	476	254
同 二十七年 1894.	482	281	442	267	411	262	378	214	445	236	398	195
同 二十八年 1895.	540	351	479	289	522	285	491	260	502	244	466	221
同 二十九年 1896.	660	314	681	313	765	337	695	270	622	224	578	203
同 三十年 1897.	1,177	442	1,154	464	1,265	427	1,247	424	1,349	456	1,191	390
同 三十一年 1898.	2,142	790	2,016	668	1,952	637	1,718	536	1,455	409	1,171	329
同 三十二年 1899.	2,623	927	2,110	661	2,089	646	1,701	484	1,513	438	1,156	327
同 三十三年 1900.	2,347	826	1,788	635	1,840	598	1,511	409	1,363	376	1,215	350
同 三十四年 1801.	1,885	703	1,530	533	1,565	533	1,284	400	1,123	329	957	263
同 三十五年 1902.	1,884	605	1,614	493	1,584	440	1,314	374	1,095	295	911	236
同 三十六年 1903.	1,640	533	1,506	506	1,381	399	1,255	342	1,013	263	871	236
同 三十七年 1904.	1,530	522	1,425	447	1,374	427	1,106	315	1,010	289	764	178
同 三十八年 1905.	1,497	466	1,386	411	1,494	465	1,157	305	1,157	314	742	226
同 三十九年 1906.	1,387	528	1,373	442	1,557	425	1,332	385	1,168	283	969	271
同 四十年 1907.	1,631	540	1,399	467	1,516	440	1,293	392	1,017	280	653	244
同 四十一年 1908.	1,899	537	1,788	553	1,761	487	1,615	436	1,438	360	1,164	287
同 四十二年 1909.	1,886	599	1,833	591	1,875	540	1,463	399	1,335	362	1,060	278
同 四十三年 1910.	1,972	585	1,829	559	2,082	585	1,762	442	1,375	340	1,128	293
同 四十四年 1911.	2,316	720	2,135	597	2,027	556	1,581	408	1,515	378	1,210	272
大正 元年 1912.	2,122	634	2,050	535	1,935	471	1,510	362	1,433	337	1,138	230
同 二年 1913.	2,262	654	2,007	572	2,206	580	1,746	461	1,495	377	1,233	320
同 三年 1914.	1,880	566	1,791	509	1,769	474	1,494	386	1,318	278	1,062	217
同 四年 1915.	2,343	663	2,227	574	2,331	575	1,873	443	1,652	343	1,279	269
同 五年 1916.	1,916	526	1,753	495	1,569	441	1,303	320	1,207	252	920	200
同 六年 1917.	1,905	607	1,941	512	1,942	467	1,626	398	1,549	350	1,287	306
同 七年 1918.	1,804	522	1,678	443	1,814	476	1,421	325	1,304	289	1,019	233
同 八年 1919.	1,451	397	1,457	359	1,373	336	1,195	271	1,150	246	1,028	219
同 九年 1920.	1,730	467	1,466	329	1,508	338	1,212	257	1,061	214	902	189
同 十年 1921.	1,739	445	1,667	417	1,520	392	1,150	278	983	217	908	188
同 十一年 1922.	1,389	386	1,426	414	1,436	405	1,016	239	969	219	776	176
同 十二年 1923.	1,561	440	1,452	364	1,423	385	1,137	272	970	237	748	188
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

月別累年比較

Deaths thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
73		144		153		188		169		95		1,539	?
183		156		166		196		197		198		1,999	1,110
134		122		196		160		147		145		2,004	1,0 9
199		181		186		217		210		188		2,307	1,229
150		138		187		231		238		213		2,235	1,266
												2,796	1,439
												3,265	1,465
		531	236					727	384			2,741	1,429
		567	277					725	401			2,582	1,450
		521	260					730	413			2,669	1,494
120	63	156	72	170	92	227	113	271	175	319	209	2,448	1,438
207	118	182	82	226	132	324	163	388	243	390	224	3,429	1,974
223	110	250	111	245	113	399	189	546	314	566	371	4,359	2,531
356	181	308	167	342	175	504	252	566	312	536	330	5,726	3,205
358	148	295	126	313	155	525	261	632	365	629	393	5,308	2,903
443	193	329	131	425	162	582	268	674	310	647	311	6,100	3,025
469	161	414	140	531	178	872	293	1,058	364	1,268	499	8,613	3,296
859	276	729	241	883	298	1,427	507	2,014	770	2,191	884	15,486	5,579
804	245	772	210	1,076	357	1,760	569	2,330	766	2,496	937	19,692	6,453
954	297	944	286	1,192	355	2,010	623	2,385	768	2,356	855	21,033	6,667
849	220	650	182	943	227	1,543	445	1,798	610	2,028	782	17,875	5,660
699	188	558	172	1,239	314	735	198	1,564	475	1,743	578	14,882	4,686
725	195	616	160	812	191	1,182	297	1,484	469	1,784	559	15,005	4,314
597	164	492	144	704	172	1,185	348	1,454	475	1,604	593	13,702	4,175
471	137	429	100	655	172	969	262	1,417	395	1,499	476	12,649	3,720
680	183	585	155	688	167	1,156	308	1,265	399	1,454	484	13,261	3,883
640	192	526	161	743	171	1,248	323	1,523	449	1,722	558	14,188	4,188
722	179	606	152	837	215	1,313	346	1,701	483	1,774	555	14,762	4,293
952	255	664	159	951	246	1,573	391	1,838	567	2,147	693	17,790	4,971
816	228	774	205	998	237	1,679	441	2,037	555	2,346	686	18,102	5,121
978	205	883	195	1,090	246	1,596	386	2,049	516	2,355	717	19,099	5,069
997	232	874	215	1,185	230	1,787	399	2,083	540	2,384	682	20,094	5,229
877	197	818	166	1,002	223	1,791	392	2,154	523	2,421	691	19,251	4,761
964	224	799	168	1,089	224	1,398	338	1,903	490	2,035	603	19,137	5,011
796	167	730	145	1,161	232	1,807	394	2,058	504	2,477	708	18,343	4,580
961	176	672	148	941	196	1,372	280	1,861	435	2,189	607	19,701	4,709
792	175	637	146	950	153	1,407	309	1,777	397	2,018	546	16,249	3,960
768	177	625	128	840	155	1,212	237	1,738	449	2,054	589	17,487	4,375
715	167	564	115	731	124	1,163	236	1,853	477	1,682	442	15,748	3,849
803	179	613	144	712	127	1,127	227	1,551	352	1,820	486	14,280	3,343
645	141	513	101	866	147	1,409	262	1,837	423	2,024	571	15,173	3,439
665	159	589	113	734	156	1,181	267	1,623	397	1,763	472	14,522	3,501
593	119	421	76	736	107	1,228	216	1,693	349	2,054	548	13,737	3,254
622	139	391	87	558	121	1,004	177	1,286	275	1,624	426	12,776	3,111

第十一表　流行性腦脊髓膜炎

Table No. XI.　Cases of Cerebro-Spinal Meningitis,

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
大正 七 年 1918.	—	—	—	—	—	—	148	61	258	142	211	115
同 八 年 1919.	125	34	200	88	291	106	313	132	361	179	213	129
同 九 年 1920.	75	38	81	35	113	46	125	48	111	49	76	40
同 十 年 1921.	51	14	47	24	71	34	82	38	64	34	73	40
同 十一 年 1922.	27	15	66	29	77	35	47	34	84	35	67	34
同 十二 年 1923.	42	14	44	26	90	51	90	37	72	36	67	35
同 十三 年 1924.												
同 十四 年 1925.												
同 十五 年 1926.												
同 十六 年 1927.												

第十二表　「ペスト」月別

Table No. XII.　Cases of Plague, and Deaths

	一月 Jan.		二月 Feb.		三月 Mar.		四月 Apr.		五月 May.		六月 June.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
明治三十年 1897.	—	—	—	—	—	—	—	—	—	—	—	—
同 三十一年 1898.	—	—	—	—	—	—	—	—	—	—	—	—
同 三十二年 1899.	—	—	—	—	—	—	—	—	—	—	1	—
同 三十三年 1900.	10	18	—	—	—	—	8	6	39	32	19	20
同 三十四年 1901.	1	1	—	—	—	—	1	1	—	—	1	1
同 三十五年 1902.	—	—	—	—	1	—	—	1	1	1	—	—
同 三十六年 1903.	6	6	—	—	—	—	—	—	6	6	7	6
同 三十七年 1904.	—	—	—	—	—	—	—	—	—	—	—	—
同 三十八年 1905.	—	—	—	—	—	—	1	1	9	7	34	20
同 三十九年 1906.	28	23	4	3	7	5	17	15	47	38	73	56
同 四十年 1907.	9	8	5	5	5	5	18	18	42	39	13	12
同 四十一年 1908.	19	18	12	12	4	4	15	11	22	19	21	17
同 四十二年 1909.	13	11	1	—	3	3	24	21	39	31	18	17
同 四十三年 1910.	4	4	2	2	3	3	6	5	1	2	5	5
同 四十四年 1911.	—	—	—	—	—	—	—	—	—	—	—	—
大正 元 年 1912.	—	—	—	—	—	—	—	—	—	—	—	—
同 二 年 1913.	—	—	—	—	—	—	—	—	—	—	—	—
同 三 年 1914.	1	1	—	—	—	—	18	16	20	17	27	23
同 四 年 1815.	—	—	—	—	—	—	—	—	1	1	8	7
同 五 年 1916.	—	—	—	—	—	—	—	—	—	—	—	—
同 六 年 1917.	1	1	1	1	—	—	2	2	13	12	3	3
同 七 年 1918.	—	—	1	1	—	—	—	—	—	—	—	—
同 八 年 1919.	—	—	—	—	—	—	—	—	—	—	1	1
同 九 年 1920.	—	—	—	—	—	—	—	—	—	—	—	—
同 十 年 1921.	—	—	—	—	—	—	—	—	—	—	—	—
同 十一 年 1922.	—	—	—	—	—	—	—	—	—	—	—	—
同 十二 年 1923.	1	1	—	—	—	—	—	—	—	—	—	—
同 十三 年 1924.												
同 十四 年 1925.												
同 十五 年 1926.												
同 十六 年 1927.												

月別累年比較

and Deaths thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
120	83	103	59	71	46	66	52	33	42	44	36	1,054	636
167	100	155	80	373	228	100	66	94	69	66	50	2,458	1,261
57	29	116	77	80	42	26	29	44	28	44	30	948	491
65	38	60	33	116	65	61	40	35	26	47	27	772	413
47	29	132	79	292	181	38	30	24	25	34	18	935	544
57	36	31	16	83	39	83	55	28	16	21	13	708	374

累年比較

thereof, in Each Month.

七月 July.		八月 Aug.		九月 Sept.		十月 Oct.		十一月 Nov.		十二月 Dec.		合計 Total.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1	1	—	—	—	—	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	2	—	—	—	—	—	15	13	45	32	63	45
3	3	—	—	24	19	18	16	25	23	22	16	168	153
—	—	—	—	—	—	—	—	—	—	—	—	3	3
—	—	—	—	—	—	8	4	—	1	4	2	14	9
3	3	3	3	11	7	14	12	8	7	—	—	58	50
—	—	—	—	—	—	—	—	—	—	1	1	1	1
8	6	2	2	8	8	4	4	81	59	135	111	282	218
51	38	36	19	30	22	102	78	93	77	10	9	498	383
12	10	3	1	18	17	105	87	265	224	151	148	646	574
5	5	10	6	63	45	73	57	48	41	55	45	347	280
19	12	11	9	34	28	106	88	98	74	23	19	389	313
1	1	1	1	—	—	11	6	15	12	—	—	49	41
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	3	3	11	8	12	9	1	—	27	20
12	9	4	3	—	—	—	—	—	—	1	1	83	70
8	7	3	2	—	—	—	—	—	—	—	—	20	17
—	—	—	—	—	—	36	28	19	16	22	21	77	65
5	4	—	—	—	—	—	—	—	—	—	—	25	23
—	—	—	—	—	—	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	1	1	1	—	3	2
—	—	—	—	7	5	6	4	8	6	1	1	22	16
—	—	—	—	1	—	—	—	1	—	—	—	2	—
14	12	1	2	1	1	41	32	47	33	14	9	118	89
—	—	—	—	—	—	—	—	—	—	—	—	1	1

第十三表 (其一) 「コレラ」

Table No. XIII. (No. 1) Cases and Deaths of

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	332	220	1	1	1	—	4	1	2,933	2,151
青森縣 Aomori Ken.	5	4	—	—	23	16	1	—	1	1	—	—	6,565	3,775
岩手縣 Iwate ,,	1	1	—	—	716	302	2	1	1	—	—	—	520	312
宮城縣 Miyagi ,,	—	—	—	—	3,977	2,361	15	7	6	2	—	—	1 371	938
秋田縣 Akita ,,	12	4	—	—	196	141	5	4	4	2	2	1	4,881	2,824
山形縣 Yamagata ,,	13	6	—	—	1,461	988	24	20	4	2	4	2	2,217	1,510
福島縣 Fukushima ,,	6	2	—	—	812	501	8	4	3	2	7	2	278	170
茨城縣 Ibaraki ,,	20	11	3	1	1,258	747	8	2	33	12	8	4	875	544
栃木縣 Tochigi ,,	14	3	—	—	2,173	1,111	19	9	36	10	5	—	559	300
群馬縣 Gumma ,,	11	2	4	2	3,112	1,833	14	3	34	15	3	—	324	228
埼玉縣 Saitama ,,	23	14	2	2	1,494	980	9	2	10	5	21	13	919	626
千葉縣 Chiba ,,	2	—	58	41	1,470	980	6	4	10	6	63	44	3,438	2,334
東京府 Tōkyō Fu.	95	43	55	34	6,536	5,077	51	27	66	34	247	160	12,262	9,962
神奈川縣 Kanagawa Ken.	47	15	34	16	3,780	2,396	25	13	38	13	252	185	5,888	3,165
新潟縣 Niigata ,,	45	22	12	10	1,428	1,056	20	9	11	8	19	10	9,387	5,953
富山縣 Toyama ,,							13	4	16	7	6	3	16 271	10,764
石川縣 Ishikawa ,,	85	39	16	7	1,313	852	7	3	6	4	3	1	4,502	3,564
福井縣 Fukui ,,	—	—	—	—	128	109	7	4	17	9	12	10	6,673	4,791
長野縣 Nagano ,,	—	—	5	2	1,525	851	17	1	37	21	3	1	3,940	2,282
岐阜縣 Gifu ,,	7	3	4	3	15	12	2	—	—	—	—	—	349	247
滋賀縣 Shiga ,,	27	17	40	33	71	59	14	11	6	6	17	14	409	328
山梨縣 Yamanashi ,,	—	—	20	9	3,664	2,000	27	10	48	18	29	13	1,170	608
静岡縣 Shizuoka ,,	34	15	40	19	2,952	1,867	13	3	45	21	19	12	737	534
愛知縣 Aichi ,,	19	11	29	17	675	475	10	7	6	3	2	2	1,163	869
三重縣 Mie ,,	3	3	37	26	707	514	15	10	13	5	5	3	1,407	1,108
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	56	20	203	142	626	478	18	10	18	11	127	97	3,079	2,236
京都府 Kyōto Fu.	7	5	344	285	462	395	11	7	12	9	364	297	3,274	2,631
大阪府 Ōsaka ,,	121	56	2,018	1,683	2,604	2,097	80	44	84	46	2,215	1,818	19,768	16,013
兵庫縣 Hyōgo Ken.	70	18	628	460	692	511	36	19	16	8	955	767	6,746	5,334
鳥取縣 Tottori ,,			—	—	225	148	6	3	10	5	2	1	912	582
島根縣 Shimane ,,	30	11	1	—	360	251	2	1	1	—	6	1	1 735	1,023
岡山縣 Okayama ,,	74	28	272	169	454	288	36	17	10	3	106	61	2,650	1,921
廣島縣 Hiroshima ,,	60	22	74	36	1,187	882	40	17	24	12	102	67	7,625	5,451
山口縣 Yamaguchi ,,	41	12	89	60	690	471	52	12	36	13	76	31	3,837	2,526
徳島縣 Tokushima ,,	10	4	81	57	244	173	6	3	5	3	75	49	952	642
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	98	33	237	159	2,345	1,488	60	22	46	16	133	74	5,463	2,957
高知縣 Kochi ,,	4	1	171	114	91	57	9	4	2	2	9	4	1,832	1,249
福岡縣 Fukuoka ,,	169	91	668	457	207	147	73	50	48	27	567	383	1,629	1,173
佐賀縣 Saga ,,							16	8	6	3	347	226	1,339	911
長崎縣 Nagasaki ,,	84	46	1,663	991	172	105	9	2	3	1	4,402	2,937	2,360	1,569
熊本縣 Kumamoto ,,	263	52	1,587	922	114	41	141	42	109	43	2,982	1,714	480	288
大分縣 Ōita ,,	24	4	87	51	884	567	16	6	10	3	29	10	1,542	934
宮崎縣 Miyazaki ,,							5	—	4	2	60	35	22	16
鹿兒島縣 Kagoshima ,,	—	—	846	389	454	236	13	4	4	2	536	276	48	28
沖繩縣 Okinawa ,,	—	—	61	40	2	1	7	4	—	—	—	—	1,592	1,034
合計 Total.	1,850	618	9,389	6,237	51,631	33,784	969	434	900	415	13,824	9,329	155,923	108,405

累年地方別

Cholera in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3	1	9	3	3	2	30	19	—	—	7	6	2	1	3	1	77	53
13	7	8	3	1	—	22	17	2	2	—	—	1	1	1	—	17	9
2	2	2	2	2	—	—	—	1	—	—	—	1	—	—	—	168	109
9	2	15	12	4	2	19	14	6	2	—	—	—	—	—	—	2,238	1,595
7	4	1	1	1	1	12	3	3	2	3	3	3	1	—	—	240	172
10	3	15	11	9	8	11	8	4	2	2	1	—	—	—	—	1,095	738
9	7	3	1	1	1	2	—	2	1	—	—	4	3	—	—	605	373
15	6	2	2	1	1	96	72	6	—	—	—	7	2	1	—	1,060	718
15	7	4	3	14	5	177	121	8	5	6	4	4	4	7	4	332	221
12	6	9	5	13	8	219	171	18	5	7	3	—	—	4	4	39	20
5	3	10	6	4	3	116	81	16	10	3	1	6	3	1	—	276	201
17	10	14	7	10	5	1,407	1,015	230	138	19	15	11	10	6	3	850	623
81	45	62	37	36	17	4,027	3,307	333	225	71	37	29	15	24	13	3,424	2,597
24	10	17	8	16	7	2,196	1,705	180	134	32	18	26	15	8	3	852	587
77	48	28	14	36	20	38	30	61	32	16	12	13	10	3	2	439	330
13	10	18	11	7	5	19	12	8	8	7	6	1	1	11	6	3,451	2,697
10	8	9	8	10	7	9	9	14	10	—	—	—	—	4	3	615	463
13	8	20	14	19	14	27	19	23	13	6	4	2	2	4	4	436	364
14	8	17	5	5	3	20	14	5	3	11	7	13	9	2	—	49	39
1	1	—	—	1	—	1	1	—	—	16	11	—	—	—	—	136	89
11	10	7	5	1	1	134	109	18	15	8	7	1	1	3	3	272	207
34	12	28	14	17	5	293	208	41	16	37	20	44	21	21	13	100	66
14	7	16	12	9	5	395	299	73	43	25	15	15	11	8	6	411	284
7	6	1	1	5	3	3	2	6	3	1	1	—	—	—	—	627	466
19	13	1	1	9	4	19	14	2	2	2	2	—	—	1	1	428	352
—	—	35	20	24	15	442	358	62	54	34	21	13	10	15	12	758	582
14	8	12	3	13	7	1,333	981	104	88	14	8	15	5	24	14	580	410
26	18	16	11	34	18	1,005	864	111	76	30	16	23	13	15	11	1,842	1,561
87	47	51	37	78	52	8,815	7,486	964	757	120	75	65	41	110	53	5,195	5,564
68	39	51	27	39	24	3,858	2,987	210	164	61	32	27	17	35	20	3,662	2,822
8	4	3	3	2	2	29	20	10	7	5	2	3	1	6	3	1,204	784
16	9	4	3	6	3	184	138	128	97	2	2	3	1	—	—	787	547
35	19	12	7	28	14	1,505	1,163	62	33	8	4	9	6	16	7	2,941	2,004
23	12	32	9	31	16	1,706	1,325	127	91	17	9	30	14	46	23	3,910	2,957
27	14	23	7	21	7	2,000	1,483	1,487	1,129	29	11	14	9	13	6	1,887	1,388
27	16	6	4	1	—	647	504	37	29	8	5	7	4	7	6	448	321
		—	—	11	3	1,952	1,429	28	15	10	3	12	9	5	4	2,323	1,503
65	31	38	14	18	7	1,259	885	279	195	31	16	15	10	8	4	1,434	996
7	3	11	7	11	5	723	503	152	104	10	8	24	17	12	4	1,001	726
87	55	90	55	95	63	3,559	2,727	1,949	1,443	94	53	111	58	96	66	2,138	1,464
15	11	15	12	6	4	1,012	717	698	524	8	6	12	10	8	6	306	218
22	14	12	6	30	18	3,767	2,550	1,685	1,083	19	11	8	3	5	5	1,734	1,211
68	34	66	39	36	23	1,306	817	1,004	605	50	18	21	11	—	—	690	459
13	7	5	4	9	9	1,195	768	832	506	27	15	32	13	10	3	876	561
—	—	9	5	13	10	149	99	5	3	8	4	1	—	2	—	397	216
12	5	4	1	11	4	281	173	148	86	10	5	3	1	1	1	547	357
173	64	—	—	—	—	—	—	—	—	—	—	2	1	—	—	247	130
1,228	654	811	460	751	431	46,019	35,227	11,142	7,760	874	497	633	364	546	314	55,144	40.154

第十三表 (其二) 「コレラ」

Table No. XIII. (No. 2) Cases and Deaths of

	明治二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	10	5	—	—	—	—	—	—	1	1	—	—	99	73
青森縣 Aomori Ken.	3	2	8	1	—	—	9	5	6	3	—	—	—	—
岩手縣 Iwate ,,	1	1	—	—	2	1	5	1	—	—	—	—	—	—
宮城縣 Miyagi ,,	5	4	7	4	3	2	29	13	1	—	—	—	—	—
秋田縣 Akita ,,	9	5	5	3	3	3	25	16	—	—	—	—	—	—
山形縣 Yamagata ,,	10	5	13	6	—	—	3	3	—	—	—	—	—	—
福島縣 Fukushima ,,	4	1	6	5	1	1	20	10	5	1	—	—	—	—
茨城縣 Ibaraki ,,	11	10	5	2	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	18	10	19	12	—	—	12	3	—	—	—	—	—	—
群馬縣 Gumma ,,	5	3	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	16	8	10	6	4	1	15	11	4	4	—	—	—	—
千葉縣 Chiba ,,	76	57	22	15	14	8	—	—	—	—	—	—	—	—
東京府 Tokyō Fu.	318	234	114	57	75	27	34	22	6	5	—	—	5	5
神奈川縣 Kanagawa Ken.	57	48	37	18	24	12	29	18	8	7	13	7	8	7
新潟縣 Niigata ,,	40	28	21	15	29	17	33	24	21	13	31	25	—	—
富山縣 Toyama ,,	10	8	3	3	—	—	8	7	—	—	—	—	—	—
石川縣 Ishikawa ,,	4	3	4	4	6	4	2	2	3	3	—	—	21	10
福井縣 Fukui ,,	7	6	8	7	9	9	4	4	8	6	—	—	78	61
長野縣 Nagano ,,	4	2	2	1	4	4	3	3	4	—	—	—	—	—
岐阜縣 Gifu ,,	2	1	2	2	2	1	3	3	2	1	—	—	—	—
滋賀縣 Shiga ,,	1	1	7	4	4	4	7	4	3	3	—	—	26	21
山梨縣 Yamanashi ,,	16	7	20	9	19	12	16	7	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	28	18	19	7	19	9	26	17	1	1	—	—	—	—
愛知縣 Aichi ,,	13	9	—	—	—	—	—	—	—	—	—	—	4	3
三重縣 Mie ,,	1	1	2	1	2	1	5	3	1	1	—	—	—	—
奈良縣 Nara ,,	26	15	13	6	7	4	9	6	2	2	—	—	93	72
和歌山縣 Wakayama ,,	51	22	16	10	17	7	26	10	14	12	5	2	94	80
京都府 Kyōto Fu.	41	29	31	20	12	9	36	27	15	11	1	—	316	259
大阪府 Ōsaka ,,	129	59	85	44	55	24	54	15	16	11	1	1	1,333	1,027
兵庫縣 Hyōgo Ken.	54	32	45	32	50	36	49	33	4	1	—	—	1,328	962
鳥取縣 Tottori ,,	5	4	7	4	2	2	1	—	7	3	—	—	102	57
島根縣 Shimane ,,	16	10	20	11	13	9	14	12	7	6	2	2	33	18
岡山縣 Okayama ,,	80	48	45	21	25	13	40	21	27	18	21	12	2,295	1,603
廣島縣 Hiroshima ,,	48	23	48	30	34	22	50	22	45	18	3	3	1,397	997
山口縣 Yamaguchi ,,	32	15	41	17	25	17	32	14	25	10	—	—	372	235
德島縣 Tokushima ,,	21	11	7	6	7	6	12	8	3	2	1	—	88	69
香川縣 Kagawa ,,	52	22	11	4	18	9	21	13	10	7	—	—	1,882	1,259
愛媛縣 Ehime ,,	33	19	29	15	21	11	26	16	36	25	9	5	249	142
高知縣 Kōchi ,,	29	18	10	7	13	8	16	11	—	—	1	1	10	7
福岡縣 Fukuoka ,,	107	56	72	38	80	52	65	43	54	37	—	—	1,292	865
佐賀縣 Saga ,,	8	7	5	5	2	2	14	10	5	4	—	—	206	130
長崎縣 Nagasaki ,,	7	5	8	4	9	5	17	7	7	3	1	—	605	374
熊本縣 Kumamoto ,,	24	11	12	8	14	7	16	13	5	4	1	1	240	166
大分縣 Ōita ,,	32	16	40	16	22	10	22	13	17	5	6	4	488	298
宮崎縣 Miyazaki ,,	3	2	4	1	3	1	—	—	—	—	—	—	129	59
鹿兒島縣 Kagoshima ,,	12	6	9	6	6	4	13	12	4	2	5	4	98	61
沖繩縣 Okinawa ,,	2	1	2	1	—	—	8	5	1	1	—	—	429	286
合計 Total.	1,481	908	894	488	655	374	829	487	378	231	101	67	13,320	9,206

累年地方別

Cholera in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	218	138	4	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	169	122	22	8	—	—	1	1	—	—
—	—	—	—	—	—	—	—	145	106	3	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	6	—	—
—	—	—	—	—	—	—	—	16	12	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	20	8	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	1	—	—	—	—	3	3	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	8	5	—	—
1	1	—	—	—	—	—	—	4	4	—	—	—	—	30	22	—	—
—	—	—	—	—	—	—	—	44	29	—	—	—	—	22	17	—	—
—	—	1	1	—	—	—	—	—	—	8	6	223	148	145	120	—	—
1	1	—	—	—	—	—	—	385	296	1	1	9	5	949	692	4	2
3	—	—	—	—	—	—	—	625	435	—	—	1	1	606	402	2	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	8	8	4	3	1	1	7	5	—	—
—	—	—	—	—	—	—	—	14	10	2	2	—	—	71	49	—	—
—	—	—	—	—	—	—	—	29	17	13	11	6	4	59	31	—	—
1	—	—	—	—	—	—	—	229	145	131	83	11	10	47	35	—	—
—	—	—	—	—	—	—	—	—	—	12	8	—	—	69	43	—	—
—	—	—	—	—	—	—	—	12	10	—	—	—	—	349	202	—	—
1	1	—	—	—	—	—	—	19	15	1	—	60	36	26	18	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	70	42	—	—
7	5	—	—	—	—	—	—	1,305	903	269	169	17	16	242	189	—	—
5	3	—	—	—	—	—	—	94	77	12	11	—	—	51	31	—	—
143	72	—	—	—	—	—	—	171	120	86	43	—	—	58	26	3	1
4	1	—	—	—	—	—	—	17	11	—	—	—	—	23	14	—	—
2	1	—	—	—	—	—	—	40	25	84	54	—	—	2	1	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2	2	—	—	—	—	—	—	63	32	—	—	—	—	4	3	—	—
5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
177	91	1	1	—	—	—	—	3,632	2,526	652	401	328	221	2,849	1,957	9	4

第十三表 (其三) 「コレラ」

Table No. XIII. (No. 3) Cases and Deaths of

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	—	—	—	—	10	5	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	3	1	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	1	1	—	—	—	—
秋田縣 Akita ,,	1	1	—	—	—	—	—	—	10	5	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	4	4	—	—	—	—
福島縣 Fukushima ,,	1	—	—	—	—	—	—	—	67	34	—	—	—	—
茨城縣 Ibaraki ,,	2	2	—	—	—	—	—	—	10	6	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	6	2	9	5	—	—
埼玉縣 Saitama ,,	3	2	—	—	—	—	—	—	10	6	—	—	—	—
千葉縣 Chiba ,,	88	65	23	10	—	—	—	—	282	192	1	—	—	—
東京府 Tōkyō Fu.	310	213	4	—	—	—	—	—	636	428	6	5	—	—
神奈川縣 Kanagawa Ken.	117	91	6	4	—	—	—	—	250	178	—	—	—	—
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—	5	5	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	237	140	449	288	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	73	45	43	27	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	28	14	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	13	7	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	6	3	—	—	—	—
山梨縣 Yamanashi ,,	1	1	—	—	—	—	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	49	19	43	8	—	—	—	—	14	3	—	—	—	—
愛知縣 Aichi ,,	—	—	—	—	—	—	—	—	15	9	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	37	24	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	103	68	—	—	—	—
和歌山縣 Wakayama ,,	13	12	—	—	—	—	—	—	332	195	—	—	—	—
京都府 Kyōto Fu.	5	5	—	—	1	1	—	—	132	80	1	—	—	—
大阪府 Osaka ,,	165	109	—	—	—	—	—	—	1,592	992	15	11	—	—
兵庫縣 Hyōgo Ken.	162	100	—	—	—	—	—	—	1,280	755	7	3	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	58	38	—	—	—	—
島根縣 Shimane ,,	2	—	—	—	—	—	—	—	103	53	35	17	—	—
岡山縣 Okayama ,,	67	39	—	—	—	—	—	—	248	147	4	1	—	—
廣島縣 Hiroshima ,,	49	32	—	—	—	—	—	—	648	405	4	2	—	—
山口縣 Yamaguchi ,,	267	149	—	—	—	—	—	—	636	380	106	61	—	—
德島縣 Tokushima ,,	8	6	—	—	—	—	—	—	180	129	—	—	—	—
香川縣 Kagawa ,,	17	10	—	—	—	—	—	—	199	115	4	1	—	—
愛媛縣 Ehime ,,	48	19	—	—	—	—	—	—	426	244	18	10	—	—
高知縣 Kochi ,,	25	14	—	—	—	—	—	—	238	137	1	—	—	—
福岡縣 Fukuoka ,,	819	530	—	—	—	—	—	—	675	425	93	60	—	—
佐賀縣 Saga ,,	131	78	—	—	4	3	—	—	218	154	27	10	—	—
長崎縣 Nagasaki ,,	189	114	2	—	—	—	—	—	899	456	62	31	—	—
熊本縣 Kumamoto ,,	18	9	—	—	—	—	—	—	246	122	1	1	—	—
大分縣 Oita ,,	43	23	—	—	—	—	—	—	419	246	3	3	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	7	3	—	—	—	—
鹿兒島縣 Kagoshima ,,	11	5	—	—	—	—	—	—	23	10	—	—	—	—
沖繩縣 Okinawa ,,	106	34	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	2,720	1,683	78	22	5	4	—	—	10,371	6,260	894	541	—	—

累年地方別

Cholera in Each Prefecture.

同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患患 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	34	17	—	—								
—	—	—	—	—	—	10	6	—	—								
—	—	—	—	—	—	1	1	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	4	3	—	—								
—	—	—	—	—	—	79	43	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	2	1	—	—								
—	—	—	—	—	—	1	1	—	—								
1	1	—	—	—	—	168	97	—	—								
6	4	3	2	—	—	184	113	—	—								
1	1	3	3	2	2	19	12	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	221	152	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	10	8	—	—								
—	—	1	1	—	—	1	—	—	—								
—	—	8	5	—	—	—	—	—	—								
—	—	189	106	—	—	—	—	—	—								
—	—	96	58	—	—	—	—	—	—								
4	3	60	41	—	—	—	—	—	—								
66	48	752	420	—	—	3	3	3	1								
47	38	1,109	722	—	—	2	2	—	—								
—	—	—	—	—	—	—	—	—	—								
5	1	37	17	—	—	3	2	—	—								
4	2	61	35	—	—	—	—	—	—								
—	—	264	223	—	—	—	—	—	—								
21	13	165	82	1	1	5	1	1	1								
5	2	129	95	—	—	—	—	—	—								
12	8	37	23	—	—	—	—	—	—								
7	4	185	123	—	—	—	—	—	—								
2	2	90	54	—	—	—	—	—	—								
199	132	499	306	6	4	172	90	—	—								
—	—	122	95	—	—	22	13	—	—								
—	—	363	203	20	9	22	13	—	—								
—	—	272	169	—	—	1	1	—	—								
26	18	198	132	—	—	—	—	—	—								
—	—	67	27	—	—	—	—	—	—								
—	—	38	18	—	—	—	—	—	—								
2,505	638	—	—	—	—	—	—	—	—								
2,912	915	4,969	3,112	29	16	743	427	4	2								

第十四表 (其一) 赤痢累

Table No. XIV. (No. 1) Cases and Deaths of

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	17	—	7	1	—	—	8	1	4	—
青森縣 Aomori Ken.	3	1	4	—	1	—	2	2	1	1	3	2	11	4
岩手縣 Iwate ,,	185	49	38	13	185	45	7	4	26	8	12	3	315	80
宮城縣 Miyagi ,,	515	88	28	11	51	20	5	2	4	1	52	13	36	20
秋田縣 Akita ,,	22	8	4	1	4	3	3	1	2	2	6	—	33	10
山形縣 Yamagata ,,	205	45	2	1	12	3	2	—	—	—	9	—	24	6
福島縣 Fukushima ,,	229	69	84	21	41	13	30	10	7	4	26	10	25	8
茨城縣 Ibaragi ,,	69	13	4	2	34	16	57	24	112	51	19	5	54	13
栃木縣 Tochigi ,,	4	—	9	—	39	5	4	1	12	3	8	1	33	12
群馬縣 Gumma ,,	195	33	59	11	19	8	6	4	14	7	5	2	5	2
埼玉縣 Saitama ,,	24	2	72	19	28	14	8	3	22	9	15	5	33	7
千葉縣 Chiba ,,	—	—	41	15	—	—	6	2	3	—	47	16	23	2
東京府 Tokyō Fu.	47	12	72	23	34	12	37	10	18	5	28	7	62	34
神奈川縣 Kanagawa Ken.	24	5	26	6	22	8	9	1	13	1	24	6	22	4
新潟縣 Niigata ,,	93	15	35	12	6	5	13	3	38	13	21	8	37	11
富山縣 Toyama ,,							8	5	10	3	20	6	79	30
石川縣 Ishikawa ,,	221	56	57	25	75	40	20	11	27	6	72	28	106	37
福井縣 Fukui ,,	1	1	50	10	12	6	9	5	21	4	22	14	353	107
長野縣 Nagano ,,	—	—	18	3	23	4	7	2	9	3	24	6	102	20
岐阜縣 Gifu ,,	40	15	52	17	7	2	11	3	11	8	52	12	52	8
滋賀縣 Shiga ,,	8	5	24	8	28	12	7	3	5	1	15	2	40	14
山梨縣 Yamanashi ,,	—	—	7	4	41	8	5	1	9	5	8	4	15	8
靜岡縣 Shizuoka ,,	10	4	122	50	35	15	22	12	15	6	20	7	108	37
愛知縣 Aichi ,,	22	9	55	12	47	19	26	10	18	6	51	18	24	8
三重縣 Mie ,,	6	3	16	9	13	6	36	13	20	9	7	3	90	32
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	15	—	56	18	22	2	14	3	55	10	75	33	74	25
京都府 Kyōto Fu.	23	4	56	16	19	5	15	6	20	6	71	32	30	9
大阪府 Ōsaka ,,	62	24	47	15	30	15	53	19	21	9	52	21	43	17
兵庫縣 Hyōgo Ken.	21	6	66	25	26	17	77	32	654	173	100	31	1,803	563
鳥取縣 Tottori ,,			26	7	1	1	7	2	4	3	2	—	15	6
島根縣 Shimane ,,	9	3	8	1	2	2	2	1	2	—	174	55	742	181
岡山縣 Okayama ,,	92	31	120	44	83	26	462	128	974	290	3,103	851	4,034	1,312
廣島縣 Hiroshima ,,	78	30	43	16	22	8	410	130	668	245	3,636	1,195	4,322	1,557
山口縣 Yamaguchi ,,	149	64	153	72	730	226	1,974	624	1,175	332	1,806	533	1,217	377
德島縣 Tokushima ,,	233	78	499	154	147	55	581	213	5,099	1,647	15,272	2,978	2,760	596
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	200	58	607	171	582	220	5,008	1,511	5,711	1,435	8,755	2,003	2,829	700
高知縣 Kōchi ,,	39	7	115	32	12	4	51	10	348	67	3,669	731	1,286	256
福岡縣 Fukuoka ,,	348	104	830	182	203	51	799	223	888	222	1,339	337	579	138
佐賀縣 Saga ,,							177	44	227	43	222	52	276	58
長崎縣 Nagasaki ,,	456	118	1,248	234	137	32	262	50	122	30	347	93	511	96
熊本縣 Kumamoto ,,	959	224	1,731	439	1,394	338	10,145	1,762	4,287	938	5,731	960	1,242	257
大分縣 Ōita ,,	425	117	479	130	128	44	503	130	688	170	1,316	401	375	95
宮崎縣 Miyazaki ,,							127	30	6	—	426	61	73	18
鹿兒島縣 Kagoshima ,,	15	4	38	8	18	3	152	14	1,158	213	706	144	428	64
沖繩縣 Okinawa ,,	—	—	—	—	—	—	6	1	—	—	1	—	1	—
合計 Total.	5,047	1,305	7,001	1,837	4,330	1,313	21,172	5,066	22,524	5,989	47,377	10,690	24,326	6,839

年　地　方　別

Dysentery in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1	—	4	1	3	2	32	11	5	1	13	6	4	2	40	7	118	29
7	—	1	1	4	3	6	1	2	—	7	3	11	1	17	8	127	19
157	31	69	26	14	16	31	12	7	5	10	3	7	1	25	6	230	37
12	6	10	4	5	3	5	3	—	—	2	—	1	1	11	3	37	6
8	—	3	1	3	2	6	2	—	—	2	—	2	—	1,831	314	1,818	367
1	1	—	—	—	—	3	2	4	2	2	—	1	—	—	—	8	3
98	23	13	3	2	2	4	2	1	1	2	—	5	1	6	1	8	4
24	6	32	8	3	1	8	—	17	4	19	3	18	4	9	—	43	12
31	8	8	2	17	2	12	5	42	9	7	2	12	4	5	—	16	5
6	—	3	2	3	—	1	—	9	3	2	—	10	5	14	7	8	4
19	5	8	4	7	1	17	1	13	7	15	4	10	2	36	7	51	12
32	5	49	10	5	1	17	6	16	7	25	8	33	15	17	8	19	3
35	14	44	13	22	7	59	19	89	27	108	40	117	32	91	31	152	50
17	2	11	2	26	2	21	9	30	6	72	19	551	107	581	137	247	48
115	35	19	7	25	5	47	16	41	10	2	2	63	15	1,259	232	2,597	446
74	14	24	14	6	2	72	23	147	56	155	65	463	134	3,024	850	1,954	730
144	48	119	46	229	65	1,378	434	314	103	592	198	749	233	1,535	467	1,724	537
64	26	122	36	50	14	42	17	8	7	93	16	102	40	1,079	306	1,164	412
94	18	15	3	9	1	49	11	17	10	9	4	27	8	311	81	238	52
14	2	43	9	33	10	182	49	67	17	389	81	4,118	990	1,296	332	1,935	438
13	5	15	9	4	2	6	3	12	5	67	25	1,745	399	1,834	516	1,568	377
6	4	1	—	3	3	—	—	2	1	6	4	3	2	105	10	8	3
24	13	27	14	26	9	31	5	68	29	62	29	98	41	346	136	1,132	328
16	7	29	12	10	4	7	4	43	9	1,689	351	1,623	441	1,984	558	1,381	306
20	7	14	10	12	6	4	3	8	3	188	54	459	154	1,274	350	707	203
—	—	5	2	2	—	3	1	30	19	913	308	2,913	788	1,878	516	427	123
20	7	8	5	120	21	13	7	284	69	2,150	504	12,376	2,593	4,331	1,055	966	228
18	4	10	2	14	3	15	6	64	26	365	116	1,886	581	2,092	644	908	274
170	39	42	12	100	39	64	25	632	223	4,463	1,638	24,593	6,025	6,437	1,721	1,424	352
599	161	967	326	1,302	418	470	155	1,149	340	4,264	1,107	16,936	4,709	8,184	2,399	1,889	597
2	2	9	3	157	48	845	174	722	181	885	241	1,663	351	5,106	1,143	500	135
789	203	1,146	211	868	213	884	232	278	69	125	39	1,322	324	4,694	1,071	2,394	679
1,151	367	1,770	513	539	189	388	104	280	70	599	158	2,854	894	12,819	3,967	2,341	709
1,882	715	1,816	626	753	231	420	141	459	173	730	291	10,395	3,216	9,435	2,987	2,278	744
1,408	416	3,480	1,010	2,199	660	778	219	1,125	351	2,325	663	8,297	2,483	3,667	973	1,436	321
1,361	346	1,027	336	703	229	235	72	163	60	230	92	3,704	995	15,043	4,220	1,421	464
		—	—	272	110	68	22	98	33	215	71	2,472	759	7,269	2,210	1,242	400
1,829	568	3,586	870	1,481	371	693	152	627	168	2,924	762	15,377	3,687	9,687	2,265	1,514	334
664	134	334	76	260	47	509	94	819	181	2,659	531	2,619	539	2,668	528	1,523	295
1,278	228	2,001	439	1,751	399	25,415	4,504	11,354	2,313	12,302	2,626	9,784	2,074	9,193	1,648	2,320	455
695	148	1,279	266	866	228	2,768	594	3,346	784	4,404	1,023	3,969	935	1,435	363	620	159
295	72	3,878	733	6,997	1,816	3,972	933	5,780	1,309	2,759	744	5,500	1,168	2,286	494	539	168
1,772	300	2,027	345	1,980	326	1,868	335	5,387	1,111	10,912	1,981	14,537	2,856	12,152	1,960	3,882	684
649	152	1,283	286	799	225	801	221	11,647	3,186	10,305	2,500	11,310	2,810	5,433	1,403	910	219
104	22	177	21	848	159	152	30	1,000	195	3,612	507	4,132	776	4,361	676	1,476	279
423	93	1 270	242	341	75	231	47	152	25	163	25	372	82	10,217	1,481	4,421	826
8	—	17	15	—	—	1	—	—	—	—	—	62	5	23	3	990	83
16,149	4,257	26,815	6,576	22,873	5,970	42,633	8,706	46,358	11,208	70,842	16,844	167,305	41,282	155,140	38,094	52,711	12,959

第十四表 (其二) 赤痢累

Table No. XIV. (No. 2) Cases and Deaths of

	同二十九年 1896.		同三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	218	40	32	12	43	13	307	60	374	78	31	17	88	31
青森縣 Aomori Ken.	1,112	201	1,556	243	772	162	16,366	2,790	2,802	544	3,110	670	635	139
岩手縣 Iwate ,,	1,182	290	1,157	291	1,409	335	14,323	3,259	466	119	6,092	1,416	3,882	978
宮城縣 Miyagi ,,	1,458	428	1,070	297	888	203	4,102	943	851	217	2,965	627	1,614	412
秋田縣 Akita ,,	1,853	386	74	19	244	54	1,214	231	190	39	3,471	666	924	176
山形縣 Yamagata ,,	564	147	195	58	55	9	1,211	221	983	181	1,580	283	867	159
福島縣 Fukushima ,,	44	11	535	106	1,636	315	9,661	1,761	5,050	743	3,198	651	2,913	638
茨城縣 Ibaraki ,,	167	62	1,331	386	2,757	704	1,785	457	1,265	297	1,422	299	1,655	377
栃木縣 Tochigi ,,	699	188	1,356	346	788	170	1,475	286	657	125	693	146	391	94
群馬縣 Gumma ,,	9,909	2,094	5,831	1,275	3,775	908	3,094	702	1,303	246	2,222	427	1,537	276
埼玉縣 Saitama ,,	2,787	815	4,196	1,315	3,621	1,127	1,960	549	779	206	369	72	851	204
千葉縣 Chiba ,,	1,109	288	3,166	837	2,567	658	1,790	467	1,520	341	923	218	626	134
東京府 Tokyō Fu.	1.363	405	6,921	2,148	2,528	740	2,172	574	978	204	487	94	652	125
神奈川縣 Kanagawa Ken.	1,404	277	6,280	1,420	4,411	816	2,846	728	3,021	693	1,385	289	892	140
新潟縣 Niigata ,,	3,767	747	7,675	1,777	9,815	2,382	13,854	3,117	6,084	1,455	4,653	1,016	2,144	437
富山縣 Toyama ,,	342	120	70	32	219	89	359	176	167	82	150	53	133	39
石川縣 Ishikawa ,,	1,261	392	267	101	455	163	1,026	331	410	120	399	113	307	107
福井縣 Fukui ,,	835	283	511	201	286	107	802	271	108	37	218	92	175	58
長野縣 Nagano ,,	5,433	1,116	5,371	1,237	8,158	1,972	5,127	1,234	2,767	658	1,815	432	1,366	322
岐阜縣 Gifu ,,	5,511	1,467	1,227	338	1,925	483	1,438	377	543	135	364	80	1,149	264
滋賀縣 Shiga ,,	1,537	432	499	143	530	142	245	59	209	48	271	65	131	46
山梨縣 Yamanashi ,,	773	209	9,411	2,103	10,049	2,226	3,442	799	1,478	317	1,216	235	1,125	278
靜岡縣 Shizuoka ,,	2,489	760	6,522	1,786	6,757	1,587	2,422	574	1,568	336	982	232	983	196
愛知縣 Aichi ,,	3,406	925	2,606	585	2,217	477	1,387	206	1,696	354	1,037	194	1,137	188
三重縣 Mie ,,	1,975	579	780	195	654	169	296	97	195	61	259	59	129	33
奈良縣 Nara ,,	461	134	148	42	290	95	122	131	132	32	74	11	58	12
和歌山縣 Wakayama ,,	1,092	285	349	79	680	195	359	63	405	71	123	22	345	63
京都府 Kyōto Fu.	1,098	334	848	214	664	167	1,136	284	610	121	733	182	305	86
大阪府 Ōsaka ,,	1,275	437	1,339	369	1,097	217	627	105	494	107	386	97	595	142
兵庫縣 Hyogo Ken.	2,208	553	1,301	333	2,461	722	1,286	313	607	164	479	135	545	125
鳥取縣 Tottori ,,	644	154	828	196	618	161	247	78	303	59	199	52	65	30
島根縣 Shimane ,,	4,998	1,445	1,704	536	2,216	623	603	118	242	86	698	183	169	52
岡山縣 Okayama ,,	2,412	753	1,520	488	1,500	439	1,139	364	508	155	1,046	292	880	259
廣島縣 Hiroshima ,,	3,647	1,176	1,866	680	2,207	736	861	244	931	323	1,127	357	1,813	562
山口縣 Yamaguchi ,,	1,776	513	1,687	439	1,018	224	555	124	693	144	604	127	604	138
德島縣 Tokushima ,,	1,433	501	864	276	1,501	465	539	152	517	162	283	81	634	164
香川縣 Kagawa ,,	3,200	1,010	1,967	639	1,627	481	720	197	1,043	300	295	114	790	250
愛媛縣 Ehime ,,	2,152	575	2,020	464	887	237	583	119	668	139	378	101	414	99
高知縣 Kochi ,,	1,568	320	532	113	595	129	898	178	574	75	544	89	342	48
福岡縣 Fukuoka ,,	1,440	313	875	173	760	136	715	104	361	78	321	44	496	89
佐賀縣 Saga ,,	116	34	151	51	567	147	177	40	52	16	39	13	38	6
長崎縣 Nagasaki ,,	354	95	653	116	960	222	868	188	234	48	467	107	838	146
熊本縣 Kumamoto ,,	1,426	258	1,370	245	2,306	403	1,542	286	1,065	157	1,174	146	734	106
大分縣 Ōita ,,	720	185	613	153	773	191	692	149	241	56	177	43	247	64
宮崎縣 Miyazaki ,,	729	142	588	94	626	103	802	98	371	64	151	18	259	51
鹿兒島縣 Kagoshima ,,	1,898	468	1,161	238	996	248	1,295	216	665	155	765	178	458	87
沖繩縣 Okinawa ,,	31	9	4	—	68	20	243	43	75	16	251	51	61	12
合計 Total.	85,876	22,356	91,077	23,189	90,976	22,392	103,713	23,763	46,255	10,164	49,635	10,889	36,996	8,442

年　地　方　別

Dysentery in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同 四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
348	77	34	9	256	49	726	144	365	82	207	55	172	37	71	16	126	28
1,006	207	897	182	960	191	216	43	187	56	91	24	64	19	86	8	77	15
3,778	1,036	539	143	1,731	546	410	107	242	57	391	98	154	34	107	20	863	229
587	145	1,534	263	1,976	406	346	77	482	122	479	99	167	36	109	19	528	109
2,626	598	520	97	620	134	433	84	449	101	799	128	235	37	288	41	1,212	168
1,470	264	418	72	1,126	151	455	54	364	58	203	36	277	58	45	10	58	9
1,601	379	1,425	311	1,242	259	1,250	296	617	185	393	87	332	86	153	40	1,084	222
1,201	280	591	144	742	165	479	114	252	66	358	78	250	70	80	20	158	33
247	47	158	32	292	60	398	74	107	30	213	53	360	72	347	80	232	47
747	134	824	179	1,328	208	860	139	743	159	1,094	190	554	110	331	36	274	37
188	48	297	69	484	114	447	95	230	47	477	97	379	89	244	50	204	41
519	139	575	124	543	117	781	182	520	109	244	41	151	30	161	25	249	55
835	188	706	151	800	180	604	156	574	130	505	119	532	134	690	153	728	197
1,041	228	540	113	919	207	519	95	432	46	292	51	372	90	346	77	243	44
1,110	248	1,096	188	1,097	258	428	101	631	152	220	40	232	40	279	68	372	81
155	52	73	26	74	25	49	22	272	98	123	49	48	24	57	22	119	35
306	111	373	111	402	108	234	74	979	199	1,117	285	1,248	370	942	242	1,041	243
433	158	281	92	846	271	539	214	823	222	280	97	278	61	168	52	106	36
716	178	469	115	833	164	756	155	615	146	902	171	598	143	1,524	366	425	92
659	157	289	64	1,542	355	681	161	901	211	553	130	834	196	654	124	611	127
56	20	91	29	453	135	204	62	143	37	112	39	63	28	60	19	64	23
1,109	228	1,348	315	1,745	317	492	99	774	141	2,065	378	646	126	336	58	204	40
1,151	236	1,012	215	2,540	551	629	130	641	136	921	206	387	76	740	142	1,066	251
864	180	890	146	1,154	219	723	142	1,095	231	823	169	1,140	228	1,023	205	1,382	307
160	30	81	15	306	50	520	108	334	77	225	59	229	78	418	68	354	77
94	15	12	7	186	44	87	25	65	17	129	34	77	22	115	26	170	37
399	94	218	29	460	77	212	32	83	13	273	73	60	13	219	45	124	30
275	58	234	68	393	96	292	74	239	68	292	59	305	88	254	54	296	69
452	145	338	85	3,020	879	868	281	1,272	344	825	255	437	119	403	115	480	118
438	129	474	129	1,246	333	1,146	258	764	180	1,125	222	782	187	1,428	315	1,081	244
31	9	135	42	57	17	255	69	57	22	561	134	301	86	136	43	356	77
254	70	70	19	200	49	109	33	172	41	324	81	197	48	115	30	200	46
417	88	214	73	229	66	379	128	700	181	1,497	426	876	241	789	167	1,198	264
1,213	365	1,149	451	1,151	335	545	154	1,429	470	993	267	1,035	309	627	167	332	91
540	116	748	149	756	125	513	114	400	72	499	83	595	125	655	140	393	72
224	70	632	185	291	91	260	66	292	84	1,670	435	3,923	1,004	6,920	1,538	4,026	963
462	154	211	62	414	105	412	107	1,227	390	7,468	2,143	3,198	830	4,270	1,041	2,148	519
664	136	441	119	400	112	1,085	254	391	111	933	232	1,223	311	1,124	265	1,091	212
323	51	227	39	245	30	217	29	605	95	386	62	750	133	319	60	437	57
447	89	350	57	813	135	439	75	703	142	465	90	770	152	497	102	614	100
13	4	62	14	56	12	9	2	159	35	38	9	335	79	205	35	137	35
301	81	884	195	813	183	212	49	613	130	329	62	853	228	1,647	347	930	222
456	94	596	107	1,405	275	1,227	277	1,995	434	1,230	257	1,679	370	1,524	278	1,058	202
71	20	274	63	246	68	104	34	159	35	347	88	343	94	866	224	413	68
90	8	151	13	241	40	140	25	79	15	43	10	184	52	117	20	43	3
227	41	284	53	1,348	292	580	127	764	167	294	45	380	73	469	79	159	34
7	4	7	2	7	2	7	3	2	2	1	—	1	—	2	1	—	—
30,311	7,209	22,772	5,166	37,988	8,606	22,277	5,144	24,942	5,946	32,809	7,846	28,006	6,836	31,960	7,053	27,466	6,009

第十四表 (其三) 赤 痢 累

Table No. XIV. (No. 3) Cases and Deaths of

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	86	15	49	8	217	47	238	50	75	13	26	6	45	13
青森縣 Aomori Ken.	92	22	19	8	153	28	158	32	150	26	194	35	42	10
岩手縣 Iwate ,,	583	141	132	36	413	100	107	35	473	93	366	76	393	70
宮城縣 Miyagi ,,	647	115	256	55	242	41	55	8	1,678	304	82	15	219	54
秋田縣 Akita ,,	226	50	63	7	578	110	364	54	70	14	48	4	29	5
山形縣 Yamagata ,,	99	15	70	10	191	29	22	4	164	22	94	14	10	5
福島縣 Fukushima ,,	291	75	257	48	323	95	63	10	355	87	166	42	62	12
茨城縣 Ibaraki ,,	42	9	22	11	68	15	172	64	100	19	158	22	109	19
栃木縣 Tochigi ,,	219	47	117	35	117	18	332	66	126	35	89	26	73	23
群馬縣 Gumma ,,	204	18	94	10	101	19	134	20	170	22	115	21	96	18
埼玉縣 Saitama ,,	219	41	101	23	109	27	201	42	171	38	161	30	187	32
千葉縣 Chiba ,,	131	29	122	26	245	76	284	82	720	227	424	155	129	29
東京府 Tōkyō Fu.	765	258	688	235	710	209	703	253	1,001	256	1,004	281	1,078	308
神奈川縣 Kanagawa Ken.	185	45	170	28	478	86	238	49	407	126	257	50	218	69
新潟縣 Niigata ,,	158	38	108	20	93	26	98	26	127	22	69	13	62	15
富山縣 Toyama ,,	187	43	39	17	78	35	46	19	72	24	29	9	3	2
石川縣 Ishikawa ,,	441	137	187	63	929	229	535	120	404	131	236	58	89	24
福井縣 Fukui ,,	135	37	15	4	95	38	35	13	55	23	65	21	22	7
長野縣 Nagano ,,	615	131	220	37	320	62	91	13	1,069	235	603	155	108	20
岐阜縣 Gifu ,,	425	79	324	59	365	73	372	83	533	87	465	97	340	66
滋賀縣 Shiga ,,	38	18	16	5	26	16	83	21	29	8	26	8	25	8
山梨縣 Yamanashi ,,	113	23	74	14	120	31	40	11	76	15	55	14	33	12
靜岡縣 Shizuoka ,,	812	261	435	45	703	101	580	83	681	81	549	68	537	79
愛知縣 Aichi ,,	552	124	536	126	700	137	540	107	689	114	687	157	561	106
三重縣 Mie ,,	505	100	180	34	81	6	255	51	190	25	136	21	136	18
奈良縣 Nara ,,	29	12	5	2	120	32	88	27	65	17	26	6	14	6
和歌山縣 Wakayama ,,	121	26	69	26	131	27	123	29	97	18	140	29	76	15
京都府 Kōyto Fu.	263	48	336	119	317	89	485	75	526	81	604	86	637	68
大阪府 Ōsaka ,,	579	124	293	74	911	214	902	199	846	163	1,104	226	991	200
兵庫縣 Hyōgo Ken.	1,994	406	1,127	238	1,903	485	2,190	560	1,562	318	1,135	231	961	209
鳥取縣 Tottori ,,	812	161	125	28	270	52	118	16	64	14	43	16	53	17
島根縣 Shimane ,,	269	72	249	58	548	161	438	109	816	209	162	38	135	33
岡山縣 Okayama ,,	954	188	450	95	362	88	354	63	644	111	707	127	606	149
廣島縣 Hiroshima ,,	1,145	248	515	140	675	154	571	111	1,064	220	605	146	644	168
山口縣 Yamaguchi ,,	380	67	297	71	657	134	532	98	583	107	290	56	432	62
德島縣 Tokushima ,,	2,112	536	1,042	200	1,633	364	892	174	521	95	619	138	457	114
香川縣 Kagawa ,,	2,971	602	968	188	1,566	303	931	171	968	167	664	95	676	114
愛媛縣 Ehime ,,	295	58	517	92	676	151	859	179	540	119	384	65	292	77
高知縣 Kōchi ,,	232	28	405	61	237	50	422	110	201	37	188	69	203	30
福岡縣 Fukuoka ,,	668	195	502	81	649	101	1,540	262	1,027	119	360	71	412	84
佐賀縣 Saga ,,	224	46	163	54	36	11	63	11	95	19	60	18	255	37
長崎縣 Nagasaki ,,	1,150	236	1,005	247	1,566	376	711	138	541	110	389	91	284	35
熊本縣 Kumamoto ,,	2,548	643	2,697	630	3,227	604	2,127	332	998	160	656	111	867	152
大分縣 Ōita ,,	660	87	550	104	871	177	651	137	649	169	82	14	647	147
宮崎縣 Miyazaki ,,	279	30	195	26	378	63	276	36	177	19	205	46	195	22
鹿兒島縣 Kagoshima ,,	211	37	973	192	1,913	428	1,117	214	880	234	413	82	554	60
沖繩縣 Okinawa ,,	1	—	2	1	6	—	1	1	3	1	2	1	—	—
合計 Total.	25,667	5,721	16,779	3,691	26,127	5,718	21,137	4,368	22,452	4,554	14,942	3,160	13,997	2,823

年　地　方　別

Dysentery in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
10	5	20	7	37	4	48	13	44	7								
404	77	685	143	861	173	1,232	255	554	127								
882	199	783	145	665	144	735	156	595	114								
166	36	315	57	124	41	97	29	129	40								
79	10	450	67	267	54	172	30	87	17								
8	4	29	6	23	2	7	1	26	3								
391	91	206	52	262	56	215	66	120	46								
175	66	208	94	174	91	257	139	298	174								
35	10	102	15	44	15	28	10	127	47								
60	8	61	7	61	10	87	16	188	66								
121	33	218	42	122	26	147	35	346	126								
96	17	114	22	417	179	207	54	506	208								
748	278	675	244	773	195	1,152	399	3,605	1,359								
250	70	311	95	234	68	310	70	546	120								
40	13	79	14	55	9	79	19	60	20								
3	—	7	5	3	1	8	6	9	5								
153	41	127	30	55	22	73	19	25	6								
29	9	34	8	23	6	10	3	7	2								
27	3	23	5	28	1	47	5	64	22								
206	46	277	52	284	72	160	39	320	117								
116	34	58	25	25	10	16	10	36	10								
16	5	181	41	84	20	78	16	166	35								
383	72	444	91	418	93	591	98	1,644	808								
329	81	286	59	316	63	264	98	704	406								
145	26	147	22	165	42	74	18	324	165								
13	6	47	13	77	25	4	3	27	7								
75	14	76	12	37	6	43	7	49	18								
321	34	375	39	414	58	434	57	833	286								
447	113	469	117	433	93	656	145	727	216								
538	124	423	98	496	123	1,017	332	849	269								
27	9	12	7	13	6	32	14	24	13								
89	22	85	17	78	17	64	28	251	112								
227	51	188	45	380	93	498	119	338	138								
1,343	335	633	298	1,080	286	1,100	389	595	215								
423	65	335	59	240	52	300	82	659	198								
361	80	402	95	205	58	578	125	1,407	438								
427	75	702	167	373	86	740	163	378	171								
317	80	197	52	116	28	208	88	327	147								
47	9	80	21	81	18	177	46	165	41								
807	151	506	87	359	59	653	184	1,049	427								
64	10	99	21	41	9	170	37	196	58								
533	96	667	118	846	168	558	161	524	242								
1,140	212	975	170	1,030	210	736	161	774	117								
416	79	399	104	410	89	820	164	384	137								
146	67	88	52	94	37	101	40	127	46								
258	51	125	20	123	21	123	21	56	26								
24	3	5	1	2	2	33	5	—	—								
2,915	2,920	12,728	2,961	12,445	2,941	15,134	3,975	20,266	7,372								

第十五表 (其一) 腸「チフス」

Table No. XV. (No. 1) Cases and Deaths of

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	247	55	116	25	40	13	153	43	310	39
青森縣 Aomori Ken.	127	21	154	36	204	56	156	45	454	82	804	128	2,092	305
岩手縣 Iwate ,,	231	49	348	63	322	66	273	90	378	129	273	59	1,463	316
宮城縣 Miyagi ,,	768	142	3,893	697	1,268	239	667	168	563	183	600	139	1,578	322
秋田縣 Akita ,,	317	80	108	21	123	28	126	24	133	39	1,065	75	653	109
山形縣 Yamagata ,,	467	99	207	32	552	118	265	64	332	70	300	58	1,700	299
福島縣 Fukushima ,,	1,184	209	1,487	278	1,050	277	827	164	1,351	325	1,227	296	2,054	427
茨城縣 Ibaraki ,,	206	51	586	65	188	37	113	31	192	48	399	71	998	170
栃木縣 Tochigi ,,	96	10	280	25	192	39	434	75	476	95	390	62	667	113
群馬縣 Gumma ,,	395	85	297	60	471	135	206	51	245	75	255	62	647	133
埼玉縣 Saitama ,,	541	102	729	143	880	158	433	97	284	88	433	92	615	155
千葉縣 Chiba ,,	277	44	711	137	40	4	274	69	567	126	1,350	188	1,382	191
東京府 Tōkyō Fu.	2,262	488	2,521	580	593	199	1,158	383	1,168	309	1,057	348	990	324
神奈川縣 Kanagawa Ken.	272	63	382	99	290	83	200	48	209	60	415	88	480	111
新潟縣 Niigata ,,	289	79	448	86	450	134	596	174	796	242	516	144	1,303	244
富山縣 Toyama ,,							82	26	342	85	429	105	2,880	594
石川縣 Ishikawa ,,	103	48	144	59	253	113	476	124	321	110	377	100	1,969	380
福井縣 Fukui ,,	146	58	100	45	192	70	248	53	195	47	171	57	1,454	208
長野縣 Nagano ,,	41	15	154	53	502	111	453	102	733	167	847	188	1,010	174
岐阜縣 Gifu ,,	213	74	260	76	504	144	327	96	333	100	615	123	1,994	308
滋賀縣 Shiga ,,	160	54	337	111	157	55	191	83	305	78	446	123	2,061	363
山梨縣 Yamanashi ,,	535	102	1,083	178	650	118	330	80	262	48	495	100	629	108
靜岡縣 Shizuoka ,,	244	62	582	172	530	155	501	134	490	134	633	170	920	220
愛知縣 Aichi ,,	441	128	603	196	573	181	603	176	878	259	869	272	1,938	450
三重縣 Mie ,,	270	78	667	223	560	154	559	176	695	234	992	127	1,593	383
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	432	113	456	142	434	149	274	89	261	81	502	144	1,599	316
京都府 Kyōto Fu.	675	211	855	294	368	114	310	113	527	158	948	341	2,574	646
大阪府 Ōsaka ,,	1,421	424	1,611	516	1,602	547	1,065	419	1,040	386	2,187	767	10,085	2,637
兵庫縣 Hyōgo Ken.	997	280	1,003	344	1,186	340	1,357	358	1,570	421	958	247	3,867	904
鳥取縣 Tottori ,,			108	32	133	39	151	40	217	60	136	35	890	141
島根縣 Shimane ,,	343	106	253	82	249	81	274	83	156	55	295	80	378	118
岡山縣 Okayama ,,	673	160	698	182	445	136	482	146	831	232	798	204	1,212	266
廣島縣 Hiroshima ,,	279	84	163	56	298	89	317	102	510	148	601	150	1,548	367
山口縣 Yamaguchi ,,	197	47	320	107	647	146	837	237	878	193	1,185	251	710	158
德島縣 Tokushima ,,	71	30	96	31	77	29	131	37	139	42	542	70	1,010	181
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	655	171	720	202	1,272	285	1,111	276	2,396	419	1,027	200	3,410	595
高知縣 Kōchi ,,	69	26	59	25	44	18	112	28	189	40	811	156	772	142
福岡縣 Fukuoka ,,	800	220	652	196	518	160	631	193	815	218	1,528	321	1,531	309
佐賀縣 Saga ,,							116	19	133	29	315	60	212	45
長崎縣 Nagasaki ,,	145	27	192	50	244	46	198	24	242	55	605	62	938	129
熊本縣 Kumamoto ,,	294	54	273	69	326	104	1,454	258	1,464	247	1,183	216	1,162	214
大分縣 Ōita ,,	326	67	240	51	365	77	240	39	108	26	558	109	763	165
宮崎縣 Miyazaki ,,							18	5	46	8	109	30	59	14
鹿兒島縣 Kagoshima ,,	78	16	252	52	209	42	61	11	14	4	101	9	112	10
沖繩縣 Okimawa ,,							16	8	1	1	4	2	12	4
合計 Total.	17,140	4,177	24,032	5,866	19,308	5,231	18,769	5,043	23,279	5,969	29,504	6,672	66,224	13,807

累年地方別

Typhoid Fever in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
173	55	274	74	228	80	571	148	610	142	576	137	368	94	970	223	531	136
1,297	182	790	229	638	163	1,496	280	1,438	274	907	177	427	91	578	129	737	169
2,411	596	3,410	763	1,669	482	1,730	423	1,466	321	718	183	678	188	651	152	965	201
2,053	455	1,638	339	1,734	378	1,328	338	944	246	707	147	1,346	283	823	172	990	241
906	194	728	164	416	109	1,178	238	1,489	310	774	162	541	101	654	118	909	157
928	248	791	174	972	202	922	175	1,081	212	1,303	288	928	200	1,241	253	1,143	248
1,965	441	1,487	334	1,551	319	1,377	351	1,818	324	1,204	277	966	250	1,070	265	1,316	272
762	164	1,250	174	447	56	490	72	929	163	505	92	310	73	363	69	498	106
588	124	1,397	270	1,552	358	1,686	369	2,018	379	1,165	243	1,230	231	1,584	336	1,299	258
1,106	198	1,233	297	528	132	805	224	1,274	275	1,298	323	1,004	227	1,187	260	1,394	282
980	178	610	134	715	142	1,009	289	1,387	310	1,498	367	1,063	282	983	235	1,201	263
1,388	176	793	152	703	150	818	207	1,873	420	1,067	307	1,012	302	1,177	304	1,031	267
717	230	654	243	1,255	276	1,793	430	1,425	378	2,614	789	2,387	833	1,273	336	1,585	415
617	141	632	143	783	186	811	235	1,280	238	1,116	237	691	149	850	191	865	160
1,522	343	1,761	409	1,703	428	1,460	424	1,681	435	1,575	402	1,151	306	1,946	417	1,526	434
2,575	463	1,089	261	652	160	1,019	195	492	131	293	65	716	164	465	119	412	123
1,824	387	1,095	355	943	281	844	221	733	210	491	153	467	123	528	130	498	125
328	77	516	120	386	115	402	119	226	73	159	47	95	27	153	46	406	107
1,147	208	817	177	918	182	1,071	247	1,209	264	1,683	380	1,945	444	2,346	477	1,830	381
1,391	231	1,131	203	592	122	937	174	1,188	177	1,663	360	1,387	234	1,692	244	1,867	298
663	152	470	130	410	112	360	84	394	129	369	95	446	142	470	119	471	141
412	92	645	129	457	92	490	112	710	131	1,021	159	652	133	762	142	590	114
737	192	849	220	856	211	700	185	1,125	285	942	252	1,560	347	1,699	315	1,114	284
831	190	669	194	665	204	405	121	595	182	919	240	625	187	1,114	249	1,050	260
640	194	610	162	781	243	393	128	482	133	749	194	383	110	418	133	493	160
—	—	184	62	162	66	109	34	177	63	193	70	240	92	214	58	188	73
304	58	233	52	418	102	252	58	260	49	272	71	366	83	350	77	339	81
785	246	444	120	596	188	444	136	862	247	712	207	915	219	1,005	256	932	275
1,034	334	946	334	1,075	340	656	219	1,461	410	899	277	1,216	325	1,513	373	817	233
2,170	568	1,972	497	1,718	460	1,121	271	1,482	273	1,057	227	1,666	387	1,462	357	1,389	352
1,337	180	1,294	209	402	112	261	86	217	51	338	62	247	62	287	55	236	54
341	75	482	89	365	94	513	134	412	69	459	107	170	43	411	100	433	95
627	153	2,213	160	664	159	542	105	345	82	430	125	633	155	792	187	491	123
1,250	259	990	201	673	153	343	89	437	134	257	94	311	83	378	110	951	188
406	96	384	77	248	79	281	89	302	91	201	42	246	61	189	45	459	111
635	128	530	97	945	222	694	142	771	146	363	77	394	71	485	84	675	72
		—	—	2,246	422	949	191	3,455	602	1,170	228	924	208	556	108	1,253	223
3 612	634	2,474	429	648	138	584	154	1,501	282	407	86	572	112	646	119	671	125
532	106	981	121	351	91	246	63	250	56	119	30	199	35	191	39	223	41
2,437	438	1,561	306	1,345	324	1,464	373	2,068	454	1,371	322	1,178	249	1,348	281	1,598	397
237	46	215	40	151	49	209	56	266	63	105	26	135	22	65	23	45	12
1,350	181	1,259	159	734	132	697	152	467	108	389	80	334	69	257	47	460	67
1,140	188	1,064	208	771	180	815	200	732	162	634	132	1,177	235	985	177	635	163
900	146	391	101	368	71	296	80	412	87	534	110	469	99	285	83	346	82
175	30	266	58	188	17	80	20	87	17	285	42	236	39	219	29	78	17
197	33	121	24	217	39	65	18	108	16	59	18	30	5	27	10	62	11
19	6	257	17	10	2	20	5	28	10	66	10	33	8	5	2	13	4
47,449	9,813	43,600	9,211	35,849	8,623	34,736	8,464	43,967	9,614	35,636	8,529	34,069	8,183	36,667	8,054	37,015	8,401

第十五表 (其二) 腸「チフス」

Table No. XV. (No. 2) Cases and Deaths of

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	765	138	399	92	992	212	673	179	1,028	214	933	207	422	85
青森縣 Aomori Ken.	1,710	270	758	148	868	210	1,010	246	464	161	640	139	405	100
岩手縣 Iwate ,,	1,771	362	725	184	422	87	835	169	351	80	382	96	301	72
宮城縣 Miyagi ,,	1,403	291	1,204	249	890	170	1,354	258	789	187	703	148	434	72
秋田縣 Akita ,,	864	196	577	129	844	169	749	174	772	162	754	152	542	110
山形縣 Yamagata ,,	1,588	320	1,756	335	1,011	243	1,282	262	1,019	197	1,226	238	1,016	195
福島縣 Fukushima ,,	1,760	291	1,706	300	1,673	317	1,232	229	1,961	207	1,097	160	1,053	205
茨城縣 Ibaraki ,,	768	152	498	91	786	138	597	128	472	95	473	95	663	91
栃木縣 Tochigi ,,	1,170	219	930	113	1,044	177	1,226	243	897	185	753	155	839	202
群馬縣 Gumma ,,	1,094	221	747	146	806	158	860	174	710	131	953	188	834	169
埼玉縣 Saitama ,,	1,232	270	844	160	615	140	733	160	608	126	925	232	668	179
千葉縣 Chiba ,,	1,172	275	713	171	517	138	554	157	405	103	417	117	353	91
東京府 Tōkyō Fu.	2,936	778	1,634	366	1,659	395	1,654	430	1,458	416	1,381	357	1,243	298
神奈川縣 Kanagawa Ken.	941	197	599	117	604	129	624	124	566	115	593	121	716	140
新潟縣 Niigata ,,	2,013	500	1,425	307	1,135	275	1,321	319	896	211	1,011	270	917	213
富山縣 Toyama ,,	301	78	338	46	46	13	108	47	104	42	105	19	115	33
石川縣 Ishikawa ,,	314	80	329	89	252	71	329	96	235	71	267	75	168	50
福井縣 Fukui ,,	130	46	78	20	98	27	141	40	61	8	76	18	72	17
長野縣 Nagano ,,	1,601	343	917	203	948	195	1,097	259	728	156	787	140	789	150
岐阜縣 Gifu ,,	1,924	366	909	175	583	106	462	115	374	94	375	99	438	99
滋賀縣 Shiga ,,	654	158	493	76	357	68	195	60	150	45	115	33	186	60
山梨縣 Yamanashi ,,	626	94	589	92	269	39	244	39	194	38	151	15	125	29
靜岡縣 Shizuoka ,,	1,000	221	852	215	840	141	629	127	639	115	650	135	556	103
愛知縣 Aichi ,,	1,258	295	899	216	1,120	349	1,387	342	970	267	802	203	880	233
三重縣 Mie ,,	642	168	484	119	357	88	519	139	288	72	260	74	276	79
奈良縣 Nara ,,	220	66	162	44	120	38	128	42	102	28	60	21	60	30
和歌山縣 Wakayama ,,	260	65	155	46	195	53	285	85	201	49	115	45	240	54
京都府 Kyōto Fu.	928	261	733	190	811	200	657	185	520	137	504	125	441	153
大阪府 Ōsaka ,,	667	175	430	115	417	75	264	41	450	143	279	108	227	71
兵庫縣 Hyōgo Ken.	1,846	487	633	162	547	123	484	140	472	114	572	135	475	113
鳥取縣 Tottori ,,	105	25	95	23	91	16	247	39	136	29	96	30	252	48
島根縣 Shimane ,,	601	153	358	93	535	121	713	179	381	107	370	119	438	96
岡山縣 Okayama ,,	589	168	345	102	353	98	480	128	453	113	1,256	253	404	99
廣島縣 Hiroshima ,,	731	199	305	89	436	124	752	169	432	113	667	165	681	197
山口縣 Yamaguchi ,,	257	73	159	45	198	75	321	77	410	95	380	106	220	52
德島縣 Tokushima ,,	1,062	123	149	43	115	22	61	16	61	16	23	9	19	6
香川縣 Kagawa ,,	2,375	318	120	27	139	25	267	54	177	45	213	49	152	39
愛媛縣 Ehime ,,	780	147	455	94	331	79	309	73	407	100	631	144	786	140
高知縣 Kōchi ,,	196	51	195	49	157	45	138	30	69	17	48	6	56	13
福岡縣 Fukuoka ,,	1,145	261	776	195	1,137	299	1,396	335	1,781	438	1,269	262	1,292	300
佐賀縣 Saga ,,	58	17	103	18	64	9	158	46	71	22	117	21	63	18
長崎縣 Nagasaki ,,	263	59	202	48	142	47	180	46	438	99	349	94	356	105
熊本縣 Kumamoto ,,	448	109	875	211	406	112	474	118	680	104	861	130	448	94
大分縣 Ōita ,,	210	56	232	45	260	61	318	86	337	63	283	69	312	64
宮崎縣 Miyazaki ,,	78	17	89	15	95	16	116	22	104	21	117	18	35	7
鹿兒島縣 Kagoshima ,,	29	8	5	3	5	—	72	18	25	7	13	3	54	17
沖繩縣 Okinawa ,,	20	7	19	5	7	4	38	7	9	4	40	11	57	14
合計 Total.	42,505	9,174	26,998	5,854	25,297	5,697	27,673	6,452	23,855	5,362	24,092	5,409	21,079	4,805

累　年　地　方　別

Typhoid Fever in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同　四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
821	153	877	194	689	133	937	170	1,136	219	1,136	226	1,363	235	1,423	227	1,301	204
561	152	413	106	428	118	636	151	499	112	644	119	433	89	779	149	983	208
432	90	315	88	310	60	493	105	386	86	303	49	311	70	378	72	620	127
507	107	845	131	991	160	1,039	170	1,094	203	808	162	743	141	1,017	173	1,061	187
670	117	400	80	840	170	974	190	748	143	509	101	545	118	770	152	796	134
1,142	217	1,229	246	1,124	238	1,051	236	961	190	945	164	1,100	208	1,825	330	2,709	408
781	172	731	159	854	159	989	211	982	197	1,258	244	1,258	227	1,906	346	1,379	283
501	53	439	67	389	72	494	112	526	131	354	76	574	131	601	112	409	115
694	135	531	117	803	151	723	130	1,424	288	1,107	239	1,192	231	960	184	821	55
619	128	584	119	788	143	900	178	571	152	710	138	906	178	720	140	985	192
798	188	944	229	728	179	609	149	881	214	849	187	1,021	229	1,135	287	951	196
313	81	518	121	295	74	315	87	373	94	343	63	400	100	566	161	341	83
1,156	278	2,048	515	1,509	365	1,966	554	1,849	457	1,785	400	2,226	483	6 651	1,539	3,142	640
555	136	595	128	453	105	442	93	1,039	171	2,001	356	618	145	1,034	237	599	114
655	161	585	136	972	215	1,354	339	835	184	777	166	837	182	1,298	236	1,910	362
100	26	49	17	81	21	77	22	71	21	150	41	65	13	149	37	303	79
137	42	124	48	116	40	142	33	129	42	120	35	142	43	207	57	228	66
64	14	40	16	74	23	82	23	77	17	39	14	44	13	58	9	66	9
769	149	515	151	1,153	282	1,469	347	1,524	351	1,585	375	1,636	390	2,114	450	1,533	312
318	97	380	82	312	90	363	106	413	101	402	83	351	87	437	101	502	110
118	28	146	33	155	44	122	36	103	32	94	25	142	31	130	30	206	29
41	7	74	20	163	30	187	57	204	37	337	46	325	72	654	123	1,257	177
596	115	486	101	577	110	549	125	784	141	903	168	594	119	818	125	684	125
647	173	783	179	661	182	607	163	748	197	501	149	567	138	978	244	1,168	244
194	44	179	43	198	55	225	59	142	40	103	32	145	42	240	65	248	64
54	23	67	17	65	20	99	29	72	18	63	17	60	18	103	21	64	22
172	52	187	48	186	50	134	40	118	38	147	38	179	58	212	53	276	77
681	177	554	161	897	260	972	230	771	188	862	216	873	219	903	261	832	211
218	73	238	78	599	177	433	162	534	202	461	161	615	210	862	317	1,528	432
441	93	736	206	678	155	563	159	562	125	517	132	537	138	731	170	654	140
181	40	93	28	267	63	295	46	419	77	263	38	667	98	536	97	770	137
244	63	219	53	245	77	279	85	228	50	410	79	749	149	517	92	560	132
448	112	366	70	248	64	419	84	240	78	346	87	385	98	276	59	241	52
510	160	452	159	835	240	690	198	265	91	170	61	325	88	489	138	288	81
361	93	464	116	810	160	552	133	373	95	422	109	321	69	429	89	439	103
16	9	31	9	18	9	32	2	8	4	6	—	26	6	9	4	13	5
125	36	82	25	194	47	118	26	102	29	95	22	130	28	155	23	167	37
419	80	363	93	444	106	311	70	253	60	193	68	187	43	413	80	561	120
85	22	38	17	30	9	154	27	211	60	169	38	181	32	146	24	195	45
855	177	939	206	1,269	315	1,906	382	2,678	398	1,483	335	993	222	1,283	289	1,176	213
35	8	49	13	44	11	43	13	52	6	103	22	256	44	76	15	81	17
277	67	492	97	726	159	369	102	439	94	345	82	429	80	468	93	402	99
294	74	235	72	389	73	734	188	702	180	275	74	192	61	488	87	953	158
163	48	79	20	212	46	222	50	220	46	187	46	191	52	169	46	237	46
31	6	37	5	24	4	48	8	101	10	199	46	135	29	177	27	144	34
21	4	27	6	10	5	15	3	16	2	5	—	82	10	53	8	305	35
20	8	3	1	26	7	45	13	65	20	2	1	5	3	9	6	50	11
18,840	4,288	19,631	4,626	22,879	5,276	25,178	5,896	25,981	5,691	24,494	5,330	25,106	5,470	35,387	7,585	34,138	6,830

第十五表 (其三) 腸「チフス」

Table No. XV. (No. 3) Cases and Deaths of

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	1,023	191	863	131	2,492	356	1,876	301	1,922	306	1,561	286	2,965	453
青森縣 Aomori Ken.	821	199	538	119	1,621	205	468	90	525	92	449	90	1,126	262
岩手縣 Iwate ,,	693	153	573	109	845	117	670	90	954	213	1,094	255	816	171
宮城縣 Miyagi ,,	809	144	638	103	798	115	950	156	1,392	252	1,032	202	939	158
秋田縣 Akita ,,	740	139	857	145	1,211	232	681	151	1,233	268	1,267	224	1,148	242
山形縣 Yamagata ,,	1,434	271	974	160	1,053	155	968	175	1,331	246	696	146	581	112
福島縣 Fukushima ,,	1,333	226	1,055	190	1,308	206	671	140	1,259	253	1,482	226	1,884	344
茨城縣 Ibaraki ,,	515	130	303	80	622	139	424	109	643	163	567	122	583	113
栃木縣 Tochigi ,,	942	193	613	131	1,109	193	656	134	851	173	688	137	536	117
群馬縣 Gumma ,,	954	173	598	143	697	100	654	109	595	107	484	98	732	154
埼玉縣 Saitama ,,	848	184	486	126	649	144	719	155	708	182	441	100	722	167
千葉縣 Chiba ,,	375	77	239	58	288	69	528	72	452	92	524	116	437	114
東京府 Tōkyō Fu.	2,713	520	2,786	547	3,242	659	3,657	772	3,114	746	4,327	916	4,220	1,027
神奈川縣 Kanagawa Ken.	797	147	584	142	644	157	562	126	1,183	285	785	173	1,218	268
新潟縣 Niigata ,,	1,115	235	1,371	284	1,095	212	910	193	800	150	802	165	894	200
富山縣 Toyama ,,	266	67	339	73	228	52	230	40	411	86	233	63	153	39
石川縣 Ishikawa ,,	227	71	202	50	279	81	241	62	566	156	279	67	146	39
福井縣 Fukui ,,	141	21	223	64	349	55	170	45	393	109	208	48	106	32
長野縣 Nagano ,,	1,344	276	1,089	204	1,440	272	1,095	216	980	212	1,259	281	927	202
岐阜縣 Gifu ,,	528	105	437	58	395	73	678	128	814	157	394	89	415	95
滋賀縣 Shiga ,,	111	26	95	18	96	15	180	43	159	27	135	36	139	33
山梨縣 Yamanashi ,,	573	78	388	56	454	78	354	48	730	86	258	46	229	33
靜岡縣 Shizuoka ,,	1,338	219	1,093	114	1,114	107	1,308	120	1,376	147	834	102	881	135
愛知縣 Aichi ,,	850	193	768	150	793	175	1,259	269	1,713	365	1,311	277	1,409	349
三重縣 Mie ,,	164	42	154	39	180	33	264	60	290	76	352	70	413	112
奈良縣 Nara ,,	48	12	292	49	110	33	223	48	210	56	185	50	241	70
和歌山縣 Wakayama ,,	129	30	150	34	448	93	496	126	334	70	217	58	293	90
京都府 Kyōto Fu.	686	152	911	184	1,002	206	926	225	872	224	1,065	252	1,700	394
大阪府 Ōsaka ,,	1,536	450	1,727	497	1,734	482	2,173	569	2,321	598	2,214	597	2,561	784
兵庫縣 Hyōgo Ken.	1,094	213	985	210	1,214	249	1,668	349	1,465	244	1,891	331	1,359	325
鳥取縣 Tottori ,,	511	95	408	62	199	41	646	105	230	54	266	68	321	60
島根縣 shimane ,,	386	93	356	82	500	109	445	88	559	124	640	117	557	123
岡山縣 Okayama ,,	358	78	252	53	400	74	775	139	604	119	761	150	502	138
廣島縣 Hiroshima ,,	402	105	428	116	421	114	772	153	1,443	313	706	178	5,794	1,577
山口縣 Yamaguchi ,,	562	96	543	94	691	138	654	93	867	164	533	127	648	120
德島縣 Tokushima ,,	8	—	26	6	27	7	30	6	49	12	49	11	133	23
香川縣 Kagawa ,,	217	42	367	65	634	103	434	101	362	88	318	72	336	80
愛媛縣 Ehime ,,	567	78	464	55	504	83	1,088	145	1,173	179	586	127	736	155
高知縣 Kōchi ,,	193	56	221	49	298	76	261	80	406	78	450	95	404	107
福岡縣 Fukuoka ,,	1,524	283	1,233	240	1,661	334	2,560	503	3,254	524	1,610	282	1,810	398
佐賀縣 Saga ,,	89	7	51	7	62	14	182	26	157	29	55	15	56	13
長崎縣 Nagasaki ,,	490	114	403	73	639	133	774	164	702	147	709	142	966	220
熊本縣 Kumamoto ,,	1,101	171	1,118	188	894	158	918	163	1,201	211	733	113	458	89
大分縣 Ōita ,,	242	26	114	29	191	41	318	56	312	68	311	51	200	51
宮崎縣 Miyazaki ,,	182	29	81	11	160	26	383	64	488	67	217	34	261	49
鹿兒島縣 Kagoshima ,,	540	78	309	43	577	100	518	93	443	68	198	44	117	23
沖繩縣 Okinawa ,,	1	—	12	2	103	12	43	7	72	10	23	5	79	13
合計 Total.	31,520	6,288	27,717	5,443	35,471	6,626	36,460	7,137	41,918	8,396	35,199	7,254	43,151	9,873

累年地方別

Typhoid Fever in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3,373	546	3,218	494	1,710	309	2 610	392	2,108	365								
1,323	254	747	146	722	150	1,285	306	731	182								
1,264	222	1,227	221	1,226	262	1,274	304	840	192								
1,877	342	2,120	328	1,489	299	1,113	207	1,383	260								
1,528	269	1,378	268	960	219	1,793	340	961	234								
863	130	1,328	255	1,252	260	1,296	271	992	187								
1,790	361	2,212	397	2,277	433	2,479	479	1,917	368								
802	147	942	170	1,259	239	1,061	226	1,195	231								
1,215	261	962	124	910	163	824	199	1,028	245								
889	204	790	143	914	153	801	149	688	128								
669	92	1,723	276	1,145	288	994	251	865	207								
389	86	656	137	453	113	797	181	798	212								
4,927	1,151	5,218	1,199	5,120	1,247	5,439	1,319	7,741	1,624								
1,603	351	2,064	386	2,239	468	1,376	313	3,237	488								
1,148	219	977	212	1,490	318	2,062	403	1,057	234								
159	32	138	40	203	50	496	118	372	84								
273	73	275	64	395	86	545	153	364	98								
320	71	189	45	228	51	160	41	305	77								
1,320	258	1,530	288	1,283	235	1,230	202	1,174	246								
573	129	590	98	717	167	624	135	678	174								
239	69	207	44	212	50	165	31	312	93								
533	89	1,457	227	813	134	811	95	393	71								
1,995	261	2,296	391	2,562	457	2,873	409	1,774	328								
1,506	341	1,861	395	1,902	457	1,639	400	1,968	445								
612	127	549	129	522	137	742	162	554	143								
381	93	522	112	477	104	258	70	321	92								
285	69	312	84	387	96	294	77	307	66								
1,741	363	1,780	386	2,103	401	2,125	419	2,676	579								
2,938	805	1,970	569	1,994	550	2,876	770	2,233	625								
2,388	484	2,371	350	1,739	333	2,056	495	2,115	503								
416	84	363	73	268	56	479	89	457	121								
706	138	742	190	489	100	406	94	406	105								
1,210	250	1,322	235	1,059	272	898	206	729	178								
2,056	476	2,352	370	1,239	292	1,123	317	1,820	519								
714	145	614	115	602	154	781	167	1,670	354								
380	65	172	38	114	35	132	46	191	53								
673	137	645	120	803	163	746	166	492	95								
712	165	466	76	519	108	448	100	426	98								
638	115	486	131	548	102	458	102	467	111								
5,053	1.070	2,628	484	2,747	540	2,190	434	2,041	391								
62	13	76	22	73	13	107	21	184	32								
1,019	181	536	125	960	191	916	212	736	169								
945	160	911	177	1,019	199	715	139	1,088	208								
313	72	357	81	350	84	327	94	1,249	38								
535	112	138	40	144	26	187	37	231	64								
240	57	339	48	276	54	276	54	310	48								
111	17	146	22	39	6	80	14	44	4								
54,706	11,156	53,902	10,325	49,955	10,624	52,367	11,212	52,628	11,369								

第十六表 「パラチフス」

Table No. XVI. Cases and Deaths of Para-

	明治四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Cases.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	164	9	224	27	247	22	1,117	115	909	74	695	65	623	57
青森縣 Aomori Ken.	10	1	22	4	14	5	180	17	51	8	137	12	56	2
岩手縣 Iwate ,,	—	—	—	—	51	7	185	18	87	12	150	15	136	21
宮城縣 Miyagi ,,	87	8	44	8	93	11	58	7	153	15	72	12	104	12
秋田縣 Akita ,,	31	2	30	3	134	7	300	32	65	8	113	11	119	28
山形縣 Yamagata ,,	28	2	37	6	30	4	42	5	166	4	19	—	42	6
福島縣 Fukushima ,,	18	5	35	2	45	8	176	15	77	9	175	22	121	14
茨城縣 Ibaraki ,,	10	1	59	7	105	7	146	15	112	11	70	9	60	7
栃木縣 Tochigi ,,	15	4	59	7	92	12	309	28	91	8	183	16	126	15
群馬縣 Gumma ,,	158	16	300	26	192	28	115	10	142	8	209	16	158	14
埼玉縣 Saitama ,,	117	19	395	45	162	27	155	29	188	35	151	23	173	24
千葉縣 Chiba ,,	34	5	37	7	65	3	86	10	81	2	69	8	113	5
東京府 Tokyō Fu.	304	33	326	26	292	28	351	38	428	52	496	58	472	50
神奈川縣 Kanagawa Ken.	49	4	36	6	125	13	121	19	190	8	130	16	137	14
新潟縣 Niigata ,,	158	14	270	28	208	34	318	37	473	65	329	37	314	48
富山縣 Toyama ,,	17	2	19	4	54	12	54	7	37	5	55	8	54	14
石川縣 Ishikawa ,,	8	2	7	2	11	2	127	21	88	15	135	19	31	8
福井縣 Fukui ,,	4	2	15	2	73	11	117	20	60	11	117	23	43	4
長野縣 Nagano ,,	67	5	80	10	130	11	184	22	129	10	92	9	152	21
岐阜縣 Gifu ,,	—	—	—	—	—	—	96	3	104	11	67	4	58	6
滋賀縣 Shiga ,,	3	—	21	—	20	1	22	3	36	1	27	1	19	1
山梨縣 Yamanashi ,,	121	13	172	11	98	9	150	17	107	4	265	9	143	11
靜岡縣 Shizuoka ,,	83	8	202	16	131	4	405	13	228	7	369	13	247	17
愛知縣 Aichi ,,	20	2	43	6	107	21	87	19	121	14	147	23	157	19
三重縣 Mie ,,	—	—	28	4	13	2	33	3	39	4	41	9	16	5
奈良縣 Nara ,,	11	1	36	6	20	2	53	10	126	16	111	18	63	11
和歌山縣 Wakayama ,,	10	—	13	7	20	2	117	17	39	6	44	8	24	5
京都府 Kyōto Fu.	66	12	172	10	114	10	235	12	474	22	255	14	378	21
大阪府 Osaka ,,	83	16	182	35	277	54	260	52	749	63	454	78	379	86
兵庫縣 Hyōgo Ken.	38	3	171	22	194	22	260	25	379	34	373	30	244	27
鳥取縣 Tottori ,,	11	2	8	1	7	2	10	1	17	1	13	—	6	—
島根縣 Shimane ,,	62	3	123	21	42	10	87	14	82	9	77	17	50	18
岡山縣 Okayama ,,	12	3	27	4	25	3	71	3	98	5	81	2	73	7
廣島縣 Hiroshima ,,	9	3	10	1	15	—	50	11	45	4	78	16	45	3
山口縣 Yamaguchi ,,	15	3	106	19	67	9	55	11	58	10	128	9	69	10
德島縣 Tokushima ,,	8	3	17	3	2	1	21	1	10	2	15	4	29	7
香川縣 Kagawa ,,	8	—	34	4	37	8	85	7	44	5	26	1	16	6
愛媛縣 Ehime ,,	17	3	128	18	50	5	61	5	98	12	55	9	14	2
高知縣 Kochi ,,	1	—	18	4	—	—	31	6	20	4	51	6	29	3
福岡縣 Fukuoka ,,	47	6	117	5	175	16	185	24	240	18	274	17	221	23
佐賀縣 Saga ,,	4	—	—	—	11	—	15	1	20	1	42	5	10	2
長崎縣 Nagasaki ,,	27	2	100	6	51	8	44	8	45	11	69	9	153	25
熊本縣 Kumamoto ,,	24	2	84	7	201	22	118	22	113	14	110	16	61	8
大分縣 Oita ,,	45	6	57	8	26	6	68	12	127	29	76	17	148	20
宮崎縣 Miyazaki ,,	84	9	42	7	14	—	3	2	5	—	34	4	25	4
鹿兒島縣 Kagoshima ,,	24	—	140	14	27	4	64	10	83	2	96	19	19	4
沖繩縣 Okinawa ,,	12	2	3	1	2	—	70	6	15	2	6	—	1	—
合計 Total.	2,124	236	4,049	460	3,869	473	6,897	783	7,049	671	6,781	737	5,731	715

累年地方別

typhoid in Each Prefecture.

同七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
579	66	816	48	708	80	365	33	517	37	396	36								
143	16	138	17	90	7	91	9	172	23	96	12								
106	12	152	20	133	29	114	12	138	14	155	13								
92	15	73	4	111	9	98	7	69	5	137	11								
74	12	166	17	102	10	116	16	153	20	84	12								
170	5	89	4	106	12	195	8	99	14	87	6								
204	23	178	25	254	21	193	37	229	24	114	14								
73	13	119	11	106	9	87	16	187	18	115	11								
107	11	181	18	226	7	131	14	196	24	160	19								
282	14	191	29	711	47	274	27	211	24	327	33								
185	19	253	19	367	38	203	31	355	50	188	32								
126	8	84	12	97	8	93	14	131	14	103	19								
337	46	411	56	428	56	400	82	390	46	496	64								
173	20	256	17	272	27	233	20	199	25	187	22								
344	45	605	69	347	49	431	62	586	69	243	35								
18	1	25	2	56	9	9	1	129	10	50	18								
28	1	53	10	51	10	31	3	61	17	27	6								
36	4	33	7	17	2	45	7	71	16	51	5								
214	14	92	5	140	6	159	7	137	7	134	8								
28	5	69	5	105	16	38	5	77	9	57	6								
34	2	13	3	50	8	29	6	32	1	31	7								
91	5	92	9	115	12	112	10	99	8	43	7								
184	20	470	28	604	38	466	41	256	21	254	28								
134	18	166	22	253	36	164	21	143	26	107	23								
75	18	63	9	97	9	94	14	87	3	29	7								
111	28	154	35	124	22	154	29	92	15	53	10								
21	6	52	9	73	14	49	5	51	8	35	5								
207	26	253	13	312	35	343	19	452	19	268	31								
487	118	610	116	383	87	411	79	457	87	309	51								
244	37	277	30	410	43	314	39	522	54	233	28								
18	1	38	8	10	2	18	4	26	5	27	5								
91	16	84	18	56	10	75	15	106	23	70	8								
36	4	156	13	86	10	55	11	34	3	38	7								
66	12	77	15	106	2	52	7	49	7	41	8								
73	10	66	6	49	5	43	6	40	5	68	6								
124	13	86	9	41	6	69	20	62	9	76	19								
30	3	51	9	12	2	22	5	40	8	24	3								
24	4	76	11	22	4	20	2	29	5	17	2								
9	—	9	1	42	5	18	4	14	—	16	5								
131	17	254	26	173	14	212	21	136	16	103	15								
25	5	8	1	11	3	5	1	33	2	32	6								
73	9	39	5	63	6	54	5	86	18	64	3								
89	9	120	14	77	13	134	11	75	10	89	14								
75	12	81	21	33	2	22	6	48	10	36	4								
4	—	23	1	33	2	29	4	16	1	7	1								
16	3	94	5	35	2	16	5	16	5	11	2								
3	1	21	4	37	6	4	1	10	—	27	3								
5,794	747	7,417	836	7,734	850	6,290	802	7,118	835	5,315	690								

第十七表 (其一) 痘瘡

Table No. XVII. (No. 1) Cases and Deaths of

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	—	—	4	—	1	—	3	—	3,036	929
青森縣 Aomori Ken.	—	—	—	—	4	—	—	—	26	—	1	—	1,430	314
岩手縣 Iwate ,,	1	—	—	—	1	—	—	—	—	—	4	1	263	39
宮城縣 Miyagi ,,	—	—	—	—	—	—	1	—	—	—	112	18	69	10
秋田縣 Akita ,,	2	—	—	—	3	—	1	—	2	—	10	1	2,913	648
山形縣 Yamagata ,,	1	—	2	—	—	—	—	—	—	—	15	1	589	96
福島縣 Fukushima ,,	—	—	—	—	2	—	—	—	—	—	4	—	228	43
茨城縣 Ibaraki ,,	—	—	—	—	—	—	5	—	—	—	54	4	264	21
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	15	—	48	1	246	21
群馬縣 Gumma ,,	—	—	—	—	—	—	1	1	6	2	375	71	125	19
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	1	—	364	71	746	139
千葉縣 Chiba ,,	—	—	—	—	—	—	1	—	42	7	273	61	319	36
東京府 Tōkyō Fu.	2	—	2	—	2	—	—	—	10	4	590	158	751	166
神奈川縣 Kanagawa Ken.	4	—	1	—	4	—	—	—	493	95	1,216	258	652	114
新潟縣 Niigata ,,	1	—	1	—	1	—	8	—	1	—	7	1	1,480	221
富山縣 Toyama ,,							—	—	—	—	9	1	1,329	243
石川縣 Ishikawa ,,	2	—	3	—	9	—	2	—	2	—	5	—	245	39
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	2	—	27	2	654	157
長野縣 Nagano ,,	3	—	4	—	2	—	1	—	—	—	59	3	144	21
岐阜縣 Gifu ,,	9	3	2	—	—	—	—	—	2	—	164	25	489	66
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	—	—	102	18
山梨縣 Yamanashi ,,	—	—	5	—	—	—	1	—	—	—	5	—	610	135
靜岡縣 Shizuoka ,,	—	—	6	—	3	—	1	—	1	—	146	29	2,446	536
愛知縣 Aichi ,,	37	10	2	—	6	—	3	—	1	—	28	6	375	88
三重縣 Mie ,,	5	1	—	—	1	—	—	—	—	—	20	3	1,770	28
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	—	—	—	—	—	—	1	—	—	—	13	2	1,264	430
京都府 Kyōto Fu.	—	—	—	—	—	—	—	—	—	—	25	8	127	30
大阪府 Ōsaka ,,	1	—	1	—	21	5	1	—	—	—	443	179	4,930	1,968
兵庫縣 Hyogo Ken.	12	—	6	—	35	5	3	—	1	—	2,531	881	8,948	2,738
鳥取縣 Tottori ,,			17	—	34	—	7	—	4	—	3	—	95	18
島根縣 Shimane ,,	27	—	—	—	—	—	3	—	3	—	2	—	80	7
岡山縣 Okayama ,,	4	—	5	—	1	—	3	—	—	—	100	9	2,828	498
廣島縣 Hiroshima ,,	409	133	275	90	1	—	3	—	—	—	16	6	2,697	679
山口縣 Yamaguchi ,,	9	1	6	—	—	—	34	4	5	—	8	1	308	57
德島縣 Tokushima ,,	393	119	144	33	2	—	7	—	—	—	21	5	760	141
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	1,067	222	912	137	893	186	9	—	6	—	30	7	1,431	236
高知縣 Kōchi ,,	1,079	199	916	167	23	1	12	—	14	1	30	1	1,073	196
福岡縣 Fukuoka ,,	204	24	231	23	15	—	665	144	31	7	1,063	140	4,151	940
佐賀縣 Saga ,,							3	—	3	—	89	8	2,275	504
長崎縣 Nagasaki ,,	42	8	10	—	14	—	390	115	767	237	3,691	1,099	5,088	1,064
熊本縣 Kumamoto ,,	24	2	12	2	16	—	62	19	250	55	203	30	1,420	241
大分縣 Ōita ,,	77	9	7	1	12	—	3	2	1	—	—	—	416	111
宮崎縣 Miyazaki ,,							—	—	—	—	22	7	365	68
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	36	10	13	2	929	231	8,698	3,375
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	1	—	5,108	1,228
合計 Total.	3,415	731	2,570	453	1,105	197	1,271	295	1,703	410	12,759	3,329	73,337	18,676

累年地方別

Small-Pox in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3,346	1,329	47	10	10	2	—	—	110	32	4,597	1,600	2,473	970	29	4	7	1
5,311	1,015	670	158	67	25	1	—	6	—	1,151	303	1,529	382	13	—	12	—
2,522	554	701	197	247	113	3	—	2	—	183	46	520	140	27	9	2	—
1,175	180	76	9	13	4	7	—	1	—	172	37	471	110	14	3	13	2
2,393	588	230	77	4	—	—	—	1	—	71	17	396	91	171	37	2	—
1,780	419	159	22	1	—	—	—	3	—	573	126	183	32	111	23	6	—
1,132	208	330	45	—	—	4	—	5	1	313	65	228	51	127	20	4	1
101	13	5	—	25	3	1	—	347	40	4,310	758	341	91	172	37	1	—
9	3	—	—	138	15	61	7	813	106	1,531	262	114	31	52	11	—	—
9	—	4	—	36	5	1	—	56	3	1,154	222	1,329	336	14	2	1	1
29	4	4	—	4	—	11	1	83	9	840	161	742	172	111	14	5	—
31	3	6	1	6	1	4	—	113	18	1,528	284	32	6	289	58	421	71
107	18	13	1	42	3	78	9	1,073	262	6,482	1,511	210	64	386	93	36	3
163	38	60	17	8	—	3	—	830	236	2,773	811	120	29	130	24	9	—
3,429	551	40	6	1	—	6	—	5	1	1,733	416	2,452	780	643	184	6	3
4,653	1,146	27	4	2	—	—	—	24	6	1,144	380	3,094	1,000	3	—	—	—
790	130	368	76	—	—	—	—	6	1	466	109	1,027	239	21	1	2	—
1,552	452	144	27	31	7	7	1	6	—	162	27	124	30	102	20	6	1
634	116	146	33	3	—	—	—	3	1	143	24	3,393	752	810	218	17	3
132	31	39	7	3	1	2	—	9	—	73	13	99	37	49	7	1	—
13	1	—	—	8	2	—	—	2	—	19	2	33	8	7	2	8	1
1,048	252	21	5	20	3	—	—	3	—	41	4	369	95	2,438	654	413	113
92	21	96	19	526	128	6	2	17	2	513	91	250	63	665	186	10	1
116	19	178	34	11	4	—	—	3	—	445	69	192	41	20	2	3	1
29	11	6	—	—	—	—	—	3	—	198	26	193	44	3	1	—	—
—	—	14	1	1	—	—	—	4	—	53	5	1,400	431	76	23	13	1
3	—	14	—	1	—	1	—	2	—	294	44	1,407	277	46	10	5	—
10	—	1	—	1	—	—	—	1	—	80	21	213	40	9	3	19	9
65	13	8	4	2	—	1	—	7	1	1,565	583	5,278	2,040	451	163	20	4
39	11	28	10	2	—	5	—	2	—	640	310	2,473	1,121	101	21	8	2
1	—	—	—	—	—	—	—	—	—	11	—	472	104	68	8	3	—
34	2	—	—	—	—	14	—	—	—	6	—	33	2	8	—	1	—
183	33	46	5	4	—	2	—	2	—	50	5	2,818	539	66	25	3	1
2,746	650	385	66	5	1	7	—	8	1	74	8	1,443	309	1,343	382	1	1
102	9	61	5	30	4	5	—	—	—	126	31	1,635	345	12	1	9	—
301	62	7	—	—	—	—	—	3	—	70	10	1,175	245	20	3	2	—
		—	—	3	—	—	—	2	—	13	6	93	19	16	4	2	—
216	32	7	—	15	3	1	—	10	—	21	1	209	52	24	4	4	—
1,045	499	38	3	23	1	6	—	20	—	25	3	238	44	9	1	9	—
156	20	12	—	8	1	10	—	10	—	56	9	1,036	187	227	32	9	1
11	—	3	—	5	—	2	—	4	—	1	—	172	22	473	115	13	—
21	1	15	1	6	1	15	2	5	—	19	3	1,158	332	1,855	593	86	20
96	11	—	—	6	1	5	—	1	1	13	3	171	28	403	76	19	3
298	56	18	4	6	—	—	—	2	—	20	3	365	75	27	3	2	—
11	—	—	—	—	—	—	—	—	—	23	—	48	7	18	1	3	2
1,398	753	25	6	—	—	15	3	1	—	—	—	147	39	759	264	71	22
2 447	713	—	—	—	—	12	—	—	—	4	—	—	—	—	—	—	—
39,779	9,967	4,052	853	1,324	328	296	25	3,608	721	33,779	8,409	41,898	11,852	12,418	3,342	1,287	268

第十七表 (其二) 痘瘡

Table No. XVII. (No. 2) Cases and Deaths of

	同二十九年 1896.		同三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	125	38	1,044	299	441	90	64	17	6	—	6	—	3	—
青森縣 Aomori Ken.	43	7	58	8	587	130	645	177	25	1	8	—	13	2
岩手縣 Iwate ,,	27	5	130	28	77	15	105	26	4	—	—	—	—	—
宮城縣 Miyagi ,,	766	227	750	192	141	35	25	5	2	—	—	—	—	—
秋田縣 Akita ,,	1	—	37	1	42	9	78	13	1	—	1	—	—	—
山形縣 Yamagata ,,	17	2	57	11	72	11	13	2	—	—	1	—	—	—
福島縣 Fukushima ,,	97	15	513	107	176	37	2	—	—	—	—	—	1	—
茨城縣 Ibaraki ,,	222	38	1,232	264	1	—	4	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	32	8	433	100	1	—	26	1	—	—	—	—	—	—
群馬縣 Gumma ,,	33	4	266	60	1	—	1	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	242	51	2,477	567	—	—	1	—	2	—	—	—	—	—
千葉縣 Chiba ,,	182	33	2,987	539	7	1	—	—	—	—	—	—	1	1
東京府 Tōkyō Fu.	2,503	720	6,162	2,071	21	1	12	—	8	—	25	2	10	—
神奈川縣 Kanagawa Ken.	133	18	950	268	3	—	1	—	1	—	4	—	1	—
新潟縣 Niigata ,,	47	6	929	225	12	4	2	—	1	—	1	—	—	—
富山縣 Toyama ,,	4	—	311	105	—	—	—	—	—	—	—	—	1	—
石川縣 Ishikawa ,,	23	1	73	13	8	—	4	—	1	—	—	—	—	—
福井縣 Fukui ,,	39	9	214	39	1	—	—	—	2	—	—	—	—	—
長野縣 Nagano ,,	23	2	203	37	18	7	8	—	—	—	2	—	2	—
岐阜縣 Gifu ,,	6	—	73	19	4	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	39	14	139	32	3	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	49	6	190	34	3	1	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	61	13	881	202	3	1	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	6	—	543	85	8	3	3	—	1	—	—	—	1	—
三重縣 Mie ,,	30	7	1,251	318	—	—	4	—	—	—	1	—	—	—
奈良縣 Nara ,,	52	6	626	134	1	—	—	—	1	—	—	—	1	—
和歌山縣 Wakayama ,,	133	25	722	139	—	—	—	—	—	—	—	—	—	—
京都府 Kyoto Fu.	180	46	475	136	1	—	10	—	2	—	2	—	—	—
大阪府 Ōsaka ,,	1,150	331	6,515	2,872	9	1	18	1	10	3	3	—	1	1
兵庫縣 Hyogo Ken.	2,360	1,172	1,875	646	11	—	12	—	4	—	2	1	1	—
鳥取縣 Tottori ,,	9	1	224	48	4	—	1	—	5	—	—	—	—	—
島根縣 Shimane ,,	4	1	62	21	1	—	1	—	—	—	—	—	—	—
岡山縣 Okayama ,,	120	37	452	111	4	2	1	—	4	—	—	—	—	—
廣島縣 Hiroshima ,,	307	81	707	192	2	—	1	—	6	—	—	—	—	—
山口縣 Yamaguchi ,,	103	21	235	47	1	—	—	—	—	—	5	—	5	2
德島縣 Tokushima ,,	278	74	2,247	573	3	—	3	—	1	—	1	—	—	—
香川縣 Kagawa ,,	33	9	250	61	—	—	49	—	11	—	—	—	2	1
愛媛縣 Ehime ,,	54	11	368	85	63	14	4	—	—	—	—	—	1	—
高知縣 Kochi ,,	57	8	286	58	—	—	9	—	—	—	3	—	—	—
福岡縣 Fukuoka ,,	459	114	1,890	550	8	—	5	—	4	—	—	—	—	—
佐賀縣 Saga ,,	47	4	92	20	—	—	1	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	33	6	1,363	394	8	—	18	1	9	—	26	1	1	—
熊本縣 Kumamoto ,,	22	3	133	22	—	—	80	2	—	—	—	—	1	—
大分縣 Ōita ,,	43	4	360	96	2	—	1	—	—	—	1	—	—	—
宮崎縣 Miyazaki ,,	1	—	183	39	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	83	33	301	101	4	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	426	177	677	317	—	—	1	—	—	—	—	—	—	—
合計 Total.	10,704	3,388	41,946	12,276	1,752	362	1,213	245	111	4	92	4	46	7

累年地方別

Small-Pox in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3	—	10	—	35	8	65	13	—	—	72	13	—	—	37	8	5	—
8	—	2	—	—	—	3	2	—	—	2	—	1	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	13	2	—	—	—	—	—	—
—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
11	—	—	—	—	—	—	—	21	—	—	—	—	—	—	—	—	—
11	—	—	—	—	—	—	—	—	—	15	4	—	—	—	—	—	—
—	—	—	—	—	—	34	12	—	—	6	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	61	16	—	—	—	—	—	—
—	—	1	—	—	—	—	—	—	—	22	3	—	—	1	—	—	—
—	—	1	—	—	—	1	—	—	—	18	2	—	—	1	—	—	—
—	—	—	—	1	—	—	—	—	—	23	5	—	—	—	—	—	—
1	—	—	—	—	—	1	—	—	—	55	11	1	1	—	—	—	—
3	—	6	—	1	—	1	—	5	—	1,678	460	8	1	—	—	—	—
2	—	4	—	1	—	34	9	15	3	674	207	3	1	1	—	2	—
2	—	6	—	—	—	1	—	—	—	54	5	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	12	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	52	6	—	—	—	—	—	—
—	—	2	—	—	—	—	—	2	—	78	10	—	—	—	—	—	—
1	—	1	—	—	—	12	1	—	—	20	5	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	57	11	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	51	7	—	—	—	—	—	—
—	—	—	—	5	—	—	—	—	—	75	15	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	64	20	1	—	—	—	—	—
—	—	—	—	6	2	—	—	23	3	810	169	—	—	—	—	—	—
—	—	—	—	—	—	—	—	3	—	186	30	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	—	167	37	—	—	10	—	1	—
—	—	1	—	2	—	—	—	72	8	289	46	1	—	—	—	—	—
—	—	1	—	—	—	1	—	5	—	258	38	—	—	—	—	—	—
3	1	6	—	35	13	1	—	18	1	3,493	1,660	4	1	—	—	1	—
7	—	7	—	4	1	4	—	836	416	5,872	2,157	2	2	1	—	7	—
—	—	—	—	—	—	—	—	1	—	22	4	—	—	—	—	—	—
—	—	2	—	—	—	90	21	—	—	22	6	—	—	—	—	—	—
—	—	—	—	5	1	—	—	1	—	211	53	—	—	—	—	19	5
10	2	1	—	3	—	59	10	4	1	484	108	—	—	1	—	9	—
3	2	29	9	19	6	117	30	2	1	231	69	—	—	—	—	—	—
—	—	3	1	2	—	1	—	4	—	733	166	—	—	—	—	—	—
—	—	1	1	—	—	—	—	—	—	564	149	1	—	1	1	—	—
—	—	1	1	85	14	1	—	—	—	130	18	—	—	—	—	—	—
—	—	—	—	2	2	—	—	—	—	51	10	—	—	8	—	—	—
3	1	67	9	36	8	2	—	4	—	902	221	14	1	2	1	—	—
—	—	19	2	2	—	—	—	7	1	42	11	1	—	—	—	15	6
2	—	792	179	3	—	16	1	6	3	40	9	5	1	1	1	142	23
2	—	131	21	21	5	1	1	—	—	16	5	6	1	7	1	1	—
—	—	5	—	10	2	48	6	2	—	123	16	42	11	9	1	—	—
—	—	55	8	—	—	2	2	—	—	78	16	—	—	—	—	—	—
—	—	34	6	—	—	—	—	—	—	6	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	235	36	16	6	—	—	—	—
72	6	1,188	237	278	62	496	109	1,034	437	18,067	5,838	106	26	80	13	202	34

第十七表 (其三) 痘瘡

Table No. XVII. (No. 3) Cases and Deaths of

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	3	—	2	—	—	—	4	1	3	1	4	1	1	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	64	2
岩手縣 Iwate ,,	—	—	—	—	1	—	—	—	—	—	6	2	106	23
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	14	2
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—	—	—	2	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	—	—	10	1
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—	6	1	—	—
茨城縣 Ibaraki ,,	—	—	—	—	—	—	—	—	—	—	1	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	1	—	—	—	—	—	—	—	21	4
群馬縣 Gumma ,,	—	—	—	—	1	1	—	—	—	—	6	—	1	1
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—	—	—	8	—
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	—	—	2	—	4	1
東京府 Tokyo Fu.	—	—	21	14	37	13	—	—	—	—	26	4	139	34
神奈川縣 Kanagawa Ken.	—	—	4	—	2	2	—	—	17	4	8	2	12	1
新潟縣 Niigata ,,	—	—	6	3	1	—	—	—	—	—	5	1	2	1
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	2	1	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	1	—	5	1	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	19	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	—	4	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	1	—
滋賀縣 Shiga ,,	—	—	—	—	1	—	—	—	—	—	4	1	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	—	—	6	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—	17	2	21	3
愛知縣 Aichi ,,	1	—	—	—	—	—	—	—	—	—	3	—	15	1
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	24	5	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—	75	20	—	—
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—	70	14	—	—
京都府 Kyoto Fu.	—	—	—	—	2	—	—	—	1	—	124	22	4	—
大阪府 Ōsaka ,,	—	—	—	—	1	—	—	—	26	7	2,436	696	13	4
兵庫縣 Hyogo Ken.	—	—	—	—	—	—	—	—	210	33	618	123	233	71
鳥取縣 Tottori ,,	1	—	—	—	—	—	—	—	3	2	4	1	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—	2	—	2	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	200	36	6	—
廣島縣 Hiroshima ,,	1	—	—	—	—	—	—	—	—	—	232	21	4	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	32	1	8	2
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	126	12	41	5
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	1	—	127	13	143	32
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	—	82	16	2	—
高知縣 Kochi ,,	—	—	—	—	—	—	—	—	1	—	105	17	1	—
福岡縣 Fukuoka ,,	—	—	3	—	43	14	—	—	—	—	196	40	259	47
佐賀縣 Saga ,,	—	—	—	—	1	—	—	—	—	—	40	7	5	1
長崎縣 Nagasaki ,,	2	—	67	22	349	75	13	2	1	1	9	3	98	24
熊本縣 Kumamoto ,,	6	1	—	—	19	1	—	—	—	—	291	61	83	15
大分縣 Ōita ,,	—	—	5	—	21	—	—	—	—	—	3	—	133	7
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	189	32	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	5	4	—	—	—	—	16	2	7	3
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	14	1	108	39	485	110	17	3	264	48	5,121	1,158	1,467	285

累年地方別

Small-Pox in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
102	20	33	9	—	—	27	2	249	56								
22	6	2	—	—	—	—	—	7	1								
—	—	5	—	1	—	—	—	—	—								
5	1	—	—	—	—	3	1	3	—								
12	3	111	25	—	—	9	1	19	2								
1	—	33	2	1	—	—	—	—	—								
31	4	37	11	6	—	7	1	—	—								
114	19	9	1	12	4	14	3	1	—								
6	2	1	—	7	1	4	1	—	—								
—	—	2	—	20	3	—	—	—	—								
—	—	2	2	1	—	—	—	—	—								
1	—	4	1	—	—	—	—	3	2								
2	1	118	37	4	—	16	2	19	8								
3	—	1	—	6	1	13	2	6	—								
60	6	20	3	—	—	—	—	2	—								
—	—	—	—	—	—	40	5	—	—								
79	6	13	1	—	—	—	—	1	—								
6	—	15	2	—	—	15	3	1	1								
5	2	2	1	—	—	—	—	2	—								
7	1	3	—	—	—	—	—	5	1								
—	—	62	12	—	—	4	1	4	—								
—	—	—	—	—	—	1	—	—	—								
29	5	22	9	2	—	—	—	1	1								
28	7	10	2	13	2	—	—	2	—								
20	2	23	4	1	—	—	—	—	—								
19	8	137	31	4	—	5	1	3	1								
129	24	133	36	—	—	—	—	—	—								
51	10	56	11	3	1	9	2	5	—								
461	144	1,209	400	90	26	5	1	236	45								
1,454	455	86	17	96	38	17	8	107	17								
8	1	6	2	—	—	7	1	13	1								
14	2	22	6	—	—	1	—	2	1								
22	4	27	7	6	—	6	—	7	1								
20	3	74	7	2	1	14	1	371	100								
126	25	73	8	34	8	83	11	95	21								
287	53	82	16	8	4	—	—	73	5								
58	8	16	1	86	16	1	—	31	7								
13	3	33	10	5	—	24	9	29	7								
56	18	132	19	11	2	—	—	—	—								
36	4	252	65	120	37	239	51	235	22								
1	—	1	—	4	1	14	3	49	7								
41	10	19	2	154	26	68	9	58	16								
5	—	22	2	166	37	15	1	105	12								
12	4	220	64	23	4	16	4	151	41								
81	23	12	4	1	—	—	—	23	2								
627	231	29	14	2	—	2	—	4	2								
1	—	—	—	—	—	—	—	—	—								
4,055	1,115	3,166	844	889	212	679	124	1,921	381								

第十八表 (其一) 發疹[チフス]

Table No. XVIII. (No. 1) Cases and Deaths of

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	3	—	2	1	3	3	2	—	13	3
青森縣 Aomori Ken.	2	—	4	—	5	2	1	—	2	2	5	—	8	4
岩手縣 Iwate ,,	23	7	10	4	4	2	—	—	3	3	—	—	10	4
宮城縣 Miyagi ,,	85	5	53	13	6	5	3	2	2	1	—	—	3	2
秋田縣 Akita ,,	4	—	5	—	—	—	11	4	6	4	7	—	25	9
山形縣 Yamagata ,,	45	17	32	15	11	3	3	2	13	1	12	1	31	10
福島縣 Fukushima ,,	74	6	32	3	11	5	2	2	3	1	—	—	3	2
茨城縣 Ibaraki ,,	8	2	5	1	12	2	3	—	6	2	26	9	64	16
栃木縣 Tochigi ,,	18	1	13	1	6	3	1	—	7	3	1	—	10	1
群馬縣 Gumma ,,	54	15	58	15	42	16	12	—	8	4	7	3	34	6
埼玉縣 Saitama ,,	58	14	59	15	69	12	29	7	1	—	22	3	23	5
千葉縣 Chiba ,,	55	6	74	9	—	—	25	5	5	3	11	4	34	6
東京府 Tōkyō Fu.	279	70	355	89	46	13	18	6	12	3	11	6	16	8
神奈川縣 Kanagawa Ken.	173	21	256	38	51	13	8	3	9	2	11	2	21	5
新潟縣 Niigata ,,	2	2	2	—	5	3	3	1	1	—	3	3	7	2
富山縣 Toyama ,,							2	—	8	1	23	4	39	8
石川縣 Ishikawa ,,	22	8	17	6	19	5	12	2	6	3	25	5	82	18
福井縣 Fukui ,,	—	—	—	—	7	3	1	1	6	1	5	—	150	30
長野縣 Nagano ,,	8	—	19	6	4	2	6	2	7	3	5	2	17	8
岐阜縣 Gifu ,,	10	7	7	3	5	2	6	1	10	3	4	1	41	6
滋賀縣 Shiga ,,	—	—	—	—	—	—	1	1	3	1	4	1	75	8
山梨縣 Yamanashi ,,	75	10	36	8	18	5	2	2	1	—	3	1	12	2
靜岡縣 Shizuoka ,,	22	5	39	3	8	5	2	—	4	2	1	—	5	—
愛知縣 Aichi ,,	30	6	20	5	20	12	17	9	4	2	6	2	262	40
三重縣 Mie ,,	28	9	17	5	29	12	11	4	13	2	4	2	24	5
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	17	9	8	6	1	—	2	1	1	—	2	1	15	8
京都府 Kyōto Fu.	7	2	12	3	3	1	—	—	2	1	3	2	1,496	328
大阪府 Ōsaka ,,	45	21	19	11	34	9	5	4	24	9	18	4	1,813	388
兵庫縣 Hyōgo Ken.	136	35	84	2[illegible]	68	24	24	10	2 812	301	443	81	2,362	417
鳥取縣 Tottori ,,			—	—	3	1	4	2	3	3	1	—	6	2
島根縣 Shimane ,,	14	5	6	2	1	—	2	—	—	—	1	—	2	2
岡山縣 Okayama ,,	—	—	—	—	—	—	3	2	114	17	785	87	78	20
廣島縣 Hiroshima ,,	2	2	3	1	—	—	2	—	49	7	37	14	87	23
山口縣 Yamaguchi ,,	17	6	4	3	13	3	33	12	60	5	18	3	47	14
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	2	2	597	60
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	139	46	86	25	81	22	66	15	95	16	62	12	66	18
高知縣 Kōchi ,,	9	3	28	8	4	3	2	2	8	1	15	2	16	7
福岡縣 Fukuoka ,,	22	11	—	—	4	—	8	1	4	2	9	6	—	—
佐賀縣 Saga ,,							34	8	9	3	7	1	6	1
長崎縣 Nagasaki ,,	13	1	2	1	21	1	26	5	3	3	5	3	4	1
熊本縣 Kumamoto ,,	27	6	22	7	9	2	19	3	130	27	689	98	398	66
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	220	12
宮崎縣 Miyazaki ,,							1	—	2	—	2	—	1	1
鹿兒島縣 Kagoshima ,,	4	2	8	3	6	3	—	—	—	—	5	—	2	1
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	1,527	360	1,3[illegible]5	335	629	194	412	120	3,459	445	2,302	365	8,225	1,577

累年地方別

Typhus in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3	—	4	1	70	6	—	—	5	2	2	—	1	—	—	—	—	—
4	2	1	—	—	—	1	1	—	—	—	—	—	—	—	—	1	—
5	2	1	1	2	2	—	—	1	—	—	—	—	—	—	—	—	—
—	—	4	2	—	—	6	1	—	—	—	—	—	—	—	—	—	—
17	3	7	1	4	2	—	—	—	—	1	1	7	—	—	—	—	—
3	1	2	—	1	—	10	2	1	—	9	1	3	1	16	2	10	4
1	—	1	1	3	—	—	—	—	—	1	1	—	—	1	1	1	1
34	1	19	9	4	1	10	5	17	3	3	1	5	3	11	—	15	5
4	1	2	—	3	2	4	1	4	1	1	1	1	—	1	—	2	1
112	16	11	5	4	1	—	—	2	1	6	2	—	—	1	—	—	—
49	14	14	2	4	3	1	2	4	1	4	1	3	—	—	—	—	—
34	8	2	—	—	—	2	—	24	3	14	6	3	2	5	2	7	1
9	2	8	4	3	—	5	2	10	5	19	2	4	3	12	3	11	6
25	4	16	5	8	4	10	6	24	6	17	4	1	2	5	—	1	2
12	1	99	8	2	2	1	—	—	—	58	5	1	—	3	1	7	2
199	39	6	2	3	1	1	—	3	1	3	—	5	3	4	1	4	2
22	4	8	3	3	2	17	6	4	2	2	2	3	1	2	—	2	—
7	2	24	1	8	3	2	2	—	—	2	—	—	—	—	—	—	—
15	3	3	—	3	—	2	1	2	1	1	—	—	—	—	—	—	—
—	—	2	—	4	2	—	—	—	—	1	—	2	—	2	—	—	—
40	6	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
7	4	5	2	7	1	1	—	4	2	5	1	—	—	3	1	14	1
2	—	3	2	—	—	—	—	4	3	4	1	—	—	—	—	12	—
—	—	—	—	—	—	1	—	—	—	2	2	4	1	1	—	1	1
5	3	8	2	4	—	—	—	1	1	5	2	1	1	—	—	—	—
—	—	—	—	2	1	1	1	1	—	3	2	6	2	2	1	4	1
2	2	3	2	—	—	—	—	3	1	6	4	—	—	4	2	1	—
5	2	1	1	—	—	—	—	15	5	—	—	1	—	—	—	9	4
33	9	6	2	19	7	7	4	121	32	13	4	28	11	14	2	—	—
855	167	245	50	47	18	140	23	860	114	43	7	92	20	31	9	56	13
8	2	5	1	2	—	—	—	15	2	1	—	2	—	1	—	—	—
156	13	1	1	—	—	—	—	—	—	4	—	4	—	1	1	—	—
269	31	5	1	—	—	2	—	4	2	31	7	4	1	1	1	5	—
48	18	39	5	7	2	6	3	7	4	1	—	10	2	14	3	1	1
40	5	—	—	2	2	—	—	3	3	—	—	—	—	—	—	1	1
399	68	465	63	27	6	3	1	9	3	8	3	27	—	1	1	14	3
		—	—	3	1	1	1	37	4	5	—	3	—	1	1	2	—
35	8	39	13	19	3	1	—	7	1	2	1	1	—	2	1	4	—
2	2	4	3	4	1	1	—	—	—	—	—	2	—	—	—	—	—
2	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—
2	—	2	1	2	2	1	—	2	—	—	—	—	—	—	—	—	—
2	—	2	1	5	3	2	1	—	—	—	—	—	—	—	—	—	—
10	3	5	1	2	2	1	—	—	—	1	—	3	2	—	—	—	—
5	1	—	—	3	2	1	—	—	—	—	—	—	—	—	—	—	—
2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—
3	1	16	3	16	6	9	3	—	—	—	—	—	—	—	—	—	—
—	—	39	6	—	—	1	1	—	—	—	—	—	—	—	—	—	—
2,487	448	1,131	207	300	88	251	67	1,194	203	281	62	228	56	139	33	186	49

第十八表 (其二) 發疹「チフス」

Table No. XVIII. (No. 2) Cases and Deaths of

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	1	1	1	—	1	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	2	—	3	3	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	1	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	1	1	1	—	—	—	—	—	—	—
山形縣 Yamagata ,,	1	1	11	5	6	1	32	5	22	5	17	4	20	2
福島縣 Fukushima ,,	—	—	—	—	2	—	—	—	37	3	—	—	—	—
茨城縣 Ibaraki ,,	3	—	1	—	2	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	1	—	2	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	1	1	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	2	1	6	1	—	—	2	1	1	—	1	—	1	—
千葉縣 Chiba ,,	4	—	8	3	—	—	—	—	—	—	—	—	—	—
東京府 Tokyō Fu.	5	2	3	1	1	1	2	1	3	1	—	—	—	—
神奈川縣 Kanagawa Ken.	1	—	3	2	—	—	1	1	—	—	—	—	—	—
新潟縣 Niigata ,,	1	1	1	-	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	3	2	—	—	—	—	2	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	1	1	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	9	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	1	1	5	2	—	—	1	—	1	—	—	—	—	—
滋賀縣 Shiga ,,	2	2	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	3	—	—	—	2	1	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	1	1	—	—	—	—	—	—	1	1	—	—	—	—
愛知縣 Aichi ,,	1	—	1	1	—	—	1	—	1	1	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	1	—	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	1	1	1	—	1	1	—	—	—	—
京都府 Kyōto Fu.	1	1	1	—	—	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	4	2	1	—	2	—	2	—	2	—	1	1	1	1
兵庫縣 Hyōgo Ken.	40	8	—	—	1	1	5	1	2	—	2	2	—	—
鳥取縣 Tottori ,,	—	—	—	—	1	1	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	2	—	1	1	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	4	1	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	4	4	—	—	6	4	1	1	—	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	2	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	4	—	—	—	1	1	—	—	—	—	—	—
愛媛縣 Ehime ,,	2	—	—	—	—	—	—	—	1	—	—	—	—	—
高知縣 Kōchi ,,	—	—	2	2	1	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	1	1	—	—	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	1	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	4	4	2	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	1	1	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	1	1	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	92	28	58	23	41	15	55	13	73	13	21	7	22	3

累年地方別

Typhus in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	2	—	—
—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
—	—	33	4	—	—	—	—	—	—	3	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—
1	1	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8	5	35	4	2	2	4	1	8	1	3	1	3	2	5	4	3	3

第十八表 (其三) 發疹「チフス」

Table No. XVIII. (No. 3) Cases and Deaths of

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	721	87	81	12	1	—	2	—	4	—
青森縣 Aomori Ken.	—	—	—	—	444	79	164	21	105	13	111	17	110	14
岩手縣 Iwate ,,	—	—	—	—	173	7	41	3	1	—	—	—	34	3
宮城縣 Miyagi ,,	—	—	—	—	234	23	93	9	8	2	24	3	1	—
秋田縣 Akita ,,	—	—	—	—	338	36	2	—	23	4	61	4	4	1
山形縣 Yamagata ,,	—	—	—	—	8	1	34	3	11	—	7	1	59	8
福島縣 Fukushima ,,	—	—	—	—	691	103	4	1	11	2	1	1	1	1
茨城縣 Ibaraki ,,	—	—	—	—	216	48	24	6	2	2	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	28	10	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	111	15	1	—	11	3	1	—	3	—
埼玉縣 Saitama ,,	—	—	—	—	141	33	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	45	6	—	—	—	—	1	—	—	—
東京府 Tōkyō Fu.	—	—	—	—	3,836	733	50	8	371	78	—	—	11	1
神奈川縣 Kanagawa Ken.	—	—	—	—	135	18	—	—	—	—	—	—	1	—
新潟縣 Niigata ,,	—	—	—	—	48	5	—	—	1	1	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	2	1	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	87	15	4	1	55	11	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	1	—	—	—	—	—	—	—	—	—
滋賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	30	9	—	—	—	—	11	2	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	12	4	—	—	1	—	—	—	1	—
愛知縣 Aichi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	1	—	1	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	1	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	1	1	—	—	—	—	—	—	—	—	—	—	—	—
兵庫縣 Hyōgo Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	2	1	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	—	—	—	—	1	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	1	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
高知縣 Kochi ,,	—	—	—	—	3	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	4	1	—	—	—	—
合計 Total.	1	1	—	—	7,309	1,234	499	64	606	117	219	28	229	28

累年地方別

Typhus in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
4	—	2	—	—	—	—	—	8	1								
109	14	31	1	3	1	6	4	—	—								
10	1	—	—	—	—	—	—	—	—								
6	—	—	—	82	9	—	—	4	—								
63	8	7	—	14	1	1	1	—	—								
30	6	25	2	70	10	14	2	—	—								
—	—	1	—	—	—	1	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
1	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
1	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	1	1								
—	—	—	—	—	—	—	—	—	—								
1	1	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	1	1								
—	—	—	—	—	—	1	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	1	1	—	—	—	—								
—	—	—	—	1	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
225	30	66	3	171	22	23	7	14	3								

第十九表 (其一) 猩紅熱

Table No. XIX. (No. 1) Cases and Deaths of Scarlet

	明治三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.		同三十六年 1903.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	1	—	—	—	—	—	—	—	2	—	1	—	1	—
青森縣 Aomori Ken.	—	—	3	1	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	1	1	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	1	—	—	—	—	—	—	—	5	—	2	—
秋田縣 Akita ,,	1	1	—	—	3	1	—	—	1	—	1	—	—	—
山形縣 Yamagata ,,	9	—	3	—	—	—	3	—	—	—	—	—	—	—
福島縣 Fukushima ,,	3	1	3	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	1	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	1	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	1	—	1	—	—	—	—	—	2	—	—	—
千葉縣 Chiba ,,	1	—	—	—	—	—	—	—	—	—	—	—	—	—
東京府 Tōkyō Fu.	—	—	23	1	28	1	15	2	17	1	56	3	55	3
神奈川縣 Kanagawa Ken.	—	—	2	—	3	1	6	—	6	1	8	1	3	—
新潟縣 Niigata ,,	—	—	—	—	—	—	1	—	—	—	1	—	1	1
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	1	—
福井縣 Fukui ,,	—	—	1	1	1	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	3	—	1	—	1	—
岐阜縣 Gifu ,,	1	—	—	—	2	—	—	—	—	—	—	—	2	1
滋賀縣 Shiga ,,	3	—	—	—	4	1	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	2	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	—	—	1	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	2	—	1	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	1	—	1	—	—	—	—	—	—	—	1	—	—	—
京都府 Kyōto Fu.	1	—	20	3	29	—	22	3	2	—	26	3	26	2
大阪府 Ōsaka ,,	6	1	6	—	5	—	15	3	11	—	11	2	7	3
兵庫縣 Hyōgo Ken.	6	—	—	—	2	—	2	1	2	1	4	—	10	1
鳥取縣 Tottori ,,	—	—	—	—	—	—	1	—	—	—	1	—	—	—
島根縣 Shimane ,,	—	—	2	1	1	—	—	—	—	—	1	1	2	—
岡山縣 Okayama ,,	—	—	1	—	2	—	1	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	1	1	—	—	—	—	1	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	2	—	—	—	—	—	3	—
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	1	1	1	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	1	—	1	—	3	1	—	—	1	1	2	—
高知縣 Kōchi ,,	—	—	—	—	—	—	1	1	—	—	1	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	—	—	—	—	1	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	2	—	—	—	—	—	1	—	2	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	1	—	—	—	—	—	1	—	—	—
大分縣 Ōita ,,	3	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	1	—	—	—	—	—	—	—	—	—	7	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	37	3	74	7	86	6	77	12	46	3	125	11	123	11

累年地方別

Fever in Each Prefecture.

同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.		大正元年 1912.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	7	2	8	1	17	1	22	—	60	2	74	2	41	3
—	—	1	—	4	—	5	—	3	—	25	2	7	—	4	—	3	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
—	—	—	—	2	—	6	—	2	—	2	—	14	2	6	1	5	1
—	—	—	—	—	—	1	—	—	—	2	—	11	—	8	—	66	16
—	—	—	—	—	—	6	1	3	1	7	—	6	—	6	—	4	1
—	—	—	—	—	—	—	—	3	2	—	—	3	—	—	—	—	—
—	—	—	—	1	—	1	—	1	—	1	—	—	—	1	—	—	—
—	—	—	—	—	—	—	—	—	—	5	—	17	2	17	1	3	—
—	—	—	—	10	3	—	—	8	2	390	104	519	140	75	20	48	8
—	—	—	—	1	—	1	—	12	5	178	73	192	74	97	20	37	17
—	—	—	—	1	1	—	—	2	1	—	—	7	1	1	—	8	4
63	7	64	7	137	16	237	24	236	18	238	17	796	86	528	88	404	44
6	—	1	—	37	3	34	4	37	9	16	1	38	2	81	22	26	5
—	—	—	—	—	—	1	—	2	—	—	—	2	1	—	—	1	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1	1	—	—	2	—	—	—	2	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	—	1	1	2	—	32	15	2	1	1	—
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
—	—	—	—	—	—	5	3	20	3	37	11	12	1	—	—	15	2
—	—	—	—	3	—	—	—	—	—	2	—	1	—	1	—	—	—
—	—	1	—	—	—	11	—	1	—	10	1	7	—	6	1	2	—
—	—	—	—	—	—	35	9	21	2	22	2	12	2	18	1	19	3
—	—	—	—	—	—	—	—	2	—	22	8	14	2	14	—	13	1
—	—	—	—	—	—	1	—	—	—	—	—	4	1	1	—	—	—
—	—	1	—	—	—	—	—	8	2	2	—	2	1	2	—	4	—
25	2	24	2	33	5	138	22	412	66	493	101	308	27	209	14	321	11
2	—	18	3	9	3	17	2	26	10	25	10	39	10	22	4	54	3
4	—	9	—	3	2	9	—	15	1	6	—	20	—	12	1	34	4
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	1	—	—	—	—	—	1	—	—	—	3	2	1	—	5	—
—	—	—	—	—	—	—	—	1	—	2	—	14	2	19	1	9	—
—	—	1	—	—	—	2	1	4	1	—	—	—	—	—	—	1	1
—	—	—	—	—	—	—	—	9	1	7	1	3	1	12	1	10	1
—	—	—	—	—	—	—	—	1	1	1	—	1	1	—	—	1	—
—	—	—	—	3	1	1	—	—	—	13	6	194	88	105	21	57	17
—	—	1	—	—	—	—	—	—	—	—	—	2	—	1	—	4	2
—	—	1	—	—	—	—	—	6	—	3	—	2	—	2	—	—	—
—	—	—	—	4	—	1	—	—	—	1	—	1	—	3	—	2	—
—	—	9	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
—	—	1	—	—	—	—	—	4	—	1	—	5	—	3	—	4	—
—	—	—	—	—	—	—	—	—	—	1	—	4	—	3	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	—	—	—	—	—	—	—	1	—	—	—	3	1	3	1	2	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
102	9	133	12	255	36	522	67	860	128	1,537	337	2.359	464	1,339	200	1,207	146

第十九表 (其二) 猩紅熱

Table No. XIX. (No. 2) Cases and Deaths of Scarlet

	大正二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.		同八年 1919.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Casse.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	74	1	61	2	48	—	63	3	48	1	41	2	61	6
青森縣 Aomori Ken.	6	1	25	2	7	—	13	—	15	1	1	—	11	2
岩手縣 Iwate ,,	1	—	—	—	—	—	—	—	2	—	2	—	15	2
宮城縣 Miyagi ,,	8	—	4	—	7	1	23	2	12	1	28	1	18	1
秋田縣 Akita ,,	34	8	11	—	13	1	28	2	18	—	11	—	12	3
山形縣 Yamagata ,,	2	—	5	—	—	—	4	—	7	—	3	1	1	—
福島縣 Fukushima ,,	5	1	3	1	2	—	6	—	6	1	10	1	5	—
茨城縣 Ibaraki ,,	2	1	1	—	—	—	4	—	1	1	2	2	1	—
栃木縣 Tochigi ,,	4	1	1	—	11	—	6	—	4	—	8	1	9	—
群馬縣 Gumma ,,	13	—	19	1	13	—	11	—	21	1	7	—	12	2
埼玉縣 Saitama ,,	67	8	36	2	14	2	16	—	15	1	13	1	14	—
千葉縣 Chiba ,,	13	6	23	5	4	—	9	1	8	2	9	1	6	1
東京府 Tōkyō Fu.	448	39	384	20	421	42	364	11	400	20	370	21	453	32
神奈川縣 Kanagawa Ken.	42	4	95	8	54	4	42	2	56	3	46	1	63	5
新潟縣 Niigata ,,	2	—	1	—	3	—	4	1	7	1	5	—	7	1
富山縣 Toyama ,,	1	—	—	—	—	—	1	—	—	—	—	—	1	—
石川縣 Ishikawa ,,	2	—	1	—	—	—	1	—	5	—	—	—	1	1
福井縣 Fukui ,,	—	—	3	1	—	—	2	—	—	—	—	—	1	1
長野縣 Nagano ,,	2	—	9	2	12	2	4	—	19	1	10	3	8	1
岐阜縣 Gifu ,,	—	—	—	—	2	—	4	—	3	—	3	—	1	—
滋賀縣 Shiga ,,	5	—	14	4	11	2	2	—	14	—	6	—	11	—
山梨縣 Yamanashi ,,	4	—	7	—	11	1	4	—	1	—	6	2	12	2
靜岡縣 Shizuoka ,,	2	1	10	2	9	1	8	—	11	—	16	—	19	1
愛知縣 Aichi ,,	17	—	15	—	20	1	20	2	26	—	21	1	16	1
三重縣 Mie ,,	7	1	13	1	13	1	14	—	16	1	5	1	10	—
奈良縣 Nara ,,	2	1	8	—	1	—	4	1	2	—	2	—	4	—
和歌山縣 Wakayama ,,	5	1	6	2	3	1	2	—	6	—	10	1	7	—
京都府 Kyōto Fu.	322	7	300	11	295	7	231	9	334	9	239	11	292	15
大阪府 Ōsaka ,,	80	7	52	7	51	4	61	5	66	12	58	2	73	6
兵庫縣 Hyōgo Ken.	42	5	61	3	45	1	29	2	34	2	33	5	55	12
鳥取縣 Tottori ,,	1	—	—	—	—	—	—	—	—	—	1	—	1	—
島根縣 Shimane ,,	2	—	6	1	11	1	13	—	4	—	1	—	1	—
岡山縣 Okayama ,,	8	—	9	1	12	—	9	1	12	1	7	1	19	1
廣島縣 Hiroshima ,,	—	—	1	—	5	—	6	1	8	1	—	—	13	5
山口縣 Yamaguchi ,,	32	8	22	—	9	—	8	—	16	—	10	—	14	4
德島縣 Tokushima ,,	2	—	—	—	1	—	—	—	1	—	—	—	—	—
香川縣 Kagawa ,,	10	2	9	2	9	1	6	2	9	2	9	3	15	2
愛媛縣 Ehime ,,	2	—	9	1	10	1	16	2	23	—	4	1	4	1
高知縣 Kōchi ,,	7	—	—	—	—	—	—	—	4	—	5	—	4	—
福岡縣 Fukuoka ,,	3	1	1	—	2	—	3	—	7	3	1	—	6	—
佐賀縣 Saga ,,	1	—	2	—	1	—	—	—	—	—	—	—	1	1
長崎縣 Nagasaki ,,	2	2	10	—	9	—	8	2	4	—	6	2	41	—
熊本縣 Kumamoto ,,	—	—	5	—	1	—	3	1	4	—	6	—	4	—
大分縣 Ōita ,,	7	—	4	—	3	—	2	—	6	—	2	—	1	—
宮崎縣 Miyazaki ,,	—	—	1	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	4	—	3	1	2	—	2	—	2	—	1	—	2	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	1,293	106	1,250	80	1,145	74	1,056	50	1,257	65	1,018	65	1,325	109

累年地方別

Fever in Each Prefecture.

同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
76	—	57	—	63	1	69	3								
4	—	17	1	13	2	8	1								
26	1	14	—	8	—	4	—								
23	1	9	—	15	—	10	—								
17	1	15	2	4	1	22	2								
5	—	—	—	3	1	6	—								
7	—	4	—	4	—	4	—								
2	1	7	—	—	—	4	—								
8	—	10	—	7	1	4	—								
13	—	32	5	33	2	11	—								
23	1	25	1	18	—	21	—								
9	1	7	1	10	1	8	—								
457	26	574	23	503	25	486	17								
52	7	77	6	69	3	76	2								
11	3	—	—	2	1	7	—								
—	—	—	—	2	—	—	—								
4	—	3	—	2	—	—	—								
1	—	6	2	3	1	1	—								
4	—	12	3	17	2	17	2								
4	—	6	—	6	—	3	—								
21	4	33	4	37	1	22	—								
3	—	8	1	30	1	7	—								
11	2	22	1	21	1	16	1								
14	1	24	1	24	3	30	4								
8	2	19	3	18	1	8	—								
1	1	2	—	5	1	8	1								
4	1	9	1	11	2	15	—								
324	12	389	16	383	11	377	14								
120	18	105	5	121	7	111	19								
28	2	32	2	75	9	78	3								
—	—	1	—	1	—	1	—								
—	—	7	—	2	—	5	—								
12	1	4	—	93	11	48	7								
6	1	5	1	5	—	6	1								
15	1	11	—	6	1	17	7								
—	—	—	—	1	—	—	—								
17	1	10	—	6	1	10	1								
16	—	10	—	5	1	10	1								
6	—	5	—	7	1	11	—								
6	1	4	1	8	1	11	1								
—	—	—	—	—	—	—	—								
3	—	2	—	9	—	3	—								
2	—	5	1	1	—	2	—								
2	—	4	1	2	1	3	—								
—	—	1	—	1	—	1	—								
3	—	2	—	2	—	1	—								
—	—	—	—	—	—	—	—								
1,368	90	1,589	82	1,656	96	1,562	88								

第二十表 (其一) 「ヂフテリア」

Table No. XX. (No. 1) Cases and Deaths of

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	40	13	6	5	14	8	10	7	58	20
青森縣 Aomori Ken.	33	22	38	25	32	16	12	4	6	5	19	11	25	11
岩手縣 Iwate ,,	35	19	11	6	9	4	9	3	12	8	26	16	120	24
宮城縣 Miyagi ,,	80	37	82	49	68	41	69	39	92	57	118	67	266	122
秋田縣 Akita ,,	20	8	14	7	29	16	54	36	64	39	44	23	42	23
山形縣 Yamagata ,,	12	11	54	14	17	3	24	11	31	10	38	22	25	13
福島縣 Fukushima ,,	100	56	120	52	124	51	110	33	60	40	78	41	292	107
茨城縣 Ibaraki ,,	9	5	4	1	—	—	11	8	39	19	85	35	93	38
栃木縣 Tochigi ,,	10	3	18	6	75	29	71	26	27	8	20	7	117	45
群馬縣 Gumma ,,	23	9	21	6	20	5	11	6	26	12	78	26	72	30
埼玉縣 Saitama ,,	52	29	42	27	57	34	74	48	42	33	171	85	193	74
千葉縣 Chiba ,,	9	7	13	9	12	1	15	10	14	8	38	21	91	20
東京府 Tōkyō Fu.	242	154	276	175	280	176	319	189	271	173	301	162	224	119
神奈川縣 Kanagawa Ken.	54	33	59	37	61	40	41	27	68	48	93	61	124	85
新潟縣 Niigata ,,	68	33	44	22	80	39	70	35	146	92	111	60	154	82
富山縣 Toyama ,,							10	7	43	28	36	27	28	15
石川縣 Ishikawa ,,	43	17	37	23	36	26	36	20	21	15	51	30	55	38
福井縣 Fukui ,,	5	5	14	12	11	10	27	17	16	9	31	22	20	6
長野縣 Nagano ,,	12	7	18	11	55	22	28	14	34	16	69	42	95	39
岐阜縣 Gifu ,,	47	20	60	25	71	30	96	31	67	37	81	44	61	31
滋賀縣 Shiga ,,	54	35	67	35	39	20	140	53	132	52	172	60	113	41
山梨縣 Yamanashi ,,	144	63	118	44	36	17	37	21	24	21	24	13	22	10
静岡縣 Shizuoka ,,	184	113	281	171	291	193	312	158	239	151	278	144	224	117
愛知縣 Aichi ,,	130	72	158	97	140	80	122	72	208	97	216	93	149	67
三重縣 Mie ,,	28	11	104	31	42	16	68	23	99	35	75	27	70	30
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	12	6	24	19	40	24	18	15	10	8	44	23	30	6
京都府 Kyoto Fu.	47	15	55	17	55	29	109	52	63	26	94	43	52	22
大阪府 Ōsaka ,,	37	17	27	14	35	18	21	14	14	9	17	7	9	5
兵庫縣 Hyōgo Ken.	62	44	46	28	67	46	98	72	63	35	55	28	42	21
鳥取縣 Tottori ,,			17	11	8	5	11	9	2	2	7	6	4	2
島根縣 Shimane ,,	77	49	20	15	8	5	5	3	2	2	8	6	2	2
岡山縣 Okayama ,,	24	16	15	8	30	19	22	16	26	13	16	10	16	10
廣島縣 Hiroshima ,,	19	11	23	10	8	4	11	5	8	5	4	3	10	7
山口縣 Yamaguchi ,,	15	4	24	14	6	4	29	19	33	17	46	23	47	10
徳島縣 Tokushima ,,	20	15	20	14	23	16	50	27	30	14	62	38	59	36
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	39	21	31	26	64	34	41	20	83	34	60	24	88	30
高知縣 Kōchi ,,	8	6	9	5	5	4	8	7	8	3	11	7	39	26
福岡縣 Fukuoka ,,	23	15	18	12	15	11	18	12	17	15	28	14	19	17
佐賀縣 Saga ,,							3	3	2	1	2	1	5	4
長崎縣 Nagasaki ,,	4	2	3	1	8	4	12	9	17	15	18	16	43	25
熊本縣 Kumamoto ,,	46	27	37	23	24	12	53	30	44	29	36	22	39	26
大分縣 Ōita ,,	11	2	10	8	11	8	20	16	16	14	21	17	14	7
宮崎縣 Miyazaki ,,							4	4	3	2	4	3	1	1
鹿兒島縣 Kagoshima ,,	—	—	1	—	6	5	—	—	1	1	—	—	13	1
沖繩縣 Okinawa ,,	—	—	—	—	—	—	2	2	—	—	2	2	—	—
合計 Total.	1,838	1,019	2,033	1,110	2,038	1,130	2,307	1,231	2,237	1,266	2,798	1,439	3,265	1,465

累年地方別

Diphtheria in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
45	21	51	23	67	49	40	31	93	59	131	98	210	145	119	71	148	105
30	15	104	57	82	48	87	47	101	56	190	90	195	96	124	72	105	58
87	41	74	46	106	47	58	35	79	42	60	30	130	69	143	78	251	119
205	86	158	75	123	50	107	57	136	78	156	63	111	57	107	59	171	88
44	29	55	38	80	57	82	53	97	66	59	32	83	52	121	75	176	107
22	9	27	14	14	6	11	5	55	30	74	62	76	53	51	44	69	43
134	81	75	38	90	52	71	47	89	55	87	62	94	63	99	68	175	101
93	46	119	55	106	52	107	54	139	72	70	22	67	40	61	29	36	8
70	36	81	37	55	28	76	45	50	23	175	83	124	59	106	45	69	32
117	42	60	30	91	49	166	90	140	72	110	64	97	58	139	84	145	76
187	96	100	64	91	62	75	51	80	58	105	69	88	58	63	38	61	41
52	13	16	4	20	12	42	26	88	48	98	69	85	58	95	66	73	43
350	213	361	223	425	233	329	204	324	176	453	266	624	355	438	246	806	233
126	87	106	70	80	58	100	78	98	76	118	83	117	79	108	74	143	85
254	147	373	209	258	161	176	114	175	124	217	144	169	107	260	160	164	109
23	18	14	11	5	4	2	2	19	15	13	10	49	32	41	27	21	12
36	19	37	34	29	21	41	31	69	45	55	38	101	70	107	70	55	36
13	12	18	10	12	7	7	1	5	3	4	3	1	1	10	7	8	6
80	30	55	30	58	26	68	31	103	42	130	52	178	87	132	61	117	53
104	38	88	30	199	89	140	50	83	27	133	54	116	29	298	66	185	56
72	25	47	15	54	18	73	29	163	70	186	64	331	111	205	89	153	65
9	6	17	11	24	15	24	18	88	59	70	52	102	69	75	51	98	76
119	83	119	95	129	81	67	51	167	108	200	127	489	269	518	265	574	335
109	37	79	48	129	54	119	71	223	98	214	99	377	169	380	159	422	177
18	12	24	10	12	12	32	22	43	26	74	52	123	74	183	109	208	122
—	—	1	—	3	2	5	4	69	43	83	61	42	31	25	20	28	21
12	3	33	12	10	6	17	10	27	12	20	8	55	18	73	40	67	31
34	11	23	14	66	37	49	32	101	55	169	97	241	123	200	100	234	91
7	5	14	10	21	13	34	18	144	88	260	184	300	171	224	124	246	108
33	18	41	25	75	38	73	35	142	74	234	137	309	188	234	144	289	143
3	2	2	1	6	4	1	—	14	10	21	13	53	29	30	18	42	27
6	5	2	2	3	1	3	2	1	—	2	1	6	4	26	23	64	33
36	16	17	7	7	4	10	8	17	7	24	9	35	19	78	37	141	44
7	4	6	4	2	2	2	1	9	8	18	17	24	16	22	11	17	12
22	8	25	7	17	9	37	17	26	15	42	17	36	18	27	12	43	19
13	6	32	16	3	2	3	2	8	8	7	3	15	13	16	12	24	18
		—	—	4	1	8	6	12	8	42	34	51	41	44	32	77	47
45	22	14	6	5	1	10	6	31	14	26	17	84	52	90	47	93	55
27	18	13	6	3	2	26	10	19	14	14	10	28	24	22	16	40	22
22	12	21	12	20	16	10	8	41	32	114	70	152	101	102	74	140	98
1	1	—	—	4	4	2	1	1	1	—	—	3	3	4	4	6	6
31	17	19	10	33	24	28	19	18	18	25	20	27	23	33	25	33	16
21	15	37	26	33	27	23	15	24	16	38	23	83	41	38	25	39	25
17	13	11	6	6	5	4	1	13	12	18	11	22	17	20	16	12	6
2	1	9	6	2	2	—	—	8	7	10	5	12	7	8	4	14	9
3	1	4	3	7	3	3	—	6	4	9	5	11	6	9	6	15	8
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	3	—
2,741	1,429	2,582	1,450	2,669	1,494	2,448	1,438	3,429	1,974	4,359	2,531	5,726	3,205	5,308	2,903	6,100	3,025

第二十表 (其二) 「ヂフテリア」

Table No. XX. (No. 2) Cases and Deaths of

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	231	108	554	185	847	318	670	214	568	170	498	158	504	126
青森縣 Aomori Ken.	178	83	535	139	1,060	249	865	200	582	104	462	114	425	93
岩手縣 Iwate ,,	366	115	272	100	348	127	368	129	329	107	369	112	401	129
宮城縣 Miyagi ,,	182	53	396	113	674	164	871	203	683	172	454	125	544	108
秋田縣 Akita ,,	314	153	449	173	506	164	935	287	831	201	719	169	557	118
山形縣 Yamagata ,,	207	86	422	122	523	146	770	197	622	155	502	137	397	91
福島縣 Fukushima ,,	251	91	332	119	645	227	606	183	669	151	499	109	423	128
茨城縣 Ibaraki ,,	47	21	121	68	274	138	261	113	186	97	189	55	196	40
栃木縣 Tochigi ,,	120	40	227	98	380	115	510	182	459	194	369	123	258	77
群馬縣 Gumma ,,	185	59	440	181	552	203	626	234	523	175	547	174	404	98
埼玉縣 Saitama ,,	71	37	271	128	378	180	449	197	390	172	345	134	388	166
千葉縣 Chiba ,,	91	53	298	165	330	171	267	129	242	112	248	127	268	100
東京府 Tokyo Fu.	1,151	270	2,345	669	1,820	419	1,291	313	1,483	325	1,215	309	1 393	276
神奈川縣 Kanagawa Ken.	289	125	563	240	405	158	304	119	441	140	357	123	465	150
新潟縣 Niigata ,,	195	104	369	172	640	258	847	303	620	204	661	213	904	283
富山縣 Toyama ,,	73	28	75	26	84	32	90	30	48	11	65	18	63	31
石川縣 Ishikawa ,,	31	15	60	23	258	102	252	93	182	64	163	51	232	59
福井縣 Fukui ,,	32	18	90	41	160	67	182	78	133	29	166	48	200	55
長野縣 Nagano ,,	245	109	527	189	610	254	598	232	559	178	519	198	437	150
岐阜縣 Gifu ,,	162	48	439	135	541	134	513	138	430	136	347	94	290	73
滋賀縣 Shiga ,,	129	40	214	68	246	65	194	44	230	48	173	52	119	44
山梨縣 Yamanashi ,,	194	102	388	181	319	140	267	102	134	53	128	47	150	58
靜岡縣 Shizuoka ,,	794	282	911	324	907	238	851	219	578	167	468	152	520	147
愛知縣 Aichi ,,	413	158	804	283	1,232	369	953	234	887	282	676	191	690	186
三重縣 Mie ,,	377	115	560	144	558	136	536	138	438	107	358	81	356	108
奈良縣 Nara ,,	65	33	105	52	131	63	222	86	188	93	124	51	124	47
和歌山縣 Wakayama ,,	73	22	65	27	183	51	288	98	202	79	129	49	137	39
京都府 Kyoto Fu.	208	69	349	100	507	130	650	163	586	175	451	113	418	111
大阪府 Ōsaka ,,	375	129	653	218	822	166	754	131	694	247	540	209	568	189
兵庫縣 Hyogo Ken.	336	143	374	169	569	212	735	265	576	239	455	155	422	153
鳥取縣 Tottori ,,	43	27	25	13	59	26	98	39	100	48	110	37	108	35
島根縣 Shimane ,,	117	50	75	38	105	40	128	54	111	38	122	45	114	34
岡山縣 Okayama ,,	78	35	82	32	155	54	216	78	316	110	251	108	321	95
廣島縣 Hiroshima ,,	36	26	65	48	110	65	167	75	215	102	154	71	130	37
山口縣 Yamaguchi ,,	47	22	104	37	140	49	232	90	246	77	168	55	175	53
德島縣 Tokushima ,,	34	11	74	28	102	44	112	54	148	72	86	49	80	28
香川縣 Kagawa ,,	93	62	93	51	182	84	248	106	186	94	148	63	145	58
愛媛縣 Ehime ,,	150	75	241	121	214	98	320	144	280	137	240	113	181	76
高知縣 Kochi ,,	103	41	355	71	289	57	289	65	195	65	194	54	161	38
福岡縣 Fukuoka ,,	218	96	496	185	654	226	803	255	564	152	443	114	547	148
佐賀縣 Saga ,,	54	15	143	49	230	75	297	78	170	36	100	31	111	23
長崎縣 Nagasaki ,,	108	46	194	77	313	124	440	167	251	87	182	71	166	53
熊本縣 Kumamoto ,,	46	27	80	38	212	104	361	141	198	85	187	58	159	69
大分縣 Ōita ,,	48	20	58	32	160	77	276	99	208	93	145	53	133	56
宮崎縣 Miyazaki ,,	20	12	23	13	66	41	155	89	89	31	57	30	71	27
鹿兒島縣 Kagoshima ,,	33	22	170	94	191	93	163	78	103	44	93	38	143	46
沖繩縣 Okinawa ,,	—	—	—	—	1	—	3	1	2	2	6	5	7	5
合計 Total.	8,613	3,296	15,486	5,579	19,692	6,453	21,033	6,667	17,875	5,660	14,882	4,686	15,005	4,314

累年地方別

Diphtheria in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
557	146	644	161	720	183	772	148	828	191	886	185	1,195	252	1,323	277	1,340	309
351	87	281	59	272	53	313	67	380	74	371	59	515	100	391	68	466	73
291	103	262	59	209	63	129	41	153	32	145	36	180	56	273	85	475	86
485	123	428	92	499	88	416	78	436	85	523	105	486	92	537	115	634	141
489	90	345	63	366	72	276	57	291	59	459	92	517	102	625	131	613	101
311	72	325	81	292	77	299	61	317	88	374	87	299	71	353	89	433	92
381	84	369	73	456	94	526	154	457	117	635	128	730	192	757	147	869	175
157	40	116	34	179	48	173	65	192	60	326	96	394	125	523	134	568	157
249	75	275	84	259	77	312	85	461	147	531	145	451	138	572	163	636	137
442	131	374	112	334	97	365	107	310	88	510	152	421	125	493	147	564	181
368	139	286	118	295	111	284	111	361	140	517	172	509	181	548	191	527	173
248	115	218	91	303	153	373	138	317	93	364	146	329	138	361	103	511	151
948	262	1,059	256	1,192	299	1,349	326	1,425	418	1,702	429	1,450	366	1.459	291	1,439	381
448	160	379	147	372	130	474	139	582	156	518	132	368	115	458	141	423	113
850	237	657	174	567	144	525	159	618	134	932	223	1,142	268	1,125	240	1,042	227
95	30	77	19	62	21	50	19	69	20	83	29	84	22	34	7	116	34
189	65	246	80	278	93	282	79	235	66	344	92	337	104	348	109	314	71
175	40	148	34	149	45	186	62	172	43	164	59	171	46	126	38	145	34
441	139	395	134	461	154	307	102	335	122	341	114	546	179	577	169	691	166
272	66	224	67	234	49	209	68	277	72	414	115	367	75	439	98	407	104
128	33	132	35	112	21	174	47	169	36	194	46	186	37	170	19	123	35
194	63	199	79	204	61	148	44	182	58	257	93	234	64	179	44	318	94
592	184	573	176	578	165	644	174	460	119	565	142	613	163	662	163	669	140
691	189	559	155	558	131	679	200	602	154	910	216	835	221	873	190	791	175
271	77	244	51	182	45	258	57	268	72	455	104	550	111	547	111	635	126
124	50	83	37	60	29	89	37	125	59	161	70	120	34	114	57	141	51
122	36	135	48	133	27	157	46	171	46	274	74	270	88	296	80	247	81
304	100	278	89	257	84	451	113	502	113	589	169	578	156	528	155	506	139
451	156	546	179	565	183	648	255	779	301	826	286	869	320	817	304	868	313
373	133	353	128	399	123	445	157	498	201	454	167	369	154	424	162	370	164
93	40	79	36	147	56	142	45	169	49	156	43	132	42	187	48	195	74
97	30	71	24	109	40	125	45	153	59	172	58	178	63	185	70	205	63
253	74	190	62	190	55	154	45	162	49	288	87	363	99	413	111	389	113
153	75	129	52	171	81	188	83	189	68	143	79	166	67	167	71	178	69
187	66	180	60	247	58	264	99	297	79	332	79	302	81	364	82	406	98
51	20	57	25	65	35	86	37	71	27	122	40	110	51	79	29	89	45
115	40	95	42	94	35	88	40	108	39	172	76	156	63	248	93	192	70
201	71	194	83	225	95	248	104	259	104	247	84	240	95	157	56	234	80
133	36	63	14	104	29	161	33	102	23	121	35	149	42	201	54	166	44
517	145	488	108	397	126	495	132	450	128	396	146	285	109	229	93	295	99
157	33	151	32	116	21	120	24	76	17	73	17	59	12	52	20	59	13
269	113	300	90	288	96	271	98	266	104	263	83	358	114	313	100	313	100
137	67	154	73	163	76	146	55	153	65	92	43	144	51	140	65	113	41
106	52	95	37	103	51	87	34	75	22	76	34	84	35	71	37	68	17
90	38	75	24	78	39	110	42	104	34	125	39	90	37	137	35	133	44
125	43	99	33	109	39	92	25	123	50	116	41	91	35	138	48	114	50
20	7	19	10	108	31	98	51	32	11	72	24	80	30	86	29	64	15
13,701	4,175	12,649	3,720	13,261	3,883	14,188	4,188	14,761	4,292	17,790	4,971	18,102	5,121	19,099	5,069	20,094	5,229

第二十表 (其三) 「ヂフテリア」

Table No. XX. (No. 3) Cases and Deaths of

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaido.	1,242	319	1,159	247	1,565	337	1,733	301	1,329	282	1,560	292	1,543	275
青森縣 Aomori Ken.	586	96	348	58	410	79	458	82	325	56	464	94	375	80
岩手縣 Iwate ,,	356	93	281	84	258	69	327	66	294	78	272	83	285	65
宮城縣 Miyagi ,,	591	115	428	81	456	81	524	109	592	117	579	104	590	109
秋田縣 Akita ,,	589	90	524	91	615	129	640	109	454	73	455	70	452	76
山形縣 Yamagata ,,	426	102	309	66	366	83	451	83	503	107	440	83	351	64
福島縣 Fukushima ,,	752	145	852	194	908	208	868	172	892	173	831	168	796	128
茨城縣 Ibaraki ,,	396	111	501	141	425	115	502	131	336	89	362	100	349	75
栃木縣 Tochigi ,,	662	162	604	147	436	129	539	133	534	137	570	147	487	106
群馬縣 Gumma ,,	515	137	548	137	539	122	661	170	590	161	675	163	603	152
埼玉縣 Saitama ,,	566	152	553	156	478	145	597	188	433	137	450	124	367	119
千葉縣 Chiba ,,	484	138	528	172	443	130	469	112	293	74	369	106	293	79
東京府 Tokyo Fu.	1,322	299	1,554	444	1,272	359	1,572	502	1,097	305	1,243	368	1,166	335
神奈川縣 Kanagawa Ken.	382	103	484	176	453	122	539	143	447	102	448	114	301	88
新潟縣 Niigata ,,	1,180	222	997	182	1,023	165	913	140	715	126	720	138	653	133
富山縣 Toyama ,,	117	27	92	20	91	18	101	24	73	16	59	19	36	11
石川縣 Ishikawa ,,	288	88	219	46	245	56	172	48	153	45	148	44	159	40
福井縣 Fukui ,,	133	35	170	48	101	23	76	30	59	18	56	15	81	27
長野縣 Nagano ,,	586	147	542	161	600	143	782	180	767	139	753	177	699	153
岐阜縣 Gifu ,,	352	84	368	68	441	79	385	79	377	99	234	54	246	49
滋賀縣 Shiga ,,	187	39	170	41	255	44	234	37	91	17	99	27	118	31
山梨縣 Yamanashi ,,	328	78	234	66	155	39	284	82	167	38	176	38	165	40
静岡縣 Shizuoka ,,	534	134	720	163	472	109	468	116	432	112	456	100	373	81
愛知縣 Aichi ,,	767	175	809	161	839	179	719	171	510	107	510	117	446	129
三重縣 Mie ,,	491	79	502	99	496	90	454	67	397	69	392	52	309	65
奈良縣 Nara ,,	84	35	114	43	132	48	118	39	83	34	105	32	78	27
和歌山縣 Wakayama ,,	249	65	272	72	207	46	307	56	237	56	341	66	239	51
京都府 Kyoto Fu.	560	150	536	158	455	144	420	90	322	87	375	97	371	101
大阪府 Osaka ,,	806	252	862	306	700	216	824	242	746	214	1,040	326	861	263
兵庫縣 Hyogo Ken.	374	129	487	185	482	170	552	162	438	114	517	178	351	108
鳥取縣 Tottori ,,	162	31	179	48	153	33	101	25	108	23	103	30	60	14
島根縣 Shimane ,,	247	66	162	48	151	49	149	39	136	50	152	39	140	40
岡山縣 Okayama ,,	371	98	286	81	201	69	183	74	161	54	166	58	172	59
廣島縣 Hiroshima ,,	229	89	220	82	191	82	190	62	204	92	235	84	270	108
山口縣 Yamaguchi ,,	407	69	527	98	425	69	460	87	346	62	394	81	383	92
德島縣 Tokushima ,,	102	41	94	29	77	33	136	59	51	20	64	23	47	15
香川縣 Kagawa ,,	204	62	137	45	169	57	166	54	110	53	127	59	116	33
愛媛縣 Ehime ,,	289	105	265	83	249	80	309	84	226	62	289	80	241	84
高知縣 Kochi ,,	194	49	216	43	155	22	140	23	115	22	104	20	106	23
福岡縣 Fukuoka ,,	307	96	390	137	349	108	361	83	312	84	376	133	371	111
佐賀縣 Saga ,,	69	15	59	20	40	10	32	7	14	5	28	8	27	10
長崎縣 Nagasaki ,,	270	69	318	101	293	83	266	70	276	77	291	93	323	96
熊本縣 Kumamoto ,,	127	53	121	47	123	56	113	48	124	38	143	70	95	31
大分縣 Oita ,,	80	25	77	22	98	39	81	31	113	44	87	29	71	19
宮崎縣 Miyazaki ,,	98	28	69	30	81	25	100	35	74	19	76	22	61	15
鹿兒島縣 Kagoshima ,,	117	45	127	51	177	61	167	49	141	54	112	38	75	25
沖繩縣 Okinawa ,,	73	19	123	33	93	27	58	15	52	18	41	12	47	14
合計 Total.	19,251	4,761	19,137	5,011	18,343	4,580	19,701	4,709	16,249	3,960	17,487	4,375	15,748	3,849

累年地方別

Diphtheria in Each Prefecture.

同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1,770	273	2,161	382	1,878	355	1,330	223	1,722	304								
335	65	445	81	476	68	343	45	324	60								
354	70	377	92	306	71	255	69	212	38								
487	78	560	97	458	71	572	88	455	93								
369	64	525	75	643	117	625	107	454	70								
284	49	307	56	367	80	488	103	386	69								
646	142	664	135	552	124	896	159	678	133								
285	89	397	83	330	74	385	100	271	73								
421	87	439	86	376	87	357	112	325	87								
480	118	448	80	436	108	465	95	403	116								
307	62	468	73	415	108	430	98	339	72								
250	75	332	102	339	96	330	96	308	90								
1,119	347	1,086	296	1,269	372	1,074	305	1,003	281								
379	82	478	130	403	106	338	95	292	80								
585	116	573	112	550	108	469	81	438	71								
51	11	39	8	46	10	33	8	36	7								
133	27	160	38	138	28	123	26	92	23								
56	21	95	34	74	22	103	32	119	22								
569	118	519	119	537	127	655	16	592	144								
180	43	155	42	171	45	148	40	160	40								
145	28	182	38	159	30	100	15	134	39								
175	50	113	47	134	43	180	48	137	36								
342	74	366	96	412	125	326	85	358	123								
345	75	368	90	383	103	383	93	347	88								
276	67	349	72	339	66	337	68	320	64								
63	24	76	29	85	25	52	28	65	25								
255	40	222	44	132	26	128	37	134	33								
304	80	387	104	471	107	361	85	289	90								
773	205	825	219	635	197	548	163	633	177								
329	122	214	39	182	68	316	112	267	88								
88	20	60	14	95	28	98	29	72	29								
154	56	124	35	141	39	129	40	92	26								
109	36	110	38	125	42	87	32	76	38								
198	80	77	29	183	59	132	56	123	40								
347	52	265	40	218	42	162	25	160	38								
44	15	56	18	50	19	50	18	41	14								
105	44	115	34	101	41	80	27	88	38								
169	54	190	53	169	42	152	48	163	58								
100	16	113	28	71	22	80	23	44	10								
269	78	185	68	178	60	169	48	214	65								
22	8	14	2	15	3	13	7	17	3								
249	71	183	55	151	36	178	38	148	33								
86	32	83	27	60	24	52	23	67	24								
49	14	52	22	42	14	24	12	23	12								
83	23	64	17	66	19	43	14	56	19								
89	32	92	35	88	23	88	23	52	20								
52	10	60	25	73	21	41	12	47	14								
14,280	3,343	15,173	3,439	14,522	3,501	13,737	3,254	12,776	3,109								

第二十一表　流行性腦脊髓膜炎

Table No. XXI.　Cases and Deaths of Cerebro-Spinal

	大正七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	2	2	3	1	16	6	5	—
青森縣 Aomori Ken.	—	—	—	—	2	1	3	1
岩手縣 Iwate ,,	—	—	16	9	4	2	6	1
宮城縣 Miyagi ,,	—	—	8	3	6	3	44	16
秋田縣 Akita ,,	1	1	13	8	12	10	6	2
山形縣 Yamagata ,,	—	—	42	24	1	—	6	4
福島縣 Fukushima ,,	—	—	57	26	14	5	7	5
茨城縣 Ibaraki ,,	1	1	1	1	6	3	4	—
栃木縣 Tochigi ,,	—	—	—	—	5	1	1	1
群馬縣 Gumma ,,	1	1	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	8	4	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	5	4	2	1
東京府 Tokyō Fu.	29	22	126	72	93	47	100	46
神奈川縣 Kanagawa Ken.	—	—	16	2	17	1	21	10
新潟縣 Niigata ,,	5	4	20	13	2	2	3	2
富山縣 Toyama ,,	2	2	1	—	—	—	—	—
石川縣 Ishikawa ,,	1	1	—	—	—	—	2	1
福井縣 Fukui ,,	—	—	2	1	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	10	6	2	2
岐阜縣 Gifu ,,	—	—	—	—	3	3	1	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—
山梨縣 Vamanashi ,,	3	1	36	13	9	3	9	3
靜岡縣 Shizuoka ,,	3	1	4	3	1	—	8	4
愛知縣 Aichi ,,	1	—	9	5	8	3	7	3
三重縣 Mie ,,	7	5	9	6	6	2	—	—
奈良縣 Nara ,,	8	2	15	4	3	2	5	4
和歌山縣 Wakayama ,,	20	16	12	7	8	4	4	3
京都府 Kyōto Fu.	25	9	49	25	54	27	61	30
大阪府 Ōsaka ,,	664	445	731	434	282	172	164	110
兵庫縣 Hyōgo Ken.	167	65	218	91	43	18	50	31
鳥取縣 Tottori ,,	6	4	45	28	16	8	24	10
島根縣 Shimane ,,	1	—	57	29	9	3	34	23
岡山縣 Okayama ,,	5	1	51	36	7	7	5	5
廣島縣 Hiroshima ,,	—	—	37	18	18	11	18	10
山口縣 Yamaguchi ,,	—	—	60	26	13	5	12	9
德島縣 Tokushima ,,	3	2	1	—	9	4	1	—
香川縣 Kagawa ,,	3	2	66	29	7	5	15	8
愛媛縣 Ehime ,,	16	7	39	19	15	8	13	5
高知縣 Kōchi ,,	—	—	94	48	17	7	14	8
福岡縣 Fukuoka ,,	14	8	512	231	176	85	66	28
佐賀縣 Saga ,,	—	—	10	4	—	—	10	1
長崎縣 Nagasaki ,,	56	31	62	28	38	15	14	11
熊本縣 Kumamoto ,,	6	2	12	6	12	6	17	12
大分縣 Oita ,,	4	1	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	1	—	—	—	1	—
鹿兒島縣 Kagoshima ,,	—	—	13	7	2	1	7	3
沖繩縣 Okinawa ,,	—	—	—	—	2	1	—	—
合計 Total.	1,054	636	2,456	1,261	951	491	772	413

累 年 地 方 別

Meningitis in Each Prefecture.

同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.
4	3	1	1								
1	—	1	—								
7	4	2	1								
36	18	37	11								
16	10	8	5								
1	—	1	1								
11	2	4	2								
3	1	58	30								
8	2	7	4								
5	2	4	3								
2	2	3	2								
5	2	5	3								
119	59	134	48								
16	9	11	6								
4	3	2	—								
—	—	—	—								
—	—	2	2								
—	—	—	—								
11	17	2	1								
2	1	4	3								
—	—	—	—								
5	1	11	4								
12	6	65	39								
10	5	14	10								
5	3	7	2								
8	4	2	1								
3	3	3	2								
56	26	28	14								
105	73	102	72								
56	37	32	7								
21	7	7	4								
27	15	29	21								
95	73	7	4								
76	47	11	6								
7	5	6	3								
46	32	5	4								
25	20	4	2								
14	10	3	2								
25	12	12	9								
59	27	38	17								
5	2	4	—								
14	6	14	7								
7	1	13	8								
—	—	3	2								
—	—	—	—								
7	3	2	1								
1	1	—	—								
940	544	708	374								

第二十二表 (其一) 「ペスト」

Table No. XXII. (No. 1) Cases and Deaths of

	明治三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.		同三十六年 1903.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
東京府 Tōkyō Fu.	—	—	—	—	—	—	—	—	—	—	4	2	7	7
神奈川縣 Kanagawa Ken.	1	1	—	—	—	—	—	—	—	—	8	5	49	41
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	1	1	—	—	1	1
靜岡縣 Shizuoka ,,	—	—	—	—	1	1	19	19	—	—	—	—	—	—
知愛縣 Aichi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	1	1	—	—	2	2	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	—	—	—	—	32	20	129	119	—	—	—	—	—	—
兵庫縣 Hyōgo Ken.	—	—	—	—	23	20	3	3	—	—	—	—	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	1	1	—	—	—	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	—	—	—	—	—	—	16	11	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
高知縣 Kōchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	1	1	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	4	1	1	1	—	—	2	2	1	1
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	1	1	—	—	63	45	168	153	3	3	14	9	58	50

累年地方別

Plague in Each Prefecture.

同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.		大正元年 1912.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	6	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	15	12	—	—	1	—	—	—	4	4	—	—	—	—	—	—
—	—	—	—	—	—	20	18	—	—	28	22	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	2	2	—	—	4	2	16	7	—	—	—	—	—	—	—	—
—	—	—	—	186	132	5	5	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	4	3	—	—	—	—	—	—
—	—	131	106	160	133	548	500	79	74	29	27	12	12	—	—	—	—
1	1	90	68	84	60	17	16	251	198	276	215	7	7	—	—	—	—
—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	10	10	—	—	—	—	—	—	—	—	—	—	—	—
—	—	6	4	34	29	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	4	4	—	—	1	1	—	—	—	—	—	—	—	—
—	—	32	21	1	1	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	6	4	2	—	—	—	29	23	26	18	—	—	—	—
—	—	—	—	—	—	—	—	—	—	18	18	4	4	—	—	—	—
—	—	—	—	9	8	4	4	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	3	2	43	28	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1	1	282	218	498	383	646	574	347	280	389	313	49	41	—	—	—	—

第二十二表 (其二) 「ペスト」

Table No. XXII. (No. 2) Cases and Deaths of

	同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.		同八年 1919.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	—	—	1	1	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	11	10	—	—	—	—	—	—	—	—	—	—
東京府 Tōkyō Fu.	—	—	47	41	20	17	—	—	—	—	1	1	—	—
神奈川縣 Kanagawa Ken.	21	17	24	18	—	—	—	—	—	—	—	—	1	1
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	—	—	—	—	—	—	18	16	22	20	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	58	49	3	3	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	—	—	—	—	—	—	1	—	—	—	—	—	—	—
兵庫縣 Hyōgo Ken.	6	3	—	—	—	—	—	—	—	—	—	—	2	1
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
高知縣 Kōchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	27	20	83	70	20	17	77	65	25	23	1	1	3	2

累年地方別

Plague in Each Prefecture.

同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	2	2	—	—								
22	16	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	81	59	—	—								
—	—	2	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	35	28	1	1								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
22	16	2	—	118	89	1	1								

第二十三表 (其一) 人口壹萬ニ對スル

Table No. XXIII. (No. 1) Cases and Deaths of Cholera per

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	19.75	13.09	0.06	0.06	0.05	—	0.20	0.05	94.88	69.58
青森縣 Aomori Ken.	0.11	0.08	—	—	0.47	0.33	0.02	—	0.02	0.02	—	—	127.28	73.19
岩手縣 Iwate ,,	0.02	0.02	—	—	11.82	4.99	0.03	0.02	0.02	—	—	—	8.11	4.86
宮城縣 Miyagi ,,	—	—	—	—	63.20	37.52	0.27	0.02	0.09	0.03	—	—	19.92	13.63
秋田縣 Akita ,,	0.19	0.06	—	—	3.12	2.24	0.08	0.06	0.06	0.03	0.03	0.02	74.07	43.18
山形縣 Yamagata ,,	0.19	0.09	—	—	21.07	14.25	0.35	0.29	0.06	0.03	0.06	0.03	30.66	20.89
福島縣 Fukushima ,,	0.07	0.02	—	—	9.78	6.04	0.10	0.05	0.04	0.02	0.08	0.02	3.19	1.95
茨城縣 Ibaraki ,,	0.22	0.12	0.03	0.01	13.72	8.15	0.09	0.02	0.35	0.13	0.08	0.04	9.04	5.62
栃木縣 Tochigi ,,	0.24	0.05	—	—	36.18	18.50	0.31	0.15	0.58	0.16	0.08	—	8.52	4.57
群馬縣 Gumma ,,	0.19	0.03	0.07	0.03	51.51	3.34	0.23	0.05	0.54	0.23	0.05	—	4.85	3.41
埼玉縣 Saitama ,,	0.25	0.15	0.02	0.02	15.52	10.18	0.09	0.02	0.10	0.05	0.21	0.13	9.05	6.16
千葉縣 Chiba ,,	0.02	—	0.52	0.37	13.15	8.77	0.05	0.04	0.09	0.05	0.56	0.39	30.11	20.44
東京府 Tokyō ,,	0.99	0.45	0.56	0.35	66.16	51.39	0.51	0.27	0.66	0.34	2.37	1.54	84.24	68.4
神奈川縣 Kanagawa Ken.	0.62	0.20	0.44	0.21	47.80	30.30	0.31	0.16	0.48	0.17	3.04	2.23	65.64	35.29
新潟縣 Niigata ,,	0.29	0.14	0.08	0.03	9.03	6.68	0.13	0.06	0.07	0.05	0.12	0.06	57.51	36.47
富山縣 Toyama ,,							?	?	0.23	0.10	0.08	0.04	227.44	150.46
石川縣 Ishikawa ,,	0.46	0.21	0.09	0.04	9.29	6.03	0.04	0.03	0.08	0.05	0.04	0.01	61.76	48.89
福井縣 Fukui ,,	—	—	—	—	2.22	1.89	0.12	0.07	0.29	0.15	0.20	0.17	113.92	81.79
長野縣 Nagano ,,	—	—	0.05	0.02	14.91	8.32	0.16	0.01	0.35	0.20	0.03	0.01	36.68	21.24
岐阜縣 Gifu ,,	0.08	0.04	0.05	0.04	0.18	0.14	0.02	—	—	—	—	—	3.92	2.78
滋賀縣 Shiga ,,	0.37	0.23	0.54	0.44	1.12	0.93	0.22	0.17	0.09	0.09	0.26	0.21	6.25	5.01
山梨縣 Yamanashi ,,	—	—	0.49	0.22	89.38	48.79	0.66	0.24	1.15	0.43	0.69	0.31	27.15	14.11
靜岡縣 Shizuoka ,,	0.35	0.15	0.41	0.20	31.12	19.04	0.13	0.03	0.45	0.21	0.19	0.12	7.23	5.96
愛知縣 Aichi ,,	0.15	0.08	0.22	0.20	5.07	3.56	0.07	0.05	0.04	0.02	0.01	0.01	8.28	6.19
三重縣 Mie ,,	0.04	0.04	0.43	0.31	8.24	5.99	0.17	0.11	0.15	0.06	0.06	0.03	15.76	12.40
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	0.94	0.33	3.36	2.35	10.32	7.88	0.29	0.16	0.29	0.18	2.04	1.56	50.16	36.43
京都府 Kyōto Fu.	0.09	0.06	4.14	3.42	5.53	4.73	0.13	0.08	0.14	0.11	4.28	3.49	38.55	30.98
大阪府 Ōsaka ,,	0.79	0.36	13.04	10.88	16.56	13.34	0.50	0.28	0.53	0.28	13.56	11.13	116.61	94.46
兵庫縣 Hyōgo Ken.	0.50	0.13	4.46	3.27	4.88	3.60	0.25	0.13	0.11	0.06	6.53	5.25	45.56	36.02
鳥取縣 Tottori ,,			—	—	5.91	3.89	0.16	0.03	0.26	0.13	0.05	0.03	23.62	15.07
島根縣 Shimane ,,	0.29	0.11	0.01	—	5.38	2.75	0.03	0.01	0.01	—	0.09	0.01	25.36	14.95
岡山縣 Okayama ,,	0.74	0.28	2.70	1.68	4.45	2.82	0.35	0.17	0.10	0.03	1.01	0.58	25.41	18.42
廣島縣 Hiroshima ,,	0.49	0.18	0.62	0.29	9.55	7.10	0.32	0.14	0.19	0.10	0.80	0.52	59.74	42.70
山口縣 Yamaguchi ,,	0.47	0.14	1.01	0.68	7.77	5.30	0.58	0.13	0.40	0.14	0.84	0.34	42.75	28.15
德島縣 Tokushima ,,	?	?	1.27	0.89	3.80	2.69	0.09	0.05	0.08	0.05	1.14	0.75	14.39	9.70
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	0.68	0.23	1.63	1.09	15.92	10.10	0.40	0.15	0.30	0.11	0.87	0.48	35.61	19.28
高知縣 Kōchi ,,	0.03	0.01	3.11	2.07	1.74	1.04	0.16	0.07	0.04	0.04	0.16	0.07	32.84	22.39
福岡縣 Fukuoka ,,	1.54	0.83	6.02	4.12	1.85	1.31	0.65	0.44	0.43	0.26	4.95	3.34	14.05	10.12
佐賀縣 Saga ,,							?	?	0.31	0.15	6.62	4.31	25.03	17.03
長崎縣 Nagasaki ,,	0.71	0.39	13.90	8.28	1.43	0.87	0.07	0.02	0.04	0.01	62.13	41.45	32.37	21.52
熊本縣 Kumamoto ,,	2.67	0.53	15.94	9.26	1.15	0.41	1.41	0.42	1.09	0.41	29.72	17.08	4.70	2.82
大分縣 Ōita ,,	0.33	0.05	1.18	0.69	11.93	7.65	0.21	0.08	0.13	0.04	0.38	0.13	20.23	12.25
宮崎縣 Miyazaki ,,							?	?	0.10	0.05	1.57	0.91	0.56	0.41
鹿兒島縣 Kagoshima ,,	—	—	6.61	3.04	3.14	1.83	0.10	0.03	0.04	0.02	5.73	2.95	0.51	0.30
沖繩縣 Okinawa ,,	—	—	1.71	1.12	0.06	0.03	0.19	0.11	—	—	—	—	42.03	27.30
合計 Total.	0.44	0.02	2.58	1.72	14.07	9.21	0.26	0.12	0.24	0.11	3.65	2.46	40.15	27.92

「コレラ」患者及死亡地方別

10,000 Population in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.09	0.03	0.25	0.09	0.08	0.05	0.72	0.46	—	—	0.14	0.12	0.04	0.02	0.05	0.02	1.19	0.82
0.25	0.13	0.15	0.06	0.02	—	0.40	0.31	0.04	0.04	—	—	0.02	0.02	0.02	—	0.29	0.15
0.03	0.03	0.03	0.03	0.03	—	—	—	0.01	—	—	—	0.01	—	—	—	2.39	1.55
0.12	0.03	0.20	0.16	0.05	0.03	0.25	0.19	0.08	0.03	—	—	—	—	—	—	29.81	19.50
0.11	0.06	0.01	0.01	0.01	0.01	0.17	0.04	0.04	0.03	0.04	0.04	0.04	0.01	—	—	3.25	2.33
0.14	0.04	0.20	0.15	0.12	0.11	0.15	0.11	0.05	0.03	0.03	0.01	—	—	—	—	15.85	9.33
0.10	0.08	0.03	0.01	0.01	0.01	0.02	—	0.02	0.01	—	—	0.04	0.03	—	—	5.91	3.65
0.15	0.06	0.02	0.02	0.01	0.01	0.93	0.70	0.06	—	—	—	0.07	0.02	0.01	—	9.77	6.61
0.22	0.10	0.06	0.04	0.20	0.07	2.48	1.70	0.11	0.07	0.08	0.05	0.05	0.09	0.05	0.05	4.33	2.88
0.17	0.09	0.13	0.07	0.18	0.11	2.97	2.32	0.34	0.07	0.09	0.04	—	—	0.05	0.05	0.49	0.25
0.05	0.03	0.09	0.06	0.04	0.03	1.07	0.75	0.15	0.09	0.03	0.01	0.05	0.03	0.01	—	2.43	1.77
0.15	0.09	0.12	0.06	0.08	0.04	11.81	8.53	1.92	1.15	0.16	0.12	0.09	0.08	0.05	0.02	6.91	5.06
0.54	0.40	0.40	0.24	0.22	0.10	27.09	22.24	2.22	1.50	0.47	0.24	0.16	0.08	0.13	0.07	18.34	13.90
0.26	0.11	0.18	0.08	0.17	0.07	22.41	17.40	1.81	1.35	0.32	0.18	0.33	0.19	0.10	0.04	10.21	8.03
0.47	0.29	0.17	0.03	0.21	0.12	0.22	0.18	0.36	0.19	0.09	0.07	0.08	0.06	0.02	0.01	2.54	1.91
0.18	0.14	0.24	0.15	0.09	0.07	0.25	0.16	0.11	0.11	0.09	0.03	0.01	0.01	0.14	0.08	45.15	35.28
0.14	0.11	0.12	0.11	0.13	0.09	0.12	0.12	0.19	0.13	—	—	—	—	0.05	0.04	8.16	6.14
0.22	0.14	0.34	0.23	0.32	0.23	0.45	0.31	0.38	0.21	0.10	0.07	0.03	0.03	0.07	0.07	7.05	5.89
0.13	0.07	0.15	0.04	0.04	0.03	0.17	0.12	0.04	0.03	0.09	0.06	0.11	0.08	0.02	—	0.40	0.32
0.01	0.01	—	—	0.01	—	0.01	0.01	—	—	0.17	0.12	—	—	—	—	1.42	0.93
0.17	0.15	0.10	0.07	0.01	0.01	1.98	1.61	0.27	0.22	0.12	0.10	0.01	0.01	0.04	0.04	3.94	3.00
0.78	0.27	0.63	0.31	0.38	0.11	6.39	4.54	0.88	0.35	0.79	0.43	0.93	0.45	0.44	0.27	2.08	1.37
0.13	0.07	0.15	0.11	0.08	0.05	3.64	2.76	0.67	0.39	0.23	0.13	0.13	0.10	0.07	0.05	3.58	2.47
0.05	0.04	0.01	0.01	0.03	0.02	0.02	0.01	0.04	0.02	0.01	0.01	—	—	—	—	4.04	3.00
0.21	0.14	0.01	0.01	0.10	0.04	0.21	0.15	0.02	0.02	0.02	0.02	—	—	0.01	0.01	4.45	3.66
—	—	0.71	0.40	0.48	0.30	8.83	7.15	1.23	1.03	0.67	0.41	0.26	0.20	0.29	0.23	14.63	11.23
0.23	0.13	0.19	0.05	0.21	0.11	21.15	15.56	1.65	1.40	0.22	0.13	0.24	0.08	0.38	0.22	8.99	6.36
0.30	0.21	0.18	0.13	0.38	0.20	11.23	9.65	1.23	0.84	0.33	0.17	0.25	0.14	0.16	0.12	19.35	16.40
0.70	0.37	0.40	0.29	0.59	0.39	65.38	55.52	7.10	5.58	0.88	0.55	0.47	0.30	0.79	0.42	50.57	39.11
0.45	0.26	0.34	0.18	0.25	0.16	24.87	19.25	1.34	1.05	0.39	0.20	0.17	0.11	0.22	0.13	22.73	17.52
0.21	0.10	0.08	0.08	0.05	0.05	0.72	0.50	0.25	0.17	0.12	0.05	0.07	0.02	0.15	0.07	29.53	19.23
0.23	0.13	0.03	0.04	0.09	0.04	2.64	1.98	1.83	1.38	0.03	0.03	0.04	0.01	—	—	11.15	7.75
0.33	0.18	0.11	0.07	0.26	0.13	14.03	10.84	0.58	0.01	0.07	0.04	0.08	0.05	0.14	0.06	26.87	18.31
0.18	0.09	0.25	0.07	0.24	0.12	12.93	10.04	0.96	0.69	0.13	0.07	0.22	0.10	0.34	0.17	28.59	21.62
0.30	0.15	0.25	0.08	0.23	0.08	21.57	15.51	16.00	12.14	0.31	0.12	0.15	0.10	0.14	0.06	19.90	14.64
0.40	0.24	0.09	0.06	0.01	—	9.46	7.37	0.54	0.43	0.12	0.07	0.10	0.06	0.10	0.09	6.64	4.76
		—	—	0.16	0.04	26.05	21.25	0.42	0.22	0.15	0.04	0.18	0.13	0.07	0.06	34.44	22.28
0.42	0.20	0.42	0.15	0.20	0.08	13.58	9.55	2.99	2.09	0.33	0.17	0.16	0.17	0.08	0.04	15.00	10.42
0.12	0.05	0.19	0.12	0.19	0.09	12.51	8.70	2.62	1.79	0.17	0.14	0.41	0.29	0.20	0.07	16.74	12.14
0.73	0.46	0.74	0.45	0.78	0.51	28.79	22.06	15.66	11.59	0.75	0.42	0.87	0.45	0.75	0.51	16.27	11.14
0.27	0.20	0.27	0.22	0.11	0.07	17.90	12.68	12.27	9.21	0.14	0.11	0.21	0.17	0.14	0.10	5.21	3.71
0.30	0.19	0.16	0.08	0.39	0.24	48.73	32.98	21.69	13.94	0.24	0.14	0.10	0.04	0.06	0.06	21.14	14.76
0.66	0.33	0.63	0.37	0.34	0.22	12.35	7.73	9.43	5.68	0.46	0.17	0.19	0.10	—	—	6.24	4.15
0.17	0.09	0.06	0.05	0.11	0.11	15.09	9.70	13.53	6.40	0.34	0.19	0.40	0.16	0.13	0.04	10.86	6.96
—	—	0.22	0.12	0.31	0.24	3.57	2.38	0.12	0.07	0.19	0.09	0.02	—	0.04	—	8.88	4.83
0.12	0.05	0.04	0.01	0.11	0.04	2.79	1.72	1.46	0.85	0.09	0.05	0.03	0.01	0.01	0.01	5.17	3.37
4.61	1.71	—	—	—	—	—	—	—	—	—	—	0.05	0.02	—	—	5.86	3.08
0.31	0.17	0.20	0.11	0.18	0.11	11.23	8.60	2.70	1.88	0.21	0.12	0.15	0.09	0.13	0.07	12.81	9.33

第二十三表 (其二) 人口壹萬ニ對スル

Table No. XXIII. (No. 2) Cases and Deaths of Cholera per

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	0.14	0.07	—	—	—	—	—	—	0.01	0.01	—	—	0.90	0.66
青森縣 Aomori Ken.	0.05	0.03	0.13	0.02	—	—	0.15	0.08	0.10	0.05	—	—	—	—
岩手縣 Iwate ,,	0.01	0.01	—	—	0.03	0.01	0.07	0.01	—	—	—	—	—	—
宮城縣 Miyagi ,,	0.06	0.05	0.08	0.05	0.04	0.02	0.35	0.15	0.01	—	—	—	—	—
秋田縣 Akita ,,	0.12	0.07	0.07	0.04	0.04	0.04	0.32	0.21	—	—	—	—	—	—
山形縣 Yamagata ,,	0.12	0.05	0.16	0.07	—	—	0.04	0.04	—	—	—	—	—	—
福島縣 Fukushima ,,	0.04	0.01	0.06	0.05	0.01	0.01	0.19	0.09	0.05	0.01	—	—	—	—
茨城縣 Ibaraki ,,	0.10	0.09	0.04	0.02	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	0.23	0.13	0.24	0.15	—	—	0.15	0.04	—	—	—	—	—	—
群馬縣 Gumma ,,	0.06	0.04	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	0.14	0.07	0.09	0.05	0.04	0.01	0.13	0.10	0.03	0.03	—	—	—	—
千葉縣 Chiba ,,	0.61	0.46	0.17	0.12	0.11	0.06	—	—	—	—	—	—	—	—
東京府 Tokyō Fu.	1.67	1.23	0.59	0.29	0.40	0.14	0.18	0.12	0.03	0.03	—	—	0.02	0.02
神奈川縣 Kanagawa Ken.	0.67	0.56	0.43	0.21	0.28	0.14	0.33	0.20	0.09	0.08	0.14	0.08	0.09	0.07
新潟縣 Niigata ,,	0.23	0.16	0.12	0.09	0.17	0.10	0.19	0.14	0.12	0.08	0.18	0.15	—	—
富山縣 Toyama ,,	0.13	0.10	0.04	0.04	—	—	0.11	0.09	—	—	—	—	—	—
石川縣 Ishikawa ,,	0.05	0.04	0.05	0.05	0.08	0.05	0.03	0.03	0.04	0.04	—	—	0.29	0.14
福井縣 Fukui ,,	0.11	0.10	0.13	0.11	0.15	0.15	0.07	0.07	0.13	0.10	—	—	1.28	1.00
長野縣 Nagano ,,	0.03	0.02	0.02	0.01	0.03	0.03	0.02	0.02	0.03	—	—	—	—	—
岐阜縣 Gifu ,,	0.02	0.01	0.02	0.02	0.02	0.01	0.03	0.03	0.02	0.01	—	—	—	—
滋賀縣 Shiga ,,	0.01	0.01	0.10	0.06	0.06	0.06	0.11	0.10	0.05	0.05	—	—	0.39	0.31
山梨縣 Yamanashi ,,	0.33	0.14	0.41	0.18	0.39	0.24	0.32	0.14	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	0.24	0.15	0.16	0.06	0.16	0.08	0.22	0.14	0.01	0.01	—	—	—	—
愛知縣 Aichi ,,	0.08	0.06	—	—	—	—	—	—	—	—	—	—	0.02	0.02
三重縣 Mie ,,	0.01	0.01	0.02	0.01	0.02	0.01	0.05	0.03	0.01	0.01	—	—	—	—
奈良縣 Nara ,,	0.50	0.29	0.25	0.11	0.13	0.08	0.17	0.11	0.04	0.04	—	—	1.73	1.34
和歌山縣 Wakayama ,,	0.78	0.34	0.24	0.15	0.26	0.11	0.39	0.15	0.21	0.18	0.07	0.03	1.38	1.18
京都府 Kyōto Fu.	0.43	0.30	0.32	0.21	0.13	0.09	0.37	0.28	0.15	0.11	0.01	—	3.16	2.59
大阪府 Ōsaka ,,	0.89	0.41	0.57	0.29	0.37	0.16	0.36	0.10	0.13	0.07	0.01	0.01	8.19	6.31
兵庫縣 Hyōgo Ken.	0.33	0.19	0.27	0.19	0.30	0.22	0.29	0.20	0.02	0.01	—	—	7.65	5.54
鳥取縣 Tottori ,,	0.12	0.10	0.16	0.10	0.05	0.05	0.02	—	0.17	0.07	—	—	2.45	1.37
島根縣 Shimane ,,	0.23	0.14	0.28	0.16	0.18	0.13	0.20	0.17	0.10	0.08	0.03	0.03	0.46	0.25
岡山縣 Okayama ,,	0.73	0.44	0.41	0.19	0.23	0.12	0.36	0.19	0.24	0.16	0.19	0.11	20.49	14.31
廣島縣 Hiroshima ,,	0.35	0.17	0.34	0.21	0.24	0.16	0.35	0.15	0.31	0.12	0.02	0.02	9.44	6.73
山口縣 Yamaguchi ,,	0.34	0.16	0.43	0.18	0.26	0.18	0.33	0.15	0.26	0.10	—	—	3.81	2.41
德島縣 Tokushima ,,	0.31	0.16	0.10	0.09	0.10	0.10	0.18	0.12	0.04	0.03	0.01	—	1.31	1.03
香川縣 Kagawa ,,	0.77	0.33	0.16	0.06	0.27	0.13	0.31	0.19	0.15	0.10	—	—	27.54	18.42
愛媛縣 Ehime ,,	0.34	0.20	0.30	0.15	0.22	0.11	0.27	0.16	0.37	0.25	0.09	0.05	2.49	1.42
高知縣 Kōchi ,,	0.48	0.30	0.16	0.11	0.22	0.13	0.26	0.18	—	—	0.02	0.02	0.16	0.11
福岡縣 Fukuoka ,,	0.80	0.42	0.53	0.29	0.58	0.38	0.46	0.31	0.38	0.26	—	—	8.72	5.84
佐賀縣 Sago ,,	0.13	0.12	0.08	0.08	0.03	0.03	0.23	0.16	0.08	0.06	—	—	2.80	1.77
長崎縣 Nagasaki ,,	0.08	0.06	0.09	0.05	0.10	0.06	0.19	0.08	0.08	0.03	0.01	—	6.48	4.00
熊本縣 Kumamoto ,,	0.22	0.10	0.11	0.07	0.12	0.06	0.14	0.11	0.04	0.03	0.01	0.01	2.05	1.41
大分縣 Ōita ,,	0.39	0.20	0.49	0.20	0.27	0.12	0.26	0.16	0.21	0.06	0.07	0.05	5.80	3.54
宮崎縣 Miyazaki ,,	0.07	0.04	0.09	0.02	0.10	0.02	—	—	—	—	—	—	2.73	1.25
鹿兒島縣 Kagoshima ,,	0.11	0.06	0.08	0.06	0.06	0.04	0.12	0.11	0.04	0.02	0.04	0.04	0.86	0.51
沖繩縣 Okinawa ,,	0.05	0.02	0.04	0.02	—	—	0.17	0.11	0.02	0.02	—	—	8.81	5.87
合計 Total.	0.34	0.21	0.20	0.11	0.15	0.09	0.19	0.11	0.08	0.05	0.02	0.01	2.91	2.01

「コレラ」患者及死亡地方別

10,000 Population in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.02	0.01	—	—	—	—	—	—	0.01	0.01	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.07	0.07	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.02	0.01	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	1.66	1.05	0.03	0.01	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.65	0.47	0.07	0.03	—	—	0.00	0.00	—	—
—	—	—	—	—	—	—	—	1.34	0.98	0.03	0.01	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.11	0.09	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.29	0.22	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.15	0.06	—	—	—	—	0.02	0.02	—	—
—	—	—	—	—	—	—	—	0.01	0.01	—	—	—	—	0.07	0.05	—	—
0.02	0.02	—	—	—	—	—	—	—	—	—	—	—	—	0.54	0.40	—	—
—	—	—	—	—	—	—	—	0.63	0.41	—	—	—	—	0.31	0.24	—	—
—	—	0.01	0.01	—	—	—	—	—	—	0.07	0.02	1.99	1.32	1.28	1.06	—	—
0.01	0.01	—	—	—	—	—	—	2.09	1.60	0.00	0.00	0.04	0.02	4.59	3.34	0.02	0.01
0.02	—	—	—	—	—	—	—	3.38	2.35	—	—	0.00	0.00	3.12	2.07	0.01	0.01
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.11	0.11	0.06	0.04	1.01	1.01	0.10	0.07	—	—
—	—	—	—	—	—	—	—	0.12	0.08	0.02	0.02	—	—	0.60	0.41	—	—
—	—	—	—	—	—	—	—	0.19	0.11	0.08	0.07	0.04	0.03	0.38	0.20	—	—
0.01	—	—	—	—	—	—	—	2.29	1.43	1.26	0.80	0.11	0.10	0.45	0.34	—	—
—	—	—	—	—	—	—	—	—	—	0.17	0.11	—	—	0.98	0.61	—	—
—	—	—	—	—	—	—	—	0.17	0.14	—	—	—	—	4.91	2.84	—	—
0.01	0.01	—	—	—	—	—	—	0.18	0.14	0.01	—	0.58	0.35	0.25	0.17	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1.07	0.64	—	—
0.05	0.03	—	—	—	—	—	—	8.06	5.57	1.58	0.99	0.10	0.10	1.43	1.12	—	—
0.08	0.05	—	—	—	—	—	—	1.42	1.16	0.18	0.16	—	—	0.78	0.47	—	—
1.48	0.74	—	—	—	—	—	—	1.62	1.14	0.79	0.40	—	—	0.54	0.24	0.03	0.01
0.03	0.01	—	—	—	—	—	—	0.14	0.09	—	—	—	—	0.19	0.11	—	—
0.02	0.01	—	—	—	—	—	—	0.47	0.29	0.96	0.62	—	—	0.02	0.01	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.02	0.02	—	—	—	—	—	—	0.50	0.26	—	—	—	—	0.03	0.02	—	—
0.11	0.06	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.04	0.02	0.00	0.00	—	—	—	—	0.74	0.52	0.13	0.08	0.07	0.04	0.56	0.39	0.00	0.00

第二十三表 (其三) 人口壹萬ニ對スル

Table No. XXIII. (No. 3) Cases and Deaths of Cholera per

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	—	—	—	—	0.05	0.03	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	0.04	0.01	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	0.01	0.01	—	—	—	—
秋田縣 Akita ,,	0.01	0.01	—	—	—	—	—	—	0.11	0.05	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	0.04	0.04	—	—	—	—
福島縣 Fukushima ,,	0.01	—	—	—	—	—	—	—	0.51	0.26	—	—	—	—
茨城縣 Ibaraki ,,	0.02	0.02	—	—	—	—	—	—	0.07	0.05	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gunma ,,	—	—	—	—	—	—	—	—	0.06	0.02	0.09	0.05	—	—
埼玉縣 Saitama ,,	0.02	0.0	—	—	—	—	—	—	0.07	0.04	—	—	—	—
千葉縣 Chiba ,,	0.66	0.49	0.17	0.07	—	—	—	—	2.01	1.37	0.01	—	—	—
東京府 Tōkyō Fu.	1.01	0.69	0.01	—	—	—	—	—	2.20	1.48	0.02	0.02	—	—
神奈川縣 Kanagawa Ken.	0.98	0.76	0.05	0.03	—	—	—	—	2.12	1.51	—	—	—	—
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—	0.03	0.03	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	2.94	1.92	5.52	3.54	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	0.92	0.57	0.54	0.34	—	—
福井縣 Fukui' ,,	—	—	—	—	—	—	—	—	0.43	0.21	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	0.09	0.05	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	0.09	0.04	—	—	—	—
山梨縣 Yamanashi ,,	0.02	0.02	—	—	—	—	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	0.35	0.14	0.31	0.06	—	—	—	—	0.08	0.02	—	—	—	—
愛知縣 Aichi ,,	—	—	—	—	—	—	—	—	0.07	0.04	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	0.33	0.22	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	1.71	1.13	—	—	—	—
和歌山縣 Wakayama ,,	0.18	0.17	—	—	—	—	—	—	4.19	2.45	—	—	—	—
京都府 Kyoto Fu.	0.04	0.04	—	—	0.01	0.01	—	—	1.01	0.61	0.01	—	—	—
大阪府 Ōsaka ,,	0.75	0.51	—	—	—	—	—	—	6.85	4.27	0.06	0.05	—	—
兵庫縣 Hyogo Ken.	0.81	0.50	—	—	—	—	—	—	5.96	3.51	0.03	0.01	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	1.22	0.80	—	—	—	—
島根縣 Shimane ,,	0.03	—	—	—	—	—	—	—	1.34	0.69	0.45	0.22	—	—
岡山縣 Okayama ,,	0.60	0.33	—	—	—	—	—	—	1.95	1.16	0.03	0.01	—	—
廣島縣 Hiroshima ,,	0.31	0.20	—	—	—	—	—	—	3.85	2.41	0.02	0.01	—	—
山口縣 Yamaguchi ,,	2.59	1.44	—	—	—	—	—	—	5.83	3.48	0.96	0.55	—	—
德島縣 Tokushima ,,	0.11	0.08	—	—	—	—	—	—	2.43	1.73	—	—	—	—
香川縣 Kagawa ,,	0.24	0.14	—	—	—	—	—	—	2.60	1.50	0.05	0.01	—	—
愛媛縣 Ehime ,,	0.46	0.18	—	—	—	—	—	—	3.75	2.15	0.16	0.09	—	—
高知縣 Kochi ,,	0.38	0.21	—	—	—	—	—	—	3.32	1.91	1.01	—	—	—
福岡縣 Fukuoka ,,	4.69	3.04	—	—	—	—	—	—	3.51	2.21	0.47	0.31	—	—
佐賀縣 Saga ,,	1.98	1.18	—	—	0.06	0.04	—	—	3.13	2.07	0.38	0.14	—	—
長崎縣 Nagasaki ,,	1.69	1.02	0.02	—	—	—	—	—	8.15	4.13	0.56	0.28	—	—
熊本縣 Kumamoto ,,	0.15	0.07	—	—	—	—	—	—	1.85	0.92	0.01	0.01	—	—
大分縣 Ōita ,,	0.49	0.26	—	—	—	—	—	—	4.51	2.65	0.03	0.03	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	0.11	0.05	—	—	—	—
鹿兒島縣 Kagoshima ,,	0.08	0.04	—	—	—	—	—	—	0.16	0.07	—	—	—	—
沖繩縣 Okinawa ,,	2.05	0.66	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.53	0.33	0.01	0.00	0.00	0.00	—	—	1.88	1.13	0.13	0.10	—	—

「コレラ」患者及死亡地方別

10,000 Population in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.00	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	0.44	0.22	—	—								
—	—	—	—	—	—	0.12	0.07	—	—								
—	—	—	—	—	—	0.01	0.01	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	0.03	0.02	—	—								
—	—	—	—	—	—	0.57	0.31	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	0.02	0.01	—	—								
—	—	—	—	—	—	0.01	0.01	—	—								
0.01	0.01	—	—	—	—	1.25	0.72	—	—								
0.02	0.01	0.01	0.01	—	—	0.47	0.29	—	—								
0.01	0.01	0.02	0.02	0.01	0.01	0.04	0.03	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	3.05	2.10	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	0.06	0.05	—	—								
—	—	0.00	0.00	—	—	0.00	—	—	—								
—	—	0.07	0.05	—	—	—	—	—	—								
—	—	3.35	1.88	—	—	—	—	—	—								
—	—	1.28	0.77	—	—	—	—	—	—								
0.03	0.02	0.47	0.32	—	—	—	—	—	—								
0.25	0.18	2.91	1.62	—	—	0.01	0.01	0.01	0.00								
0.21	0.17	4.82	3.14	—	—	0.01	0.01	—	—								
—	—	—	—	—	—	—	—	—	—								
0.07	0.01	0.52	0.24	—	—	0.04	0.03	—	—								
0.03	0.02	0.50	0.29	—	—	—	—	—	—								
—	—	1.71	1.45	—	—	—	—	—	—								
0.19	0.12	1.58	0.79	0.01	0.01	0.05	0.01	0.01	0.01								
0.07	0.03	1.92	1.42	—	—	—	—	—	—								
0.17	0.10	0.55	0.34	—	—	—	—	—	—								
0.06	0.04	1.77	1.18	—	—	—	—	—	—								
0.03	0.03	1.34	0.80	—	—	—	—	—	—								
0.98	0.65	2.28	1.40	0.03	0.02	0.74	0.39	—	—								
—	—	1.81	1.41	—	—	0.33	0.19	—	—								
—	—	3.19	1.79	0.17	0.08	0.19	0.11	—	—								
—	—	2.21	1.37	—	—	0.01	0.01	—	—								
0.29	0.20	2.30	1.53	—	—	—	—	—	—								
—	—	1.03	0.41	—	—	—	—	—	—								
—	—	0.27	0.13	—	—	—	—	—	—								
43.08	10.97	—	—	—	—	—	—	—	—								
0.52	0.16	0.89	0.56	0.01	0.00	0.13	0.07	0.00	0.00								

第二十四表 (其一) 人口壹萬ニ對スル

Table No. XXIV. (No. 1) Cases and Deaths of Dysentery per

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	0.95	—	0.38	0.05	—	—	0.39	0.05	0.13	—
青森縣 Aomori Ken.	0.06	0.02	0.08	—	0.02	—	0.04	0.04	0.04	0.02	0.06	0.04	0.21	0.08
岩手縣 Iwate ,,	3.13	0.83	0.64	0.30	3.06	0.74	0.11	0.07	0.42	0.13	0.19	0.05	4.91	1.25
宮城縣 Miyagi ,,	8.32	1.42	0.45	0.18	0.81	0.32	0.08	0.03	0.23	0.06	0.80	0.23	0.52	0.29
秋田縣 Akita ,,	0.35	0.13	0.06	0.02	0.06	0.02	0.06	0.05	0.05	0.02	0.03	0.03	0.09	—
山形縣 Yamagata ,,	3.00	0.66	0.03	0.01	0.17	0.04	0.03	—	—	—	0.13	—	0.33	0.08
福島縣 Fukushima ,,	2.83	0.85	1.02	0.26	0.49	0.16	0.36	0.12	0.12	0.06	0.30	0.12	0.29	0.09
茨城縣 Ibaraki ,,	0.77	0.15	0.04	0.02	0.37	0.17	0.62	0.26	1.20	0.55	0.20	0.05	0.56	0.13
栃木縣 Tochigi ,,	0.07	—	0.15	—	0.65	0.08	0.07	0.02	0.21	0.05	0.13	0.02	0.50	0.18
群馬縣 Gumma ,,	3.38	0.57	0.99	0.19	0.31	0.13	0.10	0.07	0.22	0.11	0.08	0.03	0.07	0.03
埼玉縣 Saitama ,,	0.26	0.02	0.76	0.20	0.29	0.15	0.08	0.03	0.22	0.09	0.15	0.05	0.32	0.07
千葉縣 Chiba ,,	—	—	0.37	0.14	—	—	0.05	0.02	0.04	—	0.42	0.14	0.20	0.02
東京府 Tōkyō Fu.	0.49	0.13	0.74	0.23	0.34	0.12	0.37	0.10	0.18	0.05	0.20	0.07	0.43	0.23
神奈川縣 Kanagawa Ken.	0.32	0.07	0.34	0.08	0.28	0.10	0.11	0.01	0.16	0.01	0.29	0.07	0.25	0.04
新潟縣 Niigata ,,	0.60	0.10	0.23	0.08	0.04	0.03	0.08	0.02	0.24	0.08	0.13	0.05	0.23	0.07
富山縣 Toyama ,,							?	?	0.14	0.04	0.28	0.08	1.10	0.42
石川縣 Ishikawa ,,	1.21	0.31	0.31	0.13	0.53	0.28	0.14	0.08	0.40	0.11	0.96	0.37	1.45	0.51
福井縣 Fukui ,,	?	?	?	?	0.21	0.10	0.15	0.09	0.36	0.07	0.37	0.23	6.03	1.83
長野縣 Nagano ,,	—	—	0.18	0.03	0.22	0.04	0.07	0.02	0.09	0.03	0.23	0.06	0.95	0.19
岐阜縣 Gifu ,,	0.48	0.18	0.61	0.20	0.08	0.02	0.13	0.03	0.13	0.08	0.58	0.13	0.58	0.09
滋賀縣 Shiga ,,	0.11	0.07	0.32	0.11	0.44	0.19	0.11	0.05	0.08	0.02	0.23	0.03	0.61	0.21
山梨縣 Yamanashi ,,	—	—	0.17	0.10	1.00	0.20	0.12	0.02	0.22	0.12	0.19	0.09	0.35	0.19
靜岡縣 Shizuoka ,,	0.10	0.04	1.25	0.51	0.36	0.15	0.22	0.12	0.15	0.06	0.20	0.07	1.06	0.20
愛知縣 Aichi ,,	0.17	0.07	0.42	0.14	0.35	0.14	0.19	0.07	0.14	0.04	0.37	0.13	0.17	0.06
三重縣 Mie ,,	0.07	0.04	0.19	0.11	0.15	0.07	0.41	0.15	0.24	0.11	0.08	0.03	1.01	0.36
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	0.25	—	0.93	0.27	0.36	0.03	0.23	0.05	0.89	0.16	1.20	0.53	1.20	0.41
京都府 Kyōto Fu.	0.28	0.05	0.87	0.18	0.23	0.14	0.18	0.12	0.24	0.06	0.33	0.08	0.35	0.11
大阪府 Ōsaka ,,	0.40	0.16	0.30	0.10	0.19	0.10	0.33	0.12	0.13	0.06	0.32	0.13	0.25	0.10
兵庫縣 Hyōgo Ken.	0.15	0.04	0.47	0.18	0.18	0.12	0.54	0.22	4.52	1.20	0.68	0.21	12.18	3.80
鳥取縣 Tottori ,,			?	?	0.03	0.03	0.18	0.05	0.10	0.08	0.05	—	0.39	0.16
島根縣 Shimane ,,	0.09	0.02	0.77	0.01	0.03	0.03	0.03	0.01	0.03	—	2.54	0.80	10.84	2.65
岡山縣 Okayama ,,	0.92	0.31	1.19	0.44	0.81	0.25	4.49	1.24	9.39	2.79	29.67	8.14	38.67	12.58
廣島縣 Hiroshima ,,	0.64	0.25	0.35	0.13	0.18	0.06	3.27	1.04	5.30	1.95	28.37	9.32	33.86	12.20
山口縣 Yamaguchi ,,	1.70	0.73	1.73	0.81	8.22	2.54	22.00	6.95	13.26	3.79	19.96	5.89	13.57	4.20
德島縣 Tokushima ,,	?	?	7.83	2.42	2.29	0.86	8.94	3.28	78.08	25.23	232.83	45.40	41.72	9.01
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	1.40	0.40	4.18	1.18	3.95	1.49	33.51	10.13	37.80	9.50	57.08	13.06	18.44	4.04
高知縣 Kōchi ,,	0.33	0.06	2.32	0.58	0.22	0.07	0.93	0.18	6.35	1.22	66.76	13.30	23.06	4.59
福岡縣 Fukuoka ,,	3.17	0.95	7.48	1.04	1.81	0.45	7.08	1.98	7.95	2.00	11.68	2.87	4.99	1.19
佐賀縣 Saga ,,							?	?	4.37	0.83	4.24	0.99	5.16	1.08
長崎縣 Nagasaki ,,	3.83	0.99	10.43	1.96	1.14	0.27	2.16	0.41	1.75	0.44	4.90	1.31	7.01	1.32
熊本縣 Kumamoto ,,	9.72	2.27	17.39	4.41	14.03	3.40	101.67	17.66	43.69	9.43	57.12	9.57	12.17	2.52
大分縣 Ōita ,,	5.81	1.60	6.47	1.76	1.73	0.59	6.74	1.74	9.35	2.30	17.28	5.27	4.92	1.25
宮崎縣 Miyazaki ,,							?	?	0.16	—	11.12	1.59	1.85	0.46
鹿兒島縣 Kagoshima ,,	0.12	0.03	0.30	0.06	0.14	0.02	1.18	0.11	12.36	2.27	7.55	1.54	7.49	0.68
沖繩縣 Okinawa ,,	—	—	—	—	—	—	0.17	0.03	—	—	0.03	—	0.03	—
合計 Total.	1.40	0.36	1.93	0.51	1.18	0.36	5.72	1.37	6.06	1.61	12.48	2.82	6.26	1.76

赤痢患者及死亡地方別

10,000 Population in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.03	—	0.11	0.03	0.08	0.05	0.77	0.27	0.11	0.02	0.26	0.12	0.07	0.04	0.68	0.12	1.82	0.45
0.13	—	0.02	0.02	0.07	0.06	0.11	0.02	0.04	—	0.13	0.05	0.19	0.02	0.30	0.14	2.17	0.33
2.41	0.48	1.20	0.40	0.21	0.24	0.46	0.18	0.10	0.07	0.15	0.04	0.10	0.01	0.36	0.09	3.27	0.53
0.17	0.08	0.14	0.05	0.07	0.04	0.07	0.04	—	—	0.03	—	0.01	0.01	0.14	0.04	0.45	0.08
0.50	0.15	0.04	0.01	0.04	0.03	0.09	0.03	—	—	0.03	—	0.03	—	25.19	4.32	24.64	4.97
0.01	0.01	—	—	—	—	0.04	0.03	0.05	0.03	0.03	—	0.01	—	—	—	0.10	0.04
1.10	0.26	0.14	0.03	0.02	0.02	0.04	0.02	0.01	0.01	0.02	—	0.05	0.01	0.06	0.01	0.08	0.04
0.24	0.06	0.32	0.08	0.03	0.01	0.08	—	0.16	0.04	0.18	0.03	0.17	0.04	0.08	—	0.40	0.11
0.46	0.12	0.12	0.03	0.24	0.03	0.17	0.07	0.58	0.12	0.10	0.03	0.16	0.05	0.07	—	0.21	0.07
0.09	—	0.04	0.03	0.04	—	0.01	—	0.12	0.04	0.03	—	0.13	0.07	0.18	0.09	0.10	0.05
0.18	0.05	0.08	0.04	0.07	0.01	0.16	0.01	0.12	0.06	0.14	0.04	0.09	0.02	0.32	0.06	0.45	0.11
0.28	0.04	0.42	0.09	0.04	0.01	0.14	0.05	0.13	0.06	0.21	0.07	0.27	0.12	0.14	0.06	0.15	0.02
0.23	0.09	0.28	0.08	0.13	0.04	0.40	0.13	0.59	0.18	0.71	0.26	0.65	0.18	0.50	0.17	0.81	0.17
0.18	0.02	0.12	0.02	0.27	0.02	0.21	0.09	0.30	0.06	0.71	0.19	6.89	1.34	7.16	1.69	2.96	0.58
0.70	0.21	0.11	0.04	0.15	0.03	0.28	0.09	0.24	0.06	0.01	0.01	0.37	0.09	7.32	1.35	15.00	2.58
1.02	0.19	0.32	0.19	0.08	0.03	0.95	0.30	1.95	0.74	2.03	0.85	6.07	1.75	39.10	11.13	25.56	9.55
1.95	0.65	1.00	0.62	3.05	0.86	18.29	5.76	4.17	1.37	7.85	2.63	9.94	3.09	20.38	6.21	22.86	7.12
1.08	0.44	2.04	0.60	0.83	0.23	0.70	0.28	0.13	0.12	1.53	0.26	1.67	0.66	17.59	4.99	18.83	6.66
0.86	0.16	0.13	0.03	0.08	0.01	0.43	0.10	0.15	0.09	0.08	0.03	0.23	0.07	2.61	0.68	1.97	0.43
0.16	0.02	0.47	0.10	0.36	0.11	1.95	0.52	0.72	0.18	4.16	0.87	43.74	10.52	13.65	3.50	20.15	4.56
0.20	0.08	0.22	0.13	0.06	0.03	0.09	0.04	0.18	0.07	0.98	0.37	25.57	5.85	26.71	5.49	22.72	5.46
0.14	0.09	0.02	—	0.07	0.07	—	—	0.04	0.02	0.13	0.09	0.06	0.04	2.21	0.21	0.17	0.06
0.23	0.13	0.26	0.13	0.24	0.08	0.29	0.05	0.62	0.26	0.56	0.26	0.88	0.37	3.07	1.21	9.85	2.86
0.11	0.05	0.20	0.08	0.07	0.03	0.05	0.03	0.29	0.06	11.28	2.34	10.73	2.92	12.97	3.65	8.89	1.97
0.22	0.08	0.15	0.11	0.13	0.07	0.04	0.03	0.09	0.03	2.01	0.57	4.87	1.63	13.41	3.68	7.36	2.11
—	—	0.10	0.04	0.04	—	0.06	0.02	0.60	0.28	18.03	6.08	57.23	15.48	36.67	10.07	8.24	2.37
0.32	0.11	0.13	0.08	1.91	0.33	0.21	0.11	4.50	1.09	33.92	7.95	195.05	40.87	68.02	16.57	14.98	3.64
0.21	0.05	0.11	0.02	0.16	0.03	0.17	0.07	0.71	0.29	3.99	1.27	20.41	6.25	22.32	6.87	9.54	2.87
1.36	0.31	0.33	0.09	0.75	0.29	0.47	0.19	4.66	1.64	32.57	11.95	178.10	43.63	45.97	12.29	10.01	2.47
3.99	1.07	6.35	2.14	8.45	2.71	3.03	1.00	7.35	2.18	27.04	7.02	107.09	29.78	51.30	15.04	11.73	3.71
0.05	0.05	0.23	0.08	3.93	1.20	21.04	4.33	17.89	4.48	21.81	5.94	41.13	8.68	116.35	28.28	12.27	3.31
11.45	2.95	16.56	3.04	12.47	3.06	12.67	3.33	3.97	0.98	1.78	0.55	18.82	4.61	66.97	15.28	33.92	9.62
10.95	3.49	16.66	4.82	5.04	1.77	3.62	0.97	2.00	0.65	5.53	1.46	26.31	8.24	118.36	36.60	21.37	6.48
14.72	5.59	14.08	4.86	5.78	1.77	3.18	1.07	3.47	1.31	5.46	2.18	77.43	23.95	70.08	32.18	23.97	5.44
15.44	4.56	28.07	11.06	23.84	7.15	8.39	2.36	12.11	3.78	24.81	7.08	88.44	26.47	39.01	10.35	15.14	3.39
20.28	5.16	15.19	4.97	10.31	3.50	3.44	1.05	2.39	0.88	3.37	1.35	54.55	14.65	224.27	62.91	21.05	6.90
		—	—	4.07	1.65	1.01	3.27	1.46	0.49	3.18	1.05	36.61	11.24	108.23	32.09	18.41	5.93
11.75	3.65	39.56	9.60	16.07	4.02	7.48	1.64	6.72	1.80	31.11	8.11	103.13	39.11	102.50	23.93	15.83	3.49
11.81	2.38	5.86	1.33	4.52	0.82	8.81	1.63	14.11	3.12	49.49	9.08	44.58	9.18	45.11	8.94	26.22	4.93
10.75	1.92	16.55	3.63	14.30	3.26	205.62	36.44	91.20	18.58	97.78	20.87	76.73	16.26	71.54	12.82	17.66	3.46
12.67	2.70	23.11	4.81	15.45	4.07	48.94	10.80	68.84	13.83	77.28	18.30	68.76	16.20	24.75	6.26	10.56	2.71
3.98	0.97	51.54	9.74	91.73	23.81	51.38	12.07	74.41	16.85	35.08	9.46	69.14	14.68	27.44	6.15	6.57	2.05
17.20	2.91	19.45	3.31	18.81	3.10	17.66	3.17	50.59	10.43	101.48	18.42	134.08	26.34	110.74	17.86	35.11	6.18
8.39	1.97	16.41	3.66	10.13	2.85	10.11	2.49	147.42	40.33	129.96	31.53	142.43	35.39	68.21	17.62	11.30	2.72
2.57	0.54	4.34	0.51	20.55	3.85	3.65	0.72	23.58	4.60	83.67	11.74	94.75	17.78	99.24	15.39	33.01	6.24
4.40	0.96	12.89	2.46	3.42	0.75	2.30	0.47	1.50	0.25	1.59	0.24	3.59	0.79	98.15	14.23	41.78	7.81
0.21	—	0.45	0.40	—	—	0.02	—	—	—	—	—	1.47	0.12	0.53	0.07	22.52	1.89
4.09	1.08	6.69	1.64	5.62	1.47	10.41	2.13	11.23	2.72	16.99	4.04	39.78	9.81	36.67	8.98	12.24	3.01

第二十四表 (其二) 人口壹萬ニ對スル

Table No. XXIV. (No. 2) Cases and Deaths of Dysentery per

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	3.12	0.57	0.42	0.16	0.56	0.16	3.66	0.71	4.07	0.85	0.31	0.17	0.80	0.28
青森縣 Aomori Ken.	18.86	3.41	25.92	4.05	12.78	2.68	237.37	45.58	45.18	8.77	49.49	10.66	9.97	2.18
岩手縣 Iwate ,,	17.01	4.17	16.46	4.14	19.88	4.73	200.99	45.73	6.50	1.66	84.52	19.65	53.56	13.49
宮城縣 Miyagi ,,	17.95	5.21	12.84	3.56	10.68	2.44	48.83	11.23	10.03	2.56	34.56	7.31	18.62	4.75
秋田縣 Akita ,,	24.76	5.16	0.98	0.29	3.19	0.71	15.72	2.99	2.43	0.50	43.94	8.43	11.56	2.20
山形縣 Yamagata ,,	7.04	1.84	2.40	0.72	0.67	0.11	14.72	2.69	11.84	2.18	10.34	3.38	10.24	1.88
福島縣 Fukushima ,,	0.42	0.11	5.04	1.00	15.42	2.97	89.69	16.35	46.17	6.79	28.80	5.86	25.83	5.66
茨城縣 Ibaraki ,,	1.52	0.56	11.84	3.46	24.71	6.31	15.82	4.05	11.08	2.60	12.32	2.50	14.18	3.23
栃木縣 Tochigi ,,	8.94	2.40	16.97	4.33	9.93	2.14	18.29	3.55	8.02	1.53	8.32	1.75	4.61	1.11
群馬縣 Gumma ,,	124.19	26.24	72.24	15.81	48.13	11.58	33.99	8.85	16.23	3.03	27.35	5.26	18.70	3.36
埼玉縣 Saitama ,,	24.30	7.10	36.40	11.41	31.98	9.93	17.17	4.81	6.77	1.79	3.18	0.62	7.27	1.74
千葉縣 Chiba ,,	7.95	2.32	25.41	6.72	20.73	5.40	14.37	3.75	12.13	2.72	7.32	1.73	4.93	1.06
東京府 Tōkyo Fu.	7.15	2.12	35.52	11.01	13.47	3.94	11.36	3.00	5.03	1.05	2.46	0.48	3.24	0.62
神奈川縣 Kanagawa Ken.	16.47	3.25	72.16	16.32	51.03	9.45	32.28	8.26	33.56	7.70	15.07	3.15	9.51	1.49
新潟縣 Niigata ,,	21.69	4.30	44.27	10.25	57.49	13.95	81.03	18.24	35.57	8.51	27.18	5.94	12.51	2.55
富山縣 Toyama ,,	4.48	1.57	0.93	0.42	2.90	1.18	4.76	2.32	2.23	1.09	2.01	0.71	1.79	0.52
石川縣 Ishikawa ,,	16.69	5.19	3.56	1.35	6.21	2.29	14.03	4.77	5.65	1.65	5.51	1.56	4.27	1.49
福井縣 Fukui ,,	13.48	4.57	8.34	3.28	4.72	1.77	13.22	4.47	1.73	0.61	3.59	1.51	2.88	0.95
長野縣 Nagano ,,	44.49	9.14	43.60	10.04	66.93	16.18	41.68	10.03	22.29	5.30	14.50	3.45	10.80	2.55
岐阜縣 Gifu ,,	56.33	15.27	12.77	3.52	20.26	5.08	15.08	3.95	5.67	1.41	3.79	0.83	11.91	2.74
滋賀縣 Shiga ,,	22.29	6.26	7.25	2.03	7.97	2.13	3.67	0.89	3.13	0.72	4.03	0.97	1.93	0.69
山梨縣 Yamanashi ,,	15.79	4.27	191.01	42.68	205.12	45.44	69.62	16.16	29.62	6.35	24.15	4.67	22.13	5.47
靜岡縣 Shizuoka ,,	21.41	6.54	55.46	15.19	58.29	13.69	20.64	4.89	13.20	2.83	8.17	1.93	8.07	1.61
愛知縣 Aichi ,,	21.59	5.86	16.46	3.67	14.26	3.07	8.82	1.31	10.67	2.23	6.45	1.21	6.99	1.16
三重縣 Mie ,,	20.49	6.01	8.06	2.02	6.71	1.76	3.03	1.00	2.01	0.63	2.65	0.69	1.31	0.34
奈良縣 Nara ,,	8.83	2.57	2.82	0.80	5.59	1.83	2.33	0.59	2.50	0.61	1.38	0.21	1.03	0.22
和歌山縣 Wakayama ,,	16.77	4.38	5.32	1.20	10.33	2.97	5.42	0.93	6.04	1.03	1.84	0.33	5.16	0.93
京都府 Kyōto Fu.	11.46	3.49	8.83	2.24	6.95	1.75	11.76	2.94	6.24	1.24	7.42	1.84	3.05	0.86
大阪府 Ōsaka ,,	8.76	3.00	9.24	2.45	7.38	1.46	4.13	0.67	4.16	0.69	2.43	0.61	3.66	0.87
兵庫縣 Hyōgo Ken.	13.54	3.30	7.87	2.02	14.83	4.35	7.63	1.86	3.58	0.97	2.79	0.79	3.14	0.72
鳥取縣 Tottori ,,	15.65	3.74	20.05	4.74	15.13	3.94	6.02	1.70	7.35	1.43	4.80	1.23	1.56	0.72
島根縣 Shimane ,,	70.82	20.48	24.03	7.53	31.46	8.84	8.54	1.67	3.42	1.22	9.85	2.58	2.38	0.73
岡山縣 Okayama ,,	21.90	6.84	13.71	4.40	13.65	4.00	10.32	3.30	4.58	1.40	9.38	2.62	7.85	2.31
廣島縣 Hiroshima ,,	26.27	8.47	13.27	4.83	15.71	5.24	6.04	1.71	6.45	2.24	7.71	2.44	8.18	3.80
山口縣 Yamaguchi ,,	18.65	5.39	17.55	4.57	10.68	2.35	15.79	1.29	7.18	1.49	7.22	1.31	6.16	1.41
德島縣 Tokushima ,,	21.21	7.42	12.76	4.03	22.33	6.94	8.04	2.27	7.71	2.42	4.23	1.21	9.48	2.45
香川縣 Kagawa ,,	47.52	15.00	29.07	9.46	24.03	7.11	10.60	2.90	15.34	4.41	4.33	1.67	11.56	3.66
愛媛縣 Ehime ,,	22.32	5.96	20.78	4.77	9.14	2.45	5.97	1.22	6.79	1.41	3.81	1.02	4.15	0.99
高知縣 Kōchi ,,	26.09	5.32	8.74	1.87	9.84	2.13	14.74	2.50	9.34	1.22	8.78	1.44	5.48	0.77
福岡縣 Fukuoka ,,	10.80	2.35	6.44	1.27	5.51	0.99	5.09	0.74	2.52	0.55	2.21	0.30	3.35	0.60
佐賀縣 Saga ,,	1.94	0.57	2.52	0.85	9.33	2.42	2.88	0.65	0.84	0.23	0.62	0.22	0.51	0.09
長崎縣 Nagasaki ,,	4.25	1.14	7.84	1.37	11.07	2.56	9.82	2.13	2.60	0.53	5.09	1.17	8.97	1.56
熊本縣 Kumamoto ,,	12.87	2.15	12.21	2.18	20.39	3.56	13.51	2.51	92.44	1.33	10.10	1.26	7.25	0.90
大分縣 Ōita ,,	8.84	2.27	7.48	1.87	9.47	2.34	8.41	1.81	2.91	0.68	2.12	0.52	2.94	0.76
宮崎縣 Miyazaki ,,	16.18	3.15	12.91	2.03	13.78	2.38	17.51	2.34	8.01	1.38	3.23	0.38	5.48	1.08
鹿兒島縣 Kagoshima ,,	17.74	4.37	10.71	2.20	9.18	2.29	11.62	1.97	6.00	1.40	6.82	1.59	4.04	0.77
沖繩縣 Okinawa ,,	0.70	4.20	0.09	—	1.49	0.44	5.25	0.93	1.59	0.34	5.24	1.07	1.25	0.25
合計 Total.	19.74	5.14	20.53	5.23	20.81	5.12	24.59	5.38	10.35	2.27	10.97	2.41	8.03	1.84

赤痢患者及死亡地方別

10,000 Population in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同 四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3.49	0.77	0.32	0.09	2.31	0.44	6.22	1.23	2.98	0.07	1.44	0.38	1.23	0.26	0.48	0.11	0.80	0.18
15.49	3.19	13.61	2.76	14.35	2.86	3.18	0.63	2.72	0.82	1.28	0.34	0.90	0.27	1.19	0.11	1.05	0.21
51.34	14.08	7.27	1.93	23.17	7.30	5.49	1.42	3.19	0.75	5.04	1.26	2.01	0.44	1.39	0.26	11.11	2.95
6.67	1.65	17.24	2.96	21.93	4.51	3.80	0.85	5.24	1.33	5.42	1.12	1.97	0.42	1.29	0.23	6.29	1.30
32.06	7.30	6.26	1.17	7.26	1.59	5.07	0.98	5.19	1.17	8.98	1.44	2.67	0.42	3.23	0.46	13.43	1.84
17.04	3.06	4.79	0.83	12.77	1.71	5.10	0.60	4.04	0.64	2.23	0.39	3.08	0.65	0.50	0.11	0.64	0.10
14.11	3.34	12.39	2.70	10.66	2.22	10.59	2.51	5.20	1.56	3.19	0.71	2.78	0.72	1.27	0.33	8.92	1.83
10.31	2.41	5.03	1.23	6.27	1.39	4.01	0.95	2.11	0.55	2.84	0.62	2.04	0.57	0.65	0.16	1.26	0.26
2.83	0.54	1.78	0.36	3.23	0.66	4.32	0.80	1.14	0.32	2.19	0.54	3.84	0.77	3.65	0.84	2.41	0.49
8.73	1.57	9.46	2.06	14.97	2.34	9.53	1.54	8.16	1.74	11.42	1.98	6.04	1.20	3.56	0.39	2.92	0.39
1.57	0.40	2.46	0.57	3.97	0.93	3.63	0.77	1.85	0.38	3.71	0.76	3.06	0.72	1.96	0.40	1.63	0.33
4.05	1.08	4.46	0.96	4.18	0.90	5.98	1.39	3.96	0.83	1.82	0.31	1.15	0.23	1.21	0.19	1.87	0.41
3.70	0.83	3.01	0.64	3.19	0.74	2.39	0.62	2.20	0.50	1.67	0.39	1.92	0.48	2.40	0.53	2.44	0.66
10.62	2.33	5.37	1.12	8.91	2.01	4.91	0.90	4.00	0.43	2.51	0.44	3.33	0.81	3.03	0.67	2.12	0.38
6.40	1.43	6.30	1.08	6.29	1.78	2.45	0.58	3.00	0.87	1.21	0.22	1.31	0.23	1.57	0.38	2.08	0.45
2.03	0.68	0.96	0.34	0.97	0.33	0.63	0.29	3.54	1.28	1.00	0.64	0.64	0.32	0.77	0.30	1.61	0.47
4.10	1.49	4.99	1.48	5.35	1.44	3.10	0.98	12.96	2.63	14.43	3.68	16.56	4.91	12.48	3.21	13.77	3.21
6.98	2.55	4.51	1.48	13.51	4.23	8.57	3.40	13.04	3.52	4.47	1.55	4.55	1.00	2.76	0.85	1.74	0.59
5.50	1.37	3.56	0.87	6.24	1.23	5.58	1.14	4.49	1.07	6.45	1.22	4.39	1.44	11.10	2.66	3.07	0.66
6.65	1.58	2.89	0.64	15.30	3.42	6.70	1.58	8.80	2.06	5.37	1.26	8.37	1.97	6.56	0.98	6.12	1.27
0.81	0.29	1.32	0.42	6.51	1.94	2.91	0.88	2.03	0.53	1.16	0.41	0.97	0.43	0.93	0.29	1.00	0.36
21.25	4.37	25.48	5.95	32.62	5.93	9.07	1.83	14.09	2.57	36.07	6.60	11.63	2.27	5.98	1.03	3.59	0.70
9.21	1.89	7.97	1.69	19.72	4.28	4.81	0.99	4.84	1.03	6.72	1.50	2.89	0.57	5.46	1.05	7.78	1.83
5.19	1.08	5.28	0.87	6.75	1.28	4.17	0.82	6.26	1.32	4.39	0.90	6.29	1.26	5.56	1.11	7.40	1.64
1.59	0.30	0.80	0.15	2.93	0.49	5.01	1.04	3.19	0.74	2.09	0.55	2.21	0.75	4.02	0.65	3.38	0.74
1.74	0.28	0.22	0.13	3.39	0.80	1.56	0.45	1.17	0.31	2.27	0.60	1.40	0.40	2.08	0.47	3.07	0.67
5.89	1.39	3.20	0.43	6.71	1.12	3.07	0.46	1.19	0.19	3.78	1.01	0.85	0.18	3.09	0.63	1.74	0.42
2.71	0.57	2.28	0.66	3.78	0.92	2.78	0.70	2.25	0.64	2.55	0.53	2.72	0.79	2.24	0.48	2.56	0.60
2.69	0.86	1.96	0.49	17.11	4.98	4.80	1.55	6.89	1.86	3.87	1.20	2.18	0.59	1.95	0.56	2.25	0.55
2.48	0.73	2.65	0.72	6.89	1.84	6.26	4.18	4.13	0.97	5.70	1.12	4.08	0.98	7.34	1.62	5.48	1.44
0.73	0.21	3.17	0.99	1.33	0.40	5.91	1.60	1.31	0.51	12.82	3.06	7.05	2.01	3.18	1.00	8.30	1.80
3.54	0.98	0.97	0.26	2.77	0.68	1.50	0.45	2.36	0.56	4.41	1.10	2.73	0.66	1.59	0.41	2.76	0.63
3.64	0.77	1.85	0.63	1.96	0.47	3.22	1.09	5.93	1.53	12.29	3.50	7.42	2.04	6.65	1.41	10.04	2.21
8.31	2.50	7.81	3.07	7.76	2.26	3.65	1.03	9.51	3.13	6.28	1.69	6.68	1.99	4.01	1.07	2.10	0.57
5.47	1.17	7.53	1.50	7.55	1.25	5.09	1.13	3.91	0.71	4.79	0.80	5.84	1.23	6.41	1.37	3.82	0.70
3.25	1.02	9.12	2.67	4.18	1.31	3.25	0.82	4.15	1.19	23.24	6.05	55.97	14.32	98.44	21.88	57.10	13.66
6.69	2.23	3.04	0.89	5.95	1.51	5.90	1.53	17.51	5.57	103.25	29.63	44.87	11.73	60.08	14.65	30.10	7.24
6.61	1.35	4.36	1.18	3.93	1.10	10.58	2.48	3.79	1.08	8.84	2.20	11.89	3.02	10.88	2.57	10.52	2.04
5.16	0.81	3.00	0.62	3.86	0.47	3.39	0.45	9.41	1.48	5.77	0.93	11.50	2.04	4.86	0.91	6.61	0.86
3.97	0.59	2.28	0.57	5.21	0.87	2.77	0.47	4.34	0.88	2.73	0.53	4.63	0.91	2.94	0.60	3.58	0.58
0.20	0.06	0.96	0.22	0.86	0.18	0.13	0.03	2.40	0.53	0.57	0.13	5.13	1.21	3.13	0.53	2.08	0.53
3.11	0.84	8.94	1.97	8.04	1.81	2.05	0.47	5.81	1.23	3.03	0.57	8.00	0.14	15.20	3.20	8.44	2.02
3.89	0.80	5.05	0.91	11.81	2.31	10.25	2.31	16.56	3.00	10.00	2.09	13.86	3.06	12.52	2.28	8.64	1.65
0.85	0.24	3.26	0.75	2.91	0.81	1.23	0.40	1.87	0.41	3.95	1.00	3.99	1.09	10.02	2.59	4.75	0.78
1.83	0.16	3.03	0.26	4.75	0.79	2.72	0.49	1.51	0.29	0.79	0.18	3.43	0.97	2.15	0.37	0.78	0.05
1.95	0.35	2.41	0.45	11.28	2.44	4.79	1.05	6.22	1.36	2.31	0.55	3.01	0.58	3.66	0.62	1.22	0.26
0.15	0.08	0.15	0.04	0.15	0.04	0.15	0.06	0.04	0.04	0.02	—	0.02	—	0.04	0.02	—	—
6.50	1.55	4.82	1.09	7.93	1.80	4.59	1.06	5.08	1.21	6.38	1.52	5.61	1.37	6.33	1.40	5.37	1.18

第二十四表 (其三) 人口壹萬ニ對スル

Table No. XXIV. (No. 3) Cases and Deaths of Dysentery per

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	0.52	0.09	0.28	0.05	1.26	0.27	1.32	0.28	0.40	0.07	0.13	0.03	0.22	0.06
青森縣 Aomori Ken.	1.24	0.30	0.25	0.11	2.02	0.37	2.03	0.42	1.92	0.33	2.46	0.44	0.53	0.13
岩手縣 Iwate ,,	7.46	1.80	1.68	0.46	4.91	1.19	1.25	0.41	5.44	1.07	4.14	0.86	4.37	0.78
宮城縣 Miyagi ,,	7.75	1.37	3.09	0.66	2.62	0.44	0.59	0.09	17.67	3.20	0.85	0.16	2.25	0.55
秋田縣 Akita ,,	2.47	0.55	0.68	0.08	6.22	1.18	3.88	0.57	0.74	0.15	0.50	0.04	0.30	0.05
山形縣 Yamagata ,,	1.08	0.16	0.76	0.11	1.93	0.30	0.23	0.05	1.66	0.22	0.94	0.14	0.10	0.05
福島縣 Fukushima ,,	2.37	0.61	2.08	0.39	2.53	0.74	0.49	0.08	2.71	0.66	1.25	0.32	0.46	0.09
茨城縣 Ibaraki ,,	0.33	0.07	0.17	0.09	0.52	0.11	1.30	0.48	0.75	0.14	1.17	0.16	0.80	0.14
栃木縣 Tochigi ,,	2.25	0.48	1.19	0.35	1.16	0.18	3.24	0.64	1.21	0.25	0.84	0.25	0.68	0.21
群馬縣 Gumma ,,	2.15	0.19	0.98	0.10	1.01	0.19	1.32	0.20	1.64	0.21	1.09	0.20	0.90	0.17
埼玉縣 Saitam ,,	1.74	0.33	0.80	0.18	0.82	0.20	1.50	0.31	1.26	0.28	1.18	0.22	1.35	0.23
千葉縣 Chiba ,,	0.98	0.22	0.91	0.19	1.78	0.55	2.04	0.59	5.13	1.63	3.00	1.10	0.91	0.20
東京府 Tōkyō Fu.	2.48	0.84	2.15	0.73	2.50	0.74	2.46	0.88	3.47	0.89	3.44	0.93	3.65	1.05
神奈川縣 Kanagawa Ken.	1.55	0.38	1.39	0.23	4.13	0.74	2.04	0.42	3.45	1.07	2.16	0.42	1.82	0.57
新潟縣 Niigata ,,	0.88	0.21	0.60	0.11	0.49	0.14	0.51	0.14	0.65	0.11	0.35	0.07	0.31	0.08
富山縣 Toyama ,,	2.53	0.58	0.53	0.23	0.99	0.44	0.58	0.24	0.89	0.30	0.33	0.10	0.04	0.02
石川縣 Ishikawa ,,	5.82	1.81	2.46	0.83	11.84	2.92	6.77	1.52	5.07	1.65	2.94	0.72	1.10	0.30
福井縣 Fukui ,,	2.21	0.61	0.25	0.07	1.48	0.59	0.54	0.20	0.84	0.35	0.90	0.32	0.33	0.11
長野縣 Nagano ,,	4.41	0.94	1.56	0.26	2.18	0.42	0.61	0.09	7.03	1.56	3.94	1.01	0.70	0.13
岐阜縣 Gifu ,,	4.25	0.79	3.24	0.59	3.38	0.68	3.40	0.76	4.80	0.78	4.14	0.86	2.98	0.58
滋賀縣 Shiga ,,	0.60	0.28	0.25	0.08	0.39	0.24	1.23	0.31	0.43	0.12	0.38	0.12	0.36	0.12
山梨縣 Yamanashi ,,	1.97	0.40	1.28	0.24	2.02	0.52	0.67	0.18	1.25	0.25	0.89	0.23	0.53	0.19
靜岡縣 Shizuoka ,,	5.86	1.88	3.10	0.32	4.71	0.68	3.81	0.55	4.39	0.52	3.47	0.43	3.33	0.49
愛知縣 Aichi ,,	2.91	0.65	2.79	0.66	3.50	0.69	2.65	0.53	3.32	0.55	3.25	0.74	2.60	0.49
三重縣 Mie ,,	4.81	0.95	1.70	0.32	0.74	0.03	2.32	0.46	1.72	0.23	1.22	0.19	1.21	0.16
奈良縣 Nara ,,	0.52	0.22	0.09	0.04	2.04	0.55	1.48	0.46	1.08	0.28	0.43	0.10	0.23	0.10
和歌山縣 Wakayama ,,	1.69	0.36	0.96	0.36	4.70	1.14	1.57	0.37	1.22	0.23	1.73	0.36	0.93	0.18
京都府 Kyōto Fu.	2.24	0.41	2.82	1.00	1.74	0.71	3.80	0.59	4.04	0.62	4.54	0.65	4.69	0.50
大阪府 Ōsaka ,,	2.63	0.56	1.29	0.33	4.10	0.96	3.97	0.88	3.64	0.70	4.65	0.95	4.08	0.82
兵庫縣 Hyōgo Ken.	9.96	2.03	5.55	1.17	9.14	2.33	10.35	2.65	7.27	1.50	5.20	1.06	4.33	0.94
鳥取縣 Tottori ,,	18.90	3.78	2.90	0.65	5.85	1.13	2.53	0.34	1.35	0.30	0.90	0.33	1.09	0.35
島根縣 Shimane ,,	3.71	0.99	3.43	0.80	7.24	2.13	5.74	1.43	10.62	2.72	2.09	0.49	1.73	0.42
岡山縣 Okayama ,,	7.96	1.57	3.73	0.79	2.90	0.72	2.81	0.53	5.07	0.87	5.51	0.99	4.67	1.15
廣島縣 Hiroshima ,,	7.06	1.55	3.19	0.87	4.11	0.94	3.44	0.67	6.33	1.31	3.56	0.86	3.74	0.97
山口縣 Yamaguchi ,,	3.68	0.65	2.86	0.68	6.13	1.25	4.92	0.91	5.34	0.98	2.63	0.51	3.88	0.56
德島縣 Tokushima ,,	29.86	7.58	14.69	2.82	22.37	4.99	12.13	2.37	7.03	1.28	8.30	1.85	6.03	1.52
香川縣 Kagawa ,,	41.45	8.40	13.45	2.61	20.82	4.03	12.24	2.25	12.59	2.17	8.54	1.22	8.60	1.45
愛媛縣 Ehime ,,	2.84	0.56	4.94	0.88	6.28	1.36	7.67	1.60	4.75	1.05	3.34	0.56	2.50	0.65
高知縣 Kōchi ,,	3.48	0.42	6.04	0.91	3.39	0.72	5.93	1.55	2.80	0.52	2.59	0.95	2.76	0.41
福岡縣 Fukuoka ,,	3.82	1.12	2.83	0.46	3.52	0.55	8.18	1.39	5.35	0.62	1.84	0.33	2.06	0.42
佐賀縣 Saga ,,	3.39	0.70	2.45	0.81	0.53	0.16	0.91	0.16	1.36	0.27	0.86	0.26	3.60	0.52
長崎縣 Nagasaki ,,	10.27	2.11	8.83	2.17	14.37	3.45	6.48	1.26	4.91	1.00	3.50	0.82	2.54	0.31
熊本縣 Kumamoto ,,	20.70	5.22	21.79	5.09	24.92	4.66	16.23	2.53	7.52	1.20	4.89	0.83	6.38	1.12
大分縣 Ōita ,,	7.56	1.00	6.27	1.18	9.59	1.95	7.09	1.49	7.00	1.82	0.88	0.15	6.84	1.56
宮崎縣 Miyazaki ,,	4.98	0.54	3.43	0.46	6.32	1.05	4.52	0.59	2.84	0.31	3.22	0.72	3.01	0.34
鹿兒島縣 Kagoshima ,,	1.60	0.28	7.29	1.44	13.72	3.07	7.86	1.51	6.08	1.62	2.80	0.56	3.68	0.40
沖繩縣 Okinawa ,,	0.02	—	0.04	0.02	0.11	—	0.02	0.02	0.05	0.02	0.04	0.02	—	—
合計 Total.	4.96	1.11	3.20	0.70	4.87	1.07	3.88	0.80	4.07	0.82	2.67	0.56	2.46	0.50

赤痢患者及死亡地方別

10,000 Population in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.04	0.02	0.08	0.03	0.15	0.02	0.18	0.05	0.16	0.03								
5.38	1.02	9.06	1.67	11.26	2.26	15.93	3.30	7.09	1.62								
10.36	2.34	9.26	1.71	7.74	1.63	8.50	1.81	6.81	1.31								
1.77	0.38	3.28	0.59	1.28	0.42	0.99	0.30	1.31	0.41								
0.83	0.10	5.01	0.75	2.94	0.60	1.88	0.33	0.94	0.18								
0.08	0.04	0.30	0.06	0.24	0.02	0.07	0.01	0.26	0.03								
2.88	0.67	1.51	0.38	1.90	0.41	1.54	0.47	0.85	0.32								
1.27	0.48	1.54	0.70	1.27	0.67	1.86	1.01	2.13	1.24								
0.33	0.09	0.97	0.14	0.41	0.14	0.26	0.09	1.17	0.43								
0.56	0.08	0.58	0.07	0.57	0.09	0.80	0.15	1.71	0.60								
0.89	0.24	1.65	0.32	0.92	0.20	1.09	0.26	2.56	0.93								
0.71	0.12	0.85	0.16	3.11	1.34	1.54	0.40	3.76	1.54								
2.16	0.80	1.82	0.66	1.98	0.50	2.93	1.01	8.90	3.36								
1.97	0.55	2.34	0.72	1.74	0.51	2.25	0.51	3.96	0.87								
0.21	0.07	0.44	0.08	0.31	0.05	0.44	0.11	0.33	0.11								
0.04	—	0.10	0.07	0.04	0.01	0.11	0.08	0.12	0.07								
1.99	0.53	1.70	0.40	0.73	0.29	0.97	0.25	0.33	0.08								
0.47	0.15	0.57	0.13	0.40	0.10	0.17	0.05	0.12	0.03								
0.18	0.02	1.15	0.03	0.18	0.01	0.29	0.03	0.40	0.14								
1.88	0.42	2.59	0.49	2.63	0.67	1.47	0.36	2.91	1.06								
1.72	0.50	0.89	0.38	0.38	0.15	0.24	0.15	0.55	0.15								
0.26	0.08	3.10	0.70	1.42	0.34	1.31	0.27	2.76	0.58								
2.44	0.46	2.86	0.59	2.65	0.59	3.69	0.61	10.11	4.97								
1.58	0.39	1.37	0.28	1.49	0.30	1.22	0.45	3.22	1.86								
1.33	0.24	1.37	0.21	1.54	0.39	0.39	0.17	2.99	1.52								
0.22	0.10	0.83	0.23	1.36	0.44	0.07	0.05	0.47	0.12								
0.96	0.18	1.01	0.16	0.49	0.03	0.56	0.09	0.63	0.23								
2.40	0.25	2.91	0.30	3.16	0.44	3.25	0.43	6.12	2.10								
1.69	0.43	1.81	0.45	1.40	0.36	2.35	0.52	2.52	0.75								
2.40	0.56	1.84	0.43	2.11	0.52	4.24	1.39	3.48	1.10								
0.60	0.20	0.26	0.15	0.28	0.13	0.70	0.30	0.52	0.28								
1.26	0.31	1.19	0.24	1.10	0.24	0.90	0.39	3.55	1.58								
1.81	0.41	1.54	0.37	3.10	0.76	4.04	0.97	2.73	1.11								
8.24	2.06	4.11	1.93	6.96	1.84	7.04	2.49	3.78	1.37								
3.95	0.61	3.22	0.57	2.29	0.50	2.85	0.78	6.23	1.87								
4.93	1.09	7.49	1.42	3.05	0.86	8.55	1.85	20.75	6.46								
6.16	1.08	10.35	2.46	5.51	1.27	10.96	2.41	5.57	2.52								
2.87	0.72	1.89	0.50	1.10	0.27	1.91	0.83	30.5	1.37								
0.67	0.13	1.19	0.31	1.20	0.27	2.61	0.68	2.41	0.60								
3.98	0.74	2.31	0.40	1.60	0.26	2.82	0.79	4.39	1.79								
0.98	0.15	1.47	0.31	0.61	0.13	2.52	0.55	2.90	0.86								
4.51	0.81	5.87	1.04	6.47	1.46	4.80	1.38	4.46	2.06								
8.92	1.66	7.91	1.38	8.30	1.69	5.90	1.29	6.17	0.93								
4.65	0.88	4.64	1.21	0.47	1.03	9.46	1.89	4.41	1.57								
2.26	1.04	1.35	0.80	1.42	0.56	1.49	0.59	1.84	0.67								
1.79	0.35	0.88	0.14	0.86	0.15	0.84	0.14	0.38	0.18								
0.41	0.05	0.09	0.02	0.03	0.03	0.56	0.08	—	—								
2.30	0.52	2.27	0.53	2.19	0.52	2.62	0.69	3.47	1.26								

第二十五表 (其一) 人口壹萬ニ對スル

Table No. XXV. (No. 1) Cases and Deaths of Typhoid Fever

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	13.88	3.09	6.31	1.36	2.09	0.68	7.49	2.11	10.03	1.26
青森縣 Aomori Ken.	2.67	0.44	3.18	0.74	4.18	1.15	3.19	0.92	9.10	1.64	15.92	2.53	40.56	5.91
岩手縣 Iwate ,,	3.90	0.83	5.82	1.05	5.32	1.09	4.46	1.47	6.06	2.07	4.53	0.94	22.81	4.80
宮城縣 Miyagi ,,	12.40	2.29	62.25	11.15	20.15	5.39	10.53	2.68	8.75	2.84	9.08	2.19	22.93	4.68
秋田縣 Akita ,,	5.12	1.29	1.73	0.45	1.96	0.48	2.10	0.38	2.07	0.61	16.56	1.70	9.98	1.67
山形縣 Yamagata ,,	6.84	1.45	3.01	0.47	7.96	1.70	3.81	0.92	4.69	0.99	4.21	0.81	23.51	4.14
福島縣 Fukushima ,,	14.63	2.88	18.07	3.38	12.65	3.34	9.84	1.95	15.83	3.81	14.22	3.43	23.59	4.90
茨城縣 Ibaraki ,,	2.30	0.57	6.47	0.72	2.05	0.40	1.34	0.34	2.06	0.52	4.24	0.75	10.32	1.76
栃木縣 Tochigi ,,	1.65	0.17	4.72	0.42	3.20	0.65	7.13	1.23	7.67	1.53	6.19	0.98	10.17	1.72
群馬縣 Gumma ,,	6.79	1.46	5.00	1.01	7.80	2.28	3.36	0.83	3.92	1.20	4.03	0.99	9.70	1.99
埼玉縣 Saitama ,,	6.79	1.10	7.65	1.50	9.14	1.49	4.46	1.00	2.88	0.89	4.42	0.92	6.05	1.53
千葉縣 Chiba ,,	2.51	0.40	6.41	1.24	0.36	0.04	2.44	0.61	5.04	1.12	11.93	1.60	12.11	1.67
東京府 Tōkyō Fu.	23.63	5.10	25.75	5.92	6.00	2.01	11.58	3.83	11.45	3.03	10.16	3.34	6.80	2.23
神奈川縣 Kanagawa Ken.	3.59	0.83	4.94	1.28	3.07	1.04	2.50	0.60	2.56	0.74	5.01	1.06	5.35	1.24
新潟縣 Niigata ,,	2.52	0.51	2.86	0.55	2.85	0.85	3.76	1.10	4.95	1.51	3.17	0.89	7.98	1.49
富山縣 Toyama ,,							?	?	4.87	1.21	5.98	1.46	40.26	6.47
石川縣 Ishikawa ,,	0.56	0.26	0.78	0.32	2.50	0.80	3.33	0.87	4.32	1.46	7.01	1.33	27.01	5.21
福井縣 Fukui ,,	?	?	?	?	3.34	1.21	4.26	0.91	3.31	0.80	2.85	0.95	24.82	3.55
長野縣 Nagano ,,	0.41	0.15	1.52	0.52	4.91	1.09	4.38	0.99	7.02	1.60	8.02	1.78	9.40	1.00
岐阜縣 Gifu ,,	2.54	0.88	3.06	0.87	5.89	1.68	3.77	1.11	3.78	1.14	6.89	1.38	22.41	3.46
滋賀縣 Shiga ,,	2.17	0.73	4.52	1.47	2.48	0.87	2.98	1.30	4.71	1.20	6.82	1.88	31.49	5.55
山梨縣 Yamanashi ,,	13.53	2.58	26.79	4.40	15.88	2.88	8.04	1.95	6.29	1.15	11.74	2.57	14.59	2.51
靜岡縣 Shizuoka ,,	2.52	0.64	5.99	1.77	5.40	1.58	5.08	1.36	4.91	1.34	6.26	1.68	9.03	2.12
愛知縣 Aichi ,,	3.38	0.98	4.58	1.49	4.30	1.36	4.45	1.30	6.38	1.88	6.44	1.96	13.80	3.20
三重縣 Mie ,,	3.21	0.93	7.83	2.62	6.54	1.80	6.42	2.02	7.90	2.66	11.17	1.43	17.85	4.29
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	7.23	1.89	7.57	2.35	7.15	2.46	4.49	1.46	4.24	1.31	8.06	2.31	26.05	5.15
京都府 Kyōto Fu.	8.21	2.57	10.77	3.55	4.41	1.36	3.69	1.34	6.23	1.87	11.14	4.01	30.31	7.56
大阪府 Ōsaka ,,	9.23	2.75	10.41	3.33	10.19	3.48	6.72	2.64	6.49	2.41	13.39	4.70	59.49	15.56
兵庫縣 Hyōgo Ken.	7.16	2.01	7.13	2.45	8.36	2.40	9.46	2.50	10.84	2.91	6.55	1.69	26.12	6.11
鳥取縣 Tottori ,,			?	?	3.49	1.02	3.98	1.05	5.66	1.57	3.52	0.91	23.05	3.65
島根縣 Shimane ,,	3.31	1.02	2.42	0.78	3.72	1.11	4.06	1.23	2.30	0.81	4.30	1.17	5.52	1.72
岡山縣 Okayama ,,	6.73	1.60	6.93	1.81	4.36	1.33	4.68	1.42	8.00	2.25	7.63	1.95	11.62	2.55
廣島縣 Hiroshima ,,	2.30	0.53	1.33	0.46	2.40	0.73	2.53	0.81	4.04	1.17	4.69	1.17	12.13	2.88
山口縣 Yamaguchi ,,	2.24	0.54	3.62	1.21	7.28	1.64	9.33	2.64	9.76	2.14	13.10	2.77	7.91	1.76
德島縣 Tokushima ,,	?	?	1.51	0.49	1.20	0.45	2.02	0.57	2.13	0.64	8.26	1.07	15.27	2.74
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	4.55	1.19	4.95	1.39	8.64	1.94	7.45	1.85	15.81	2.70	6.70	1.30	22.23	3.88
高知縣 Kōchi ,,	0.59	0.22	1.07	0.45	0.80	0.33	2.04	0.51	3.45	0.73	14.76	2.84	13.84	2.55
福岡縣 Fukuoka ,,	7.29	2.01	5.88	1.77	4.63	1.43	5.59	1.71	7.17	1.91	13.32	2.80	13.21	2.67
佐賀縣 Saga ,,							?	?	2.50	0.50	6.01	1.14	3.96	0.84
長崎縣 Nagasaki ,,	1.22	0.23	1.60	0.42	2.03	0.38	1.63	0.20	3.45	0.78	8.54	0.87	12.87	1.77
熊本縣 Kumamoto ,,	2.98	0.55	2.74	0.69	3.28	0.10	14.59	2.59	14.62	2.47	11.79	2.15	11.39	2.10
大分縣 Ōita ,,	4.45	0.92	3.24	0.69	4.92	1.04	3.22	0.52	1.43	0.35	7.33	1.43	10.01	2.16
宮崎縣 Miyazaki ,,							?	?	1.21	0.21	2.84	0.78	1.50	0.36
鹿兒島縣 Kagoshima ,,	0.61	0.13	1.97	0.41	1.62	0.33	0.47	0.09	0.15	0.04	1.08	0.10	1.19	0.11
沖繩縣 Okinawa ,,	—	—	—	—	—	—	0.44	0.22	0.03	0.03	0.11	0.05	0.32	0.11
合計 Total.	4.77	1.16	6.61	1.61	5.26	1.43	5.07	1.36	6.22	1.59	7.77	1.76	17.05	3.56

腸「チフス」患者及死亡地方別

per 10,000 Population in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
5.30	1.68	7.87	2.12	6.03	2.11	13.78	3.57	13.49	3.14	11.70	2.78	6.84	1.75	16.38	3.77	8.20	2.13
23.79	3.44	14.90	4.32	11.86	3.0[illegible]	27.45	4.84	26.08	4.97	16.92	3.16	7.53	1.60	10.07	2.25	12.61	2.89
36.98	9.14	51.78	11.63	25.02	7.2[illegible]	25.74	6.29	21.82	4.78	10.51	2.68	9.82	2.72	9.38	2.19	13.73	2.86
19.32	6.32	22.23	4.60	22.81	4.97	17.66	4.50	12.45	3.25	9.10	1.90	17.04	3.58	10.25	2.14	12.11	2.95
13.67	2.93	10.67	2.40	6.03	1.58	16.89	3.41	21.17	4.41	10.86	2.27	7.50	1.40	9.00	1.62	12.32	2.13
12.66	3.38	10.66	2.34	12.95	2.68	12.18	2.31	14.14	2.77	16.86	3.73	11.92	2.55	15.88	3.24	14.45	3.14
21.98	4.93	16.28	3.66	16.60	3.41	14.46	3.09	18.85	3.30	12.28	2.83	9.71	2.51	10.64	2.64	12.87	2.66
7.77	1.67	12.51	1.74	4.41	0.55	4.78	0.70	8.98	1.58	4.82	0.88	2.92	0.69	3.39	0.65	4.59	0.98
8.78	1.85	20.42	3.94	22.23	5.12	23.64	5.17	27.91	5.25	15.92	3.32	16.52	3.10	21.07	4.47	16.93	3.36
16.01	2.87	17.77	4.14	7.20	1.83	10.89	3.03	17.01	3.07	17.09	4.25	13.09	2.96	15.24	3.34	17.59	3.56
9.43	1.71	5.78	1.27	6.69	1.33	9.33	2.67	12.74	2.85	13.63	3.24	9.58	2.54	8.78	2.10	10.56	2.31
11.97	1.52	6.77	1.30	5.94	1.27	6.87	1.74	15.65	3.51	8.85	2.55	8.32	2.48	9.63	2.49	8.38	2.17
4.75	1.52	4.19	1.56	7.71	1.69	12.06	2.89	9.50	2.52	17.20	5.19	13.33	4.65	6.96	1.84	8.49	2.22
6.73	1.53	6.67	1.51	8.16	1.94	8.28	2.40	12.90	2.40	10.99	2.33	8.64	1.86	10.47	2.35	10.36	1.92
9.21	2.08	10.57	2.46	10.12	2.54	8.62	2.50	9.91	2.57	9.20	2.35	6.72	1.79	11.32	2.42	8.81	2.15
35.46	6.38	14.75	3.53	8.75	2.14	13.51	2.59	6.48	1.73	3.84	0.85	9.37	2.15	6.09	1.56	5.39	1.61
24.74	5.25	14.70	4.76	12.55	3.74	11.20	2.93	9.73	2.79	5.98	2.03	6.19	1.63	7.02	1.73	6.60	1.66
5.55	1.30	8.65	2.01	6.41	1.91	6.66	1.97	3.73	2.62	2.62	0.77	1.56	0.44	2.49	0.75	6.57	1.73
10.47	1.90	7.25	1.59	8.13	1.61	9.24	2.15	10.43	2.27	10.43	2.28	14.36	3.33	19.72	4.01	15.12	3.13
15.47	2.57	12.44	2.23	5.45	1.35	10.05	1.87	12.77	1.90	17.76	3.85	14.74	2.49	17.83	2.57	19.45	3.10
10.03	2.30	7.04	2.25	6.10	1.67	5.31	1.24	5.80	1.90	5.42	1.39	6.53	2.08	6.84	1.73	6.81	2.05
9.41	2.10	14.49	2.90	10.09	2.02	10.69	2.44	15.32	2.83	21.85	3.40	13.83	2.82	16.04	2.99	12.23	2.36
7.09	1.85	8.02	2.08	7.99	1.97	6.45	1.71	10.28	2.60	8.52	2.27	13.96	3.11	15.05	2.79	9.70	2.47
5.81	1.33	4.63	1.12	4.57	1.40	2.75	0.82	4.01	1.22	6.11	1.60	4.13	1.24	7.28	1.63	6.76	1.67
7.10	2.15	6.71	1.78	8.50	2.65	4.24	1.38	5.17	1.43	7.93	2.07	4.06	1.17	4.40	1.40	5.13	1.67
—	—	3.78	1.25	3.25	1.32	2.18	0.68	3.53	1.25	3.81	1.38	4.72	1.81	4.18	1.13	3.63	1.41
4.89	0.93	3.74	0.83	6.66	1.63	4.00	0.92	4.12	0.78	4.29	1.12	5.77	1.31	5.50	1.21	5.25	1.26
9.06	2.84	5.07	1.37	6.72	2.12	4.96	1.52	9.54	2.73	7.81	2.26	9.90	2.37	10.72	2.73	9.79	2.89
8.30	2.66	7.38	2.61	8.12	2.57	4.87	1.62	10.75	3.02	9.56	2.02	8.81	2.35	10.80	2.66	5.74	1.64
14.47	3.79	12.96	3.26	11.14	2.98	7.23	1.75	9.49	1.75	6.70	1.44	10.83	2.45	9.16	2.24	8.62	2.19
34.28	4.61	32.81	5.30	10.07	2.81	6.50	2.14	5.38	1.26	8.33	1.53	6.11	1.53	7.10	1.36	5.79	1.32
4.96	1.09	6.96	1.29	5.25	1.35	7.35	1.92	5.88	0.98	6.53	1.52	2.42	0.61	5.86	1.43	6.14	1.35
5.96	1.46	20.83	1.51	6.22	1.49	6.49	1.49	5.05	0.97	3.20	0.76	3.97	1.15	5.84	1.43	4.48	1.12
9.78	2.03	7.68	1.56	5.16	1.17	2.60	0.68	3.30	1.01	1.92	0.70	2.32	0.62	2.81	0.82	6.95	1.47
4.45	1.05	4.20	0.84	2.69	0.86	3.03	0.96	3.25	0.98	2.15	0.45	2.62	0.65	2.01	0.48	4.84	1.17
9.46	1.91	7.84	1.43	13.85	3.26	10.15	2.08	11.30	2.14	5.32	1.13	5.80	1.04	7.23	1.25	10.00	1.07
		—	—	33.60	6.31	14.10	2.84	51.34	8.95	17.31	3.37	13.69	3.08	8.28	1.61	18.58	3.31
23.19	4.07	15.79	2.74	7.03	1.50	6.30	1.66	16.05	3.02	4.33	0.91	6.07	1.19	6.84	1.26	7.03	1.31
9.47	1.89	17.21	2.12	6.09	1.58	4.26	1.09	4.31	0.97	2.04	0.51	3.39	0.60	3.23	0.66	3.73	0.68
20.50	3.68	12.91	2.98	10.98	2.65	11.84	3.02	16.61	3.65	10.90	2.56	9.24	1.95	10.49	2.19	12.16	3.02
4.33	0.84	3.89	0.72	2.69	0.87	3.70	0.99	4.68	1.11	1.84	0.46	2.34	0.38	1.12	0.40	0.77	0.20
17.25	2.45	16.73	2.11	9.62	1.73	8.63	1.97	6.01	1.39	4.95	1.02	4.20	0.87	3.20	0.58	5.61	0.82
11.07	1.82	10.21	2.00	7.33	1.71	7.71	1.89	6.87	1.52	5.90	1.23	10.86	2.17	8.98	1.61	5.74	1.47
11.64	1.89	5.00	1.29	4.67	0.90	3.74	1.01	5.21	1.10	6.73	1.39	5.91	1.25	3.58	1.04	4.30	1.02
4.33	0.74	6.52	1.42	4.56	0.41	1.92	0.48	2.05	0.40	6.60	0.97	5.41	0.89	4.99	0.66	1.74	0.38
2.05	0.34	1.23	0.24	2.17	0.39	0.65	0.18	1.06	0.16	0.58	0.18	0.29	0.05	0.26	0.10	0.59	0.10
0.51	0.16	6.87	0.45	0.26	0.05	0.49	0.12	0.68	0.24	1.57	0.24	0.78	0.19	0.12	0.05	0.30	0.09
12.01	2.48	10.87	2.30	8.81	2.12	8.48	2.07	10.65	2.33	8.55	2.05	8.10	1.95	8.64	1.90	8.60	1.95

第二十五表 (其二) 人口壹萬ニ對スル

Table No. XXV. (No. 2) Cases and Deaths of Typhoid Fever

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	10.96	1.98	5.28	1.22	12.93	2.76	8.01	2.13	11.20	2.33	9.29	2.06	3.84	0.77
青森縣 Aomori Ken.	29.00	4.58	12.63	2.47	14.37	3.48	16.50	4.02	7.48	2.60	10.18	2.21	6.36	1.57
岩手縣 Iwate ,,	25.49	5.21	10.32	2.62	5.96	1.23	11.72	2.37	4.90	1.12	5.34	1.33	5.42	0.99
宮城縣 Miyagi ,,	17.08	3.54	14.45	2.99	10.71	2.05	16.12	3.07	9.29	2.20	8.20	1.73	5.01	0.83
秋田縣 Akita ,,	11.54	2.62	7.62	1.70	11.05	2.21	9.69	2.25	9.88	2.07	9.55	1.92	6.78	1.38
山形縣 Yamagata ,,	19.83	4.00	21.65	4.13	12.41	2.98	15.61	3.19	12.27	2.37	14.63	2.85	11.86	2.30
福島縣 Fukushima ,,	16.90	2.79	16.08	2.93	15.77	2.99	11.44	2.13	17.93	1.89	9.88	1.44	9.34	1.82
茨城縣 Ibaraki ,,	6.97	1.38	4.47	0.82	7.04	1.24	5.29	1.13	4.14	0.83	4.10	0.82	5.68	0.78
栃木縣 Tochigi ,,	14.96	2.80	11.63	1.83	13.16	2.23	15.00	3.01	10.94	2.26	9.04	1.86	9.94	2.40
群馬縣 Gumma ,,	13.71	2.77	9.14	1.81	10.28	2.01	10.84	2.19	8.84	1.63	11.73	2.31	10.15	2.06
埼玉縣 Saitama ,,	10.74	2.35	7.32	1.39	5.43	1.24	6.42	1.40	5.28	1.09	7.97	2.00	5.71	1.53
千葉縣 Chiba ,,	9.45	2.22	5.72	1.37	4.18	1.12	4.45	1.26	3.23	0.82	3.31	0.93	2.70	0.72
東京府 Tōkyō Fu.	15.39	4.08	8.02	1.81	8.83	2.10	8.66	2.25	7.50	2.14	6.98	1.80	6.17	1.48
神奈川縣 Kanagawa Ken.	11.04	2.31	6.88	1.34	6.99	1.49	7.08	1.41	6.29	1.28	6.45	1.32	7.63	1.49
新潟縣 Niigata ,,	11.59	2.88	8.22	1.77	6.65	1.61	7.73	1.87	5.24	1.23	5.91	1.58	5.35	1.24
富山縣 Toyama ,,	2.91	1.02	4.48	0.61	0.61	0.17	1.43	0.62	1.38	0.56	1.50	0.25	1.55	0.44
石川縣 Ishikawa ,,	4.16	1.06	4.19	1.19	3.44	0.97	4.51	1.32	3.24	0.98	3.69	1.04	2.33	0.69
福井縣 Fukui ,,	2.10	0.74	1.27	0.33	1.62	0.44	2.32	0.66	1.00	0.13	1.25	0.30	1.18	0.28
長野縣 Nagano ,,	13.11	2.81	7.44	1.66	7.78	1.60	8.89	2.10	5.84	1.26	6.29	1.12	6.24	1.19
岐阜縣 Gifu ,,	20.03	3.81	9.46	1.82	6.14	1.12	4.84	1.21	3.91	0.98	3.90	1.03	4.54	1.03
滋賀縣 Shiga ,,	9.48	2.29	7.16	1.10	5.37	1.02	2.93	0.90	2.25	0.68	1.72	0.49	2.79	0.90
山梨縣 Yamanashi ,,	12.79	1.92	11.95	1.87	5.49	0.80	4.93	0.78	3.89	0.76	3.00	0.30	2.46	0.57
靜岡縣 Shizuoka ,,	8.60	1.90	7.24	1.83	7.25	1.22	5.36	1.08	5.38	0.97	5.40	1.12	4.57	0.85
愛知縣 Aichi ,,	7.98	1.87	5.64	1.36	7.20	2.24	8.82	2.18	6.10	1.68	4.99	1.26	5.41	1.43
三重縣 Mie ,,	6.66	1.74	5.00	1.23	3.72	0.92	5.37	1.44	2.93	0.74	2.66	0.76	2.60	0.80
奈良縣 Nara ,,	4.22	1.26	3.09	0.83	2.31	0.73	2.45	0.80	1.91	0.53	1.13	0.39	1.12	0.56
和歌山縣 Wakayama ,,	3.99	1.00	2.36	0.70	2.97	0.81	4.31	1.28	3.01	0.73	1.71	0.67	3.53	0.79
京都府 Kyōto Fu.	9.69	2.72	7.66	1.98	8.49	2.09	6.80	1.91	5.29	1.40	5.10	1.27	4.42	1.53
大阪府 Ōsaka ,,	4.58	1.20	2.86	0.76	2.81	0.50	1.74	0.27	3.79	1.21	1.75	0.68	1.39	0.44
兵庫縣 Hyōgo Ken.	11.32	2.99	3.82	0.98	5.30	0.74	2.88	0.83	2.78	0.67	3.33	0.79	2.74	0.65
鳥取縣 Tottori ,,	2.56	0.61	2.30	0.56	2.23	0.39	6.02	0.95	3.30	0.70	2.34	0.72	6.05	1.15
島根縣 Shimane ,,	8.51	2.17	5.05	1.31	7.60	1.72	10.10	2.53	5.39	1.51	5.22	1.68	6.17	1.35
岡山縣 Okayama ,,	5.35	1.53	3.11	0.92	3.21	0.89	4.34	1.16	4.08	1.02	11.27	2.27	3.60	0.88
廣島縣 Hiroshima ,,	5.27	1.43	2.17	0.63	3.10	0.88	5.26	1.14	2.99	0.78	4.56	1.13	4.60	1.33
山口縣 Yamaguchi ,,	2.70	0.77	1.65	0.47	2.08	0.79	3.34	0.80	4.25	0.98	3.91	1.09	2.26	0.53
德島縣 Tokushima ,,	15.72	1.82	2.20	0.64	1.72	0.33	0.91	0.24	0.91	0.24	0.34	0.13	0.29	0.09
香川縣 Kagawa ,,	35.27	4.72	1.77	0.39	2.05	0.37	3.94	0.79	2.60	0.66	3.13	0.72	2.22	0.57
愛媛縣 Ehime ,,	8.09	1.52	4.68	0.97	3.41	0.82	3.17	0.74	4.17	1.02	6.36	1.46	7.87	1.40
高知縣 Kōchi ,,	3.26	0.85	3.20	0.80	2.60	0.74	2.26	0.49	1.12	0.28	0.77	0.10	0.90	0.21
福岡縣 Fukuoka ,,	8.59	1.96	5.71	1.44	8.25	2.17	9.94	2.38	12.46	3.03	8.72	1.80	8.72	2.03
佐賀縣 Saga ,,	0.97	0.29	1.72	0.30	1.05	0.15	2.57	0.75	1.14	0.35	1.86	0.33	0.85	0.24
長崎縣 Nagasaki ,,	3.16	0.83	2.39	0.57	1.64	0.54	2.04	0.52	4.87	1.10	3.81	1.03	3.81	1.12
熊本縣 Kumamoto ,,	4.04	0.98	7.80	1.88	3.59	0.99	4.15	1.03	5.90	0.90	7.40	1.12	3.82	0.80
大分縣 Ōita ,,	2.58	0.69	2.83	0.55	3.19	0.75	3.88	1.04	4.07	0.76	3.39	0.83	3.71	0.76
宮崎縣 Miyazaki ,,	1.73	0.38	1.95	0.33	2.09	0.35	2.53	0.48	2.24	0.45	2.50	0.38	0.74	0.15
鹿兒島縣 Kagoshima ,,	0.27	0.07	0.05	0.03	0.46	—	0.66	0.16	0.23	0.06	0.12	0.03	1.01	0.15
沖繩縣 Okinawa ,,	0.45	0.16	0.42	0.11	0.15	0.09	0.82	0.15	0.19	0.08	0.83	0.23	1.17	0.29
合計 Total.	9.77	2.11	6.07	1.33	5.79	1.30	5.72	1.29	5.33	1.20	5.33	1.20	4.61	1.05

腸[チフス]患者及死亡地方別

per 10,000 Population in Each Prefecture.

同三十六年 1803.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同 四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
8.25	1.54	8.35	1.84	6.24	1.20	8.03	1.17	9.28	1.79	7.90	1.57	9.73	1.68	8.85	1.45	8.29	1.30
8.64	2.34	6.27	1.61	6.40	1.76	9.37	2.23	7.23	1.63	9.03	1.67	6.10	1.25	10.82	2.07	13.45	2.85
5.87	1.22	4.25	1.19	4.15	0.80	6.55	1.40	5.10	1.14	3.90	0.63	4.03	0.91	4.90	0.93	7.98	1.64
5.78	1.23	9.49	1.47	11.00	1.78	11.40	1.87	11.89	2.21	9.13	1.82	8.75	1.63	12.04	2.05	12.64	2.23
8.19	1.43	4.83	0.93	9.93	2.02	11.40	2.22	8.66	1.63	5.72	1.13	6.19	1.34	8.64	1.71	8.82	1.49
13.26	2.52	14.09	2.82	12.74	2.70	11.77	2.64	10.66	2.11	10.37	1.80	12.25	2.32	20.17	3.65	29.75	4.48
6.89	1.52	6.36	1.33	3.94	1.36	8.37	1.70	8.23	1.66	10.23	1.99	10.54	1.90	15.83	2.87	11.35	2.33
4.30	0.46	3.75	0.58	3.29	0.61	4.14	0.94	4.33	1.09	2.81	0.60	4.63	1.07	4.85	0.90	3.27	0.92
7.96	1.55	5.98	1.32	8.87	1.67	7.84	1.41	15.19	3.07	11.38	2.43	12.70	2.46	10.10	1.94	8.53	1.61
7.23	1.50	6.70	1.37	8.88	1.61	9.93	1.97	6.24	1.63	7.41	1.44	9.88	1.94	7.76	1.51	10.49	2.04
6.68	1.57	7.82	1.90	5.97	1.47	4.94	1.21	7.03	1.72	6.62	1.46	8.25	1.58	9.12	1.51	7.59	1.57
2.44	0.63	4.02	0.94	2.27	0.59	2.41	0.67	2.85	0.72	2.55	0.47	3.03	0.76	4.27	1.21	2.56	0.62
5.12	1.23	8.74	2.20	6.20	1.50	7.79	2.19	7.10	1.76	5.90	1.32	8.02	1.74	23.13	5.35	10.55	2.15
5.67	1.40	5.92	1.27	4.39	1.02	4.18	0.88	10.09	1.58	17.19	3.03	5.54	1.30	9.32	2.08	5.13	0.98
3.78	0.93	3.33	0.78	5.57	1.23	7.74	1.94	4.76	1.05	4.28	0.91	4.72	1.03	7.30	1.33	10.70	2.03
1.31	0.34	0.63	0.22	1.03	0.27	1.01	0.29	0.93	0.27	1.95	0.53	0.87	0.17	2.00	0.50	4.09	1.07
1.84	0.56	1.66	0.61	1.54	0.53	1.88	0.44	1.71	0.56	1.55	0.45	1.88	0.57	2.74	0.76	3.02	0.87
1.03	0.23	0.64	0.26	1.18	0.37	1.30	0.37	1.25	0.27	0.62	0.22	0.72	0.21	2.74	0.15	1.08	0.15
5.91	1.14	3.90	1.14	8.63	2.11	10.85	2.56	11.13	2.56	11.34	2.63	12.37	2.86	15.39	3.28	11.07	2.25
3.21	0.98	3.80	0.80	3.10	0.89	3.57	1.04	4.03	0.99	3.92	0.81	3.52	0.87	4.38	1.01	5.03	1.10
1.72	0.41	2.11	0.48	2.23	0.63	1.74	0.51	1.51	0.45	0.93	0.23	2.18	0.48	2.01	0.46	3.22	0.45
0.79	0.13	1.40	0.38	3.05	0.56	3.45	1.05	3.66	0.67	5.89	0.80	5.85	1.30	11.72	2.19	22.15	3.12
4.77	0.92	3.83	0.80	4.48	0.85	4.20	0.96	5.92	1.03	6.62	1.23	4.44	0.79	6.04	0.92	4.99	0.91
3.89	1.04	4.64	1.03	3.87	1.06	3.50	0.94	4.27	1.13	2.63	0.80	3.13	0.76	5.32	1.33	6.26	1.31
1.92	0.44	1.76	0.42	1.93	0.54	2.17	0.57	1.33	0.38	0.93	0.30	1.40	0.41	2.30	0.62	3.37	0.61
1.00	0.43	1.23	0.31	1.18	0.33	1.77	0.52	1.29	0.32	1.11	0.30	1.09	0.33	1.96	0.38	1.16	0.40
2.54	0.77	2.74	0.70	2.71	0.73	1.94	0.58	1.69	0.54	2.03	0.53	2.54	0.82	2.99	0.75	3.87	1.08
6.71	1.75	5.39	1.57	8.62	2.50	9.24	2.19	7.25	1.77	7.53	1.89	7.81	1.93	7.95	2.30	7.20	1.83
1.30	0.43	1.38	0.45	3.39	1.00	2.39	0.90	2.90	1.09	2.16	1.75	3.03	1.05	4.16	1.52	7.16	2.03
2.50	0.53	4.12	1.15	3.75	0.86	3.03	0.87	3.04	0.68	2.62	0.67	2.80	0.72	3.76	0.87	3.31	0.71
4.28	0.95	2.18	0.66	7.22	1.47	6.83	1.07	9.65	1.77	6.80	0.87	15.62	2.29	12.53	2.27	17.96	3.66
3.40	0.88	3.04	0.74	3.39	1.03	3.85	1.17	3.13	0.69	5.58	1.08	10.36	2.06	7.14	1.27	7.73	1.82
3.91	0.98	3.17	0.61	2.13	0.55	3.56	0.71	2.03	0.63	2.84	0.71	3.26	0.83	2.33	0.50	2.02	0.44
3.51	1.10	3.07	1.03	5.63	1.62	4.62	1.33	1.77	0.61	1.03	0.39	2.10	0.57	3.13	0.88	1.82	0.51
3.69	0.97	4.67	1.17	8.09	1.60	5.48	1.32	3.68	0.94	4.05	1.05	3.15	0.68	4.20	0.87	4.27	1.00
0.23	0.13	0.45	0.13	0,26	0.13	0.40	0.02	0.11	0.03	0.03	—	0.37	0.09	0.13	0.03	0.18	0.07
1.81	0.52	1.18	0.36	2.79	0.68	1.69	0.37	1.46	0.41	1.31	0.30	1.84	0.40	5.81	0.28	2.34	0.52
4.17	0.80	3.59	0.92	4.36	1.04	3.03	0.68	2.45	0.58	1.83	0.64	1.82	0.42	4.00	0.77	5.41	1.16
1.36	0.35	0.60	0.27	0.47	0.14	2.41	0.42	3.28	0.93	2.53	0.57	2.77	0.49	2.22	0.37	2.95	0.68
5.68	1.18	6.45	1.34	8.13	2.02	12.01	2.41	16.53	2.46	8.70	1.96	5.97	1.34	7.59	1.71	6.85	1.24
0.55	0.13	0.76	0.20	0.68	0.17	0.65	0.20	0.79	0.09	1.54	0.33	3.92	0.67	1.16	0.23	1.23	0.26
2.86	0.69	4.97	0.98	7.18	1.57	3.57	0.99	4.16	0.89	3.18	0.76	4.02	0.75	4.32	0.86	3.65	0.90
2.51	0.62	1.99	0.61	3.27	0.61	6.13	1.57	5.83	1.49	2.24	0.60	1.59	0.36	4.01	0.72	7.78	1.29
1.95	0.57	0.94	0.24	2.51	0.55	2.61	0.59	2.59	0.54	2.13	0.52	2.22	0.60	1.95	0.53	2.73	0.53
0.63	0.12	0.74	0.10	0.47	0.08	0.93	0.16	1.93	0.19	3.67	0.85	2.52	0.53	3.25	0.50	2.61	0.62
0.18	0.03	0.23	0.05	0.08	0.04	0.12	0.02	0.13	0.02	0.04	—	0.65	0.08	0.41	0.06	2.35	0.27
0.42	0.17	0.06	0.02	0.54	0.15	0.93	0.27	1.34	0.41	0.04	0.02	0.10	0.06	0.18	0.12	0.98	0.22
4.04	0.92	4.16	0.98	4.78	1.10	5.19	1.21	5.29	1.16	4.76	1.04	5.03	1.10	6.98	1.50	6.68	1.34

第二十五表 (其三) 人口壹萬ニ對スル

Table No. XXV. (No. 3) Cases and Deaths of Typhoid Fever

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	0.52	0.09	4.91	0.74	14.45	2.00	10.41	1.67	10.20	1.62	7.92	1.45	14.90	2.18
青森縣 Aomori Ken.	11.07	2.08	7.15	1.58	21.40	2.71	6.10	1.17	6.75	1.18	5.70	1.14	14.09	3.28
岩手縣 Iwate ,,	8.86	1.90	7.28	1.38	10.04	1.39	7.83	1.08	10.97	2.45	12.36	2.88	9.07	1.90
宮城縣 Miyagi ,,	9.70	1.73	7.09	1.24	8.63	1.24	10.01	1.66	14.66	2.66	10.72	2.10	9.63	1.62
秋田縣 Akita ,,	8.10	1.52	9.27	1.57	13.04	2.50	7.25	1.61	12.99	2.82	13.20	2.33	11.83	2.49
山形縣 Yamagata ,,	15.64	2.96	10.55	1.73	10.93	1.61	9.93	1.79	13.47	2.49	6.96	1.46	5.73	1.11
福島縣 Fukushima ,,	10.88	1.84	8.56	1.54	10.24	1.61	5.19	1.08	9.72	1.93	11.18	1.70	14.03	2.56
茨城縣 Ibaraki ,,	4.08	1.03	2.98	0.63	4.77	1.07	3.22	0.83	4.82	1.22	4.19	0.90	4.26	0.83
栃木縣 Tochigi ,,	9.67	1.98	6.21	1.29	10.93	1.91	6.40	1.31	8.19	1.60	6.52	1.29	5.01	1.09
群馬縣 Gumma ,,	10.04	1.82	6.22	1.49	6.97	1.00	6.43	1.07	5.75	1.03	4.60	0.95	6.85	1.44
埼玉縣 Saitama ,,	6.73	1.46	3.84	0.99	4.91	1.09	5.38	1.16	5.24	1.35	3.22	0.73	5.22	1.21
千葉縣 Chiba ,,	2.80	0.58	1.78	0.45	2.09	0.50	3.80	0.52	3.15	0.60	3.71	0.82	3.07	0.80
東京府 Tokyo Fu.	8.80	1.69	8.72	1.71	11.43	2.32	12.77	2.70	10.77	2.58	14.83	3.14	14.32	3.49
神奈川縣 Kanagawa Ken.	6.68	1.25	4.79	1.10	5.57	1.36	4.82	1.08	10.00	2.42	6.00	1.45	10.14	2.23
新潟縣 Niigata ,,	6.22	1.31	7.02	1.58	5.76	1.12	4.73	1.00	4.11	0.77	4.06	0.84	4.48	1.00
富山縣 Toyama ,,	3.00	0.91	4.61	0.99	2.88	0.66	2.88	0.50	5.10	1.07	2.86	0.77	1.86	0.47
石川縣 Ishikawa ,,	3.00	0.94	2.06	0.66	3.55	1.05	3.05	0.78	7.11	1.96	3.48	0.84	1.81	0.48
福井縣 Fukui ,,	2.33	0.35	3.69	1.00	5.43	0.80	2.63	0.70	6.02	1.62	3.16	0.73	1.60	0.48
長野縣 Nagano ,,	9.63	1.98	7.74	1.45	9.90	1.85	7.35	1.16	6.49	1.40	8.23	1.84	5.97	1.30
岐阜縣 Gifu ,,	5.29	1.05	4.57	0.58	3.66	0.67	6.19	1.17	7.34	1.42	3.50	0.77	3.64	0.83
滋賀縣 Shiga ,,	1.75	0.41	1.51	0.29	1.42	0.22	2.66	0.64	2.34	0.40	1.98	0.53	2.03	0.48
山梨縣 Yamanashi ,,	9.99	1.36	6.70	0.97	7.65	1.32	5.89	0.80	12.00	1.41	4.19	0.75	3.67	0.53
靜岡縣 Shizuoka ,,	9.65	1.58	7.82	0.81	7.47	0.72	8.00	0.79	8.87	0.95	5.27	0.64	5.46	0.84
愛知縣 Aichi ,,	4.49	1.02	4.00	0.78	3.97	0.88	6.18	1.32	8.25	1.76	6.20	1.31	6.54	1.62
三重縣 Mie ,,	1.56	0.40	1.46	0.57	1.65	0.30	2.41	0.55	2.62	0.69	3.15	0.63	3.66	0.99
奈良縣 Nara ,,	0.86	0.22	5.24	0.88	1.87	0.56	3.76	0.81	3.50	0.93	3.05	0.28	3.93	1.14
和歌山縣 Wakayama ,,	1.80	0.42	2.08	0.47	5.20	0.96	6.34	1.61	4.20	0.88	2.69	0.72	3.57	1.10
京都府 Kyōto Fu.	5.84	1.30	7.64	1.54	8.02	1.65	7.26	1.76	6.69	1.72	8.00	1.89	12.51	2.90
大阪府 Ōsaka ,,	6.99	2.05	7.62	2.19	7.75	2.17	9.56	2.50	9.98	3.57	9.32	2.51	10.57	3.23
兵庫縣 Hyōgo Ken.	5.47	1.06	4.85	1.05	5.83	1.20	7.89	1.65	6.82	1.14	8.66	1.52	6.12	1.46
鳥取縣 Tottori ,,	11.90	2.12	9.48	1.44	4.31	0.89	13.82	2.25	4.86	1.14	5.55	1.42	6.60	1.23
島根縣 Shimane ,,	5.32	1.28	7.79	1.13	6.61	1.44	5.83	1.15	7.27	1.61	8.26	1.51	7.13	1.56
岡山縣 Okayama ,,	2.99	0.65	2.09	0.44	3.21	0.59	6.16	1.10	4.75	0.91	5.93	1.17	3.87	1.06
廣島縣 Hiroshima ,,	2.52	0.66	2.65	0.72	2.56	0.69	4.64	0.92	8.58	1.80	4.15	1.05	33.68	9.17
山口縣 Yamaguchi ,,	5.44	0.93	5.23	0.91	6.45	1.29	6.05	0.86	7.94	1.50	4.84	1.15	5.83	1.08
德島縣 Tokushima ,,	0.11	—	0.37	0.08	0.57	0.10	0.41	0.08	0.66	0.16	0.66	0.15	1.77	0.31
香川縣 Kagawa ,,	3.03	0.59	5.10	0.90	8.43	1.57	5.71	1.33	4.71	1.14	4.09	0.93	4.28	1.02
愛媛縣 Ehime ,,	2.84	0.56	4.44	0.55	4.55	0.75	9.70	1.29	10.30	1.57	5.09	1.10	6.31	1.33
高知縣 Kōchi ,,	3.48	0.42	3.30	0.75	4.26	1.09	3.09	1.13	5.66	1.09	6.20	1.31	5.49	1.45
福岡縣 Fukuoka ,,	3.82	1.12	6.95	1.35	9.00	1.81	13.00	2.67	16.94	2.73	8.22	1.44	2.05	1.99
佐賀縣 Saga ,,	3.39	0.70	0.80	0.10	0.91	0.20	2.64	0.38	2.26	0.42	0.78	0.21	0.79	0.18
長崎縣 Nagasaki ,,	4.28	1.02	3.54	0.64	5.86	1.22	7.06	1.50	6.36	1.35	6.39	1.28	8.64	1.97
熊本縣 Kumamoto ,,	20.70	5.22	9.03	1.52	6.90	1.22	7.00	1.24	9.05	1.59	5.46	0.84	3.37	0.65
大分縣 Ōita ,,	7.56	1.00	1.30	0.33	2.10	0.45	3.47	0.61	3.37	0.73	3.32	0.54	2.12	0.54
宮崎縣 Miyazaki ,,	4.98	0.54	1.42	0.19	2.68	0.44	6.28	1.05	7.84	1.08	3.41	0.53	4.02	0.76
鹿兒島縣 Kagoshima ,,	1.00	0.28	2.32	0.32	4.13	0.72	3.65	0.65	3.06	0.47	1.34	0.30	0.78	0.15
沖繩縣 Okinawa ,,	0.02	—	0.23	0.04	1.51	0.22	0.79	0.13	1.30	0.18	0.41	0.09	1.39	0.23
合計 Total.	4.96	1.11	5.29	1.04	6.61	1.28	6.70	1.31	7.59	1.52	6.28	1.29	7.59	1.74

腸「チフス」患者及死亡地方別

per 10,000 Population in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
15.78	2.55	13.64	2.09	6.92	1.25	10.06	1.51	7.76	1.34								
17.61	3.38	9.88	1.93	9.44	1.96	16.62	3.96	9.35	2.33								
14.85	2.61	14.51	2.61	14.34	3.07	14.74	3.52	9.62	2.20								
20.03	3.65	22.04	3.41	15.37	3.09	11.41	2.12	14.09	2.65								
15.96	2.81	15.34	2.93	10.59	2.42	19.60	3.72	10.42	2.54								
8.85	1.33	13.71	2.63	12.83	2.66	13.18	2.76	10.02	1.89								
13.20	2.66	16.23	2.91	16.49	3.14	17.72	3.42	13.54	2.60								
5.83	1.07	6.98	1.26	9.21	1.75	7.67	1.63	8.54	1.65								
11.39	2.45	9.19	1.18	8.58	1.54	7.66	1.85	9.44	2.25								
8.41	1.93	7.51	1.36	8.57	1.14	7.40	1.38	6.27	1.17								
4.93	0.68	13.06	2.09	8.60	2.16	7.40	1.87	6.39	1.53								
2.86	0.63	4.91	1.03	3.38	0.84	5.93	1.35	5.92	1.57								
14.25	3.33	14.10	3.24	13.12	3.20	13.82	3.35	19.11	4.01								
12.64	2.77	15.60	2.92	16.68	3.49	10.11	2.20	23.47	3.54								
6.15	1.17	5.50	1.19	8.34	0.06	11.47	2.26	5.85	1.29								
2.03	0.41	1.91	0.55	2.79	0.69	6.78	1.61	5.06	1.14								
3.55	0.95	3.68	0.86	5.27	1.15	7.24	2.03	4.82	1.30								
5.16	1.15	3.15	0.75	3.92	0.88	2.66	0.68	5.07	1.28								
8.56	1.67	9.79	1.84	8.11	1.49	7.68	1.26	7.25	1.52								
5.24	1.18	5.51	0.92	6.64	1.55	5.73	1.24	6.16	1.58								
3.54	1.02	3.18	0.68	3.25	0.77	2.52	0.47	4.76	1.42								
8.71	1.46	24.97	3.89	13.74	2.26	13.60	1.59	6.53	1.18								
11.41	1.66	14.81	2.52	16.26	0.59	17.93	2.55	10.91	2.02								
7.25	1.64	8.91	1.89	5.25	2.15	7.57	1.85	9.00	2.04								
5.62	1.17	5.13	1.21	4.86	1.28	6.88	1.50	5.12	1.32								
6.54	1.60	9.25	1.98	8.41	1.83	4.53	1.23	5.61	1.61								
3.64	0.88	4.16	1.12	5.11	1.27	3.84	1.01	3.98	0.85								
13.02	2.72	13.83	3.00	16.03	3.06	15.89	3.13	19.65	4.25								
11.11	3.04	7.61	2.20	7.76	2.14	10.31	2.76	7.73	2.16								
10.82	2.19	10.30	1.52	7.40	1.42	8.58	2.07	8.66	2.06								
9.19	1.85	7.98	1.61	5.86	1.22	10.42	1.94	9.89	2.62								
9.99	1.95	10.38	1.67	6.85	1.40	5.72	1.32	5.74	1.48								
9.62	1.99	10.86	1.93	8.65	2.22	7.29	1.67	5.89	1.44								
12.62	2.92	15.25	2.40	7.98	1.88	7.18	2.03	11.57	3.30								
6.68	1.36	5.90	1.10	5.75	1.47	7.47	1.58	15.78	3.35								
5.19	0.89	2.57	0.57	1.69	0.52	1.95	0.68	2.82	0.78								
9.70	1.98	9.51	1.77	11.91	2.41	11.05	2.46	7.25	1.40								
6.44	1.49	4.45	0.73	4.92	1.02	4.22	0.94	3.98	0.92								
9.16	1.65	7.24	1.95	8.11	1.51	6.74	1.50	6.83	1.62								
24.90	5.27	12.01	2.21	12.21	2.40	9.46	1.87	8.57	1.64								
0.95	0.20	1.13	0.33	1.08	0.19	1.59	0.31	2.73	0.47								
8.62	1.53	4.72	1.10	8.35	1.66	7.88	1.82	6.26	1.44								
7.40	1.25	7.39	1.44	8.21	1.60	5.73	1.11	8.67	1.66								
3.50	0.80	4.15	0.94	4.05	0.97	3.77	1.08	2.86	0.44								
8.27	1.73	2.12	0.61	2.17	0.39	2.76	0.55	3.35	0.93								
1.67	0.40	2.39	0.34	1.92	0.04	1.89	0.37	2.10	0.32								
1.91	0.29	2.55	0.38	0.67	0.10	1.36	0.24	0.74	0.07								
9.72	1.98	9.63	1.84	8.83	1.87	9.08	1.94	9.00	1.94								

第二十六表　人口壹萬ニ對スル「パ

Table No. XXVI. Cases and Deaths of Para-Typhoid

	明治四十四年 1911.		大正 元年 1912.		同 二 年 1913.		同 三 年 1914.		同 四 年 1915.		同 五 年 1916.		同 六 年 1917.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaido.	1.04	0.06	1.35	0.16	1.40	0.13	6.48	0.07	5.04	0.41	3.69	0.24	3.16	0.29
青森縣 Aomori Ken.	0.14	0.01	0.30	0.05	0.19	0.07	2.38	0.22	0.66	0.11	1.76	0.15	0.71	0.03
岩手縣 Iwate ,,	—	—	—	—	0.65	0.09	2.20	0.21	1.02	0.14	1.72	0.17	1.54	0.24
宮城縣 Miyagi ,,	1.04	0.10	0.53	0.10	1.12	0.13	0.63	0.08	1.63	0.16	0.76	0.13	1.08	0.12
秋田縣 Akita ,,	0.34	0.02	0.33	0.03	1.45	0.08	3.23	0.34	0.69	0.09	1.73	0.17	1.24	0.29
山形縣 Yamagata ,,	0.31	0.02	0.40	0.07	0.32	0.04	0.44	0.05	1.70	0.04	0.19	—	0.42	0.06
福島縣 Fukushima ,,	0.15	0.04	0.29	0.02	0.36	0.06	1.38	0.12	0.60	0.07	1.38	0.17	0.71	0.11
茨城縣 Ibaraki ,,	0.08	0.01	0.47	0.06	0.83	0.06	1.12	0.11	0.85	0.08	0.52	0.07	0.44	0.04
栃木縣 Tochigi ,,	0.15	0.04	0.61	0.07	0.93	0.12	3.06	0.28	0.89	0.08	1.76	0.15	1.19	0.14
群馬縣 Gumma ,,	1.68	0.17	3.16	0.27	2.00	0.29	1.15	0.10	1.39	0.08	2.02	0.15	1.50	0.13
埼玉縣 Saitama ,,	0.93	0.15	3.14	0.36	1.28	0.21	1.17	0.22	1.41	0.26	1.12	0.17	1.26	0.18
千葉縣 Chiba ,,	0.26	0.04	0.28	0.05	0.48	0.02	0.62	0.07	0.58	0.01	0.49	0.06	0.80	0.04
東京府 Tokyo Fu.	1.02	0.11	1.06	0.08	0.91	0.09	1.24	0.10	1.49	0.18	1.72	0.20	1.62	0.17
神奈川縣 Kanagawa Ken.	0.42	0.03	0.30	0.05	1.03	0.10	1.05	0.16	1.63	0.07	1.10	0.14	1.15	0.12
新潟縣 Niigata ,,	0.88	0.08	1.51	0.16	1.16	0.19	1.67	0.19	2.46	0.24	1.69	0.19	1.59	0.24
富山縣 Toyama ,,	0.23	0.03	0.26	0.05	0.73	0.16	0.67	0.09	0.46	0.06	0.80	0.10	0.66	0.17
石川縣 Ishikawa ,,	0.11	0.03	0.09	0.03	0.14	0.03	1.62	0.27	1.11	0.19	1.70	0.24	0.39	0.10
福井縣 Fukui ,,	0.07	0.03	0.25	0.03	1.21	0.18	1.82	0.31	0.93	0.17	1.79	0.35	0.65	0.06
長野縣 Nagano ,,	0.48	0.04	0.57	0.07	0.92	0.08	1.25	0.15	0.87	0.07	0.61	0.07	0.99	0.14
岐阜縣 Gifu ,,	—	—	—	—	—	—	0.89	0.03	0.95	0.10	0.60	0.04	0.52	0.05
滋賀縣 Shiga ,,	0.05	—	0.33	—	0.32	0.02	0.33	0.04	0.53	0.01	0.40	0.01	0.28	0.01
山梨縣 Yamanashi ,,	2.13	0.23	3.00	0.19	1.69	0.16	2.53	0.29	1.78	0.07	4.36	0.15	2.32	0.18
靜岡縣 Shizuoka ,,	0.61	0.06	1.46	0.12	0.93	0.03	2.17	0.09	1.50	0.05	2.38	0.08	1.56	0.11
愛知縣 Aichi ,,	0.11	0.01	0.23	0.03	0.56	0.11	0.44	0.09	0.59	0.07	0.71	0.11	0.74	0.09
三重縣 Mie ,,	—	—	0.27	0.04	0.12	0.02	0.30	0.03	0.36	0.04	0.37	0.08	0.14	0.04
奈良縣 Nara ,,	0.20	0.02	0.65	0.11	0.36	0.04	0.90	0.17	2.12	0.27	1.85	0.30	1.04	0.18
和歌山縣 Wakayama ,,	0.14	—	0.18	0.10	0.28	0.03	0.92	0.04	0.50	0.08	0.55	0.10	0.30	0.06
京都府 Kyoto Fu.	0.57	0.10	1.47	0.09	0.69	0.08	1.88	0.09	3.72	0.17	1.93	0.11	2.84	0.16
大阪府 Osaka ,,	0.39	0.08	0.83	0.16	1.22	0.24	1.17	0.23	3.29	0.28	1.95	0.34	1.59	0.36
兵庫縣 Hyogo Ken.	0.19	0.02	0.85	0.11	0.96	0.11	1.25	0.12	1.79	0.16	1.74	0.14	1.12	0.12
鳥取縣 Tottori ,,	0.26	0.05	0.19	0.02	0.16	0.05	0.22	0.02	0.36	0.02	0.27	—	0.13	—
島根縣 Shimane ,,	0.86	0.04	1.69	0.29	0.58	0.14	1.15	0.18	1.08	0.12	1.00	0.22	0.65	0.23
岡山縣 Okayama ,,	0.10	0.03	0.23	0.03	0.21	0.02	0.57	0.02	0.78	0.04	0.64	0.02	0.57	0.05
廣島縣 Hiroshima ,,	0.06	0.02	0.06	0.01	0.09	—	0.30	0.07	0.27	0.03	0.46	0.10	0.26	0.02
山口縣 Yamaguchi ,,	0.15	0.03	1.03	0.18	0.65	0.09	0.51	0.10	0.54	0.09	1.17	0.08	0.63	0.09
德島縣 Tokushima ,,	0.11	0.04	0.24	0.04	0.03	0.01	0.29	0.01	0.14	0.03	0.20	0.05	0.39	0.09
香川縣 Kagawa ,,	0.11	—	0.47	0.06	0.51	0.11	1.13	0.09	0.58	0.07	0.34	0.01	0.21	0.08
愛媛縣 Ehime ,,	0.16	0.03	1.23	0.17	0.48	0.05	0.55	0.04	0.87	0.11	0.48	0.08	0.12	0.02
高知縣 Kochi ,,	0.02	—	0.27	0.06	—	—	0.44	0.09	0.28	0.06	0.71	0.08	0.40	0.04
福岡縣 Fukuoka ,,	0.27	0.04	0.67	0.03	0.99	0.09	1.00	0.13	1.28	0.10	1.43	0.09	1.13	0.12
佐賀縣 Saga ,,	0.06	—	—	—	0.17	—	0.22	0.01	0.29	0.01	0.62	0.07	0.14	0.02
長崎縣 Nagasaki ,,	0.25	0.02	0.89	0.05	0.45	0.07	0.40	0.07	0.14	0.10	0.63	0.08	1.38	0.22
熊本縣 Kumamoto ,,	0.20	0.02	0.68	0.06	1.62	0.18	0.91	0.17	0.86	0.11	0.83	0.12	0.45	0.06
大分縣 Oita ,,	0.52	0.07	0.65	0.09	0.30	0.07	0.74	0.13	1.38	0.32	0.81	0.18	1.58	0.21
宮崎縣 Miyazaki ,,	1.52	0.16	0.75	0.12	0.25	—	0.05	0.03	0.08	—	0.55	0.06	0.39	0.06
鹿兒島縣 Kagoshima ,,	0.18	—	1.06	0.11	0.20	0.03	0.46	0.07	0.58	0.01	0.67	0.13	0.13	0.03
沖繩縣 Okinawa ,,	0.23	0.04	0.06	0.02	0.04	—	1.30	0.11	0.27	0.04	0.11	—	0.02	—
合計 Total.	0.42	0.05	0.78	0.09	0.74	0.09	1.29	0.15	1.29	0.12	1.23	0.13	1.02	0.13

ラチフス」患者及死亡別

per 10,000 Population in Each Prefecture.

同七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
2.79	0.32	3.82	0.22	3.00	0.34	3.00	0.34	1.48	0.14	1.46	0.13								
1.79	0.20	1.84	0.23	1.19	0.09	1.19	0.12	2.22	0.30	1.23	0.15								
1.18	0.13	1.76	0.23	2.76	0.34	1.33	0.14	1.60	0.16	1.78	0.15								
0.94	0.15	0.78	0.04	1.15	0.09	1.01	0.07	0.71	0.50	1.40	0.11								
0.76	0.12	1.73	0.18	1.14	0.11	1.28	0.18	1.67	0.22	0.91	0.13								
1.68	0.05	0.91	0.04	1.09	0.12	2.00	0.08	1.01	0.14	0.88	0.06								
1.52	0.17	1.31	0.18	1.86	0.15	1.40	0.27	1.64	0.17	0.81	0.10								
0.53	0.10	0.86	0.08	0.78	0.07	0.64	0.12	1.35	0.19	0.82	0.08								
1.00	0.10	1.70	0.17	2.16	0.07	1.23	0.13	1.82	0.22	1.47	0.17								
2.64	0.13	1.81	0.27	6.75	0.45	2.57	0.25	1.12	0.22	2.98	0.30								
1.34	0.14	1.86	0.14	2.78	0.29	1.53	0.23	2.64	0.37	1.39	0.24								
0.88	0.06	0.62	0.09	0.73	0.06	0.69	0.10	0.98	0.10	0.76	0.14								
1.14	0.16	1.19	0.16	1.16	0.15	1.03	0.21	0.99	0.12	1.22	0.16								
1.44	0.17	2.02	0.13	2.06	0.20	1.74	0.15	1.46	0.18	1.36	0.16								
1.72	0.45	3.24	0.37	1.95	0.28	2.41	0.35	3.26	0.38	1.34	0.19								
0.22	0.01	0.32	0.03	0.77	0.12	0.12	0.01	1.76	0.14	0.68	0.24								
0.35	0.01	0.69	0.13	0.68	0.13	0.41	0.04	0.81	0.23	0.36	0.08								
0.54	0.06	0.53	0.11	0.28	0.03	0.77	0.12	1.18	0.27	0.85	0.08								
1.38	0.09	0.60	0.03	0.90	0.04	1.00	0.04	0.86	0.40	0.83	0.05								
0.25	0.04	0.63	0.05	0.98	0.15	0.35	0.05	0.71	0.08	0.52	0.05								
0.50	0.03	0.19	0.04	0.77	0.09	0.44	0.09	0.49	0.02	0.47	0.11								
1.46	0.08	1.50	0.15	1.97	0.21	1.89	0.17	1.66	0.19	0.71	0.12								
1.14	0.18	2.99	0.18	3.90	0.25	2.96	0.26	1.60	0.19	1.56	0.17								
0.62	0.08	0.80	0.11	1.21	0.17	0.77	0.10	0.66	0.12	0.49	0.11								
0.67	0.16	0.58	0.08	0.91	0.08	0.88	0.13	0.81	0.03	0.26	0.06								
1.81	0.46	2.64	0.61	2.20	0.39	2.71	0.51	1.61	0.20	0.93	0.17								
0.26	0.07	0.66	0.11	0.97	0.19	0.65	0.07	0.67	0.10	0.45	0.06								
1.52	0.19	1.89	0.10	2.42	0.27	2.61	0.14	3.38	0.14	1.97	0.23								
2.00	0.49	2.31	0.44	1.48	0.34	1.60	0.31	1.64	0.31	1.07	0.18								
1.10	0.17	1.25	0.14	1.78	0.19	1.34	0.17	2.17	0.23	0.95	0.11								
0.37	0.02	0.84	0.18	0.22	0.04	0.39	0.09	0.57	0.11	0.58	0.11								
1.17	0.20	1.19	0.25	0.78	0.14	1.05	0.21	1.49	0.32	0.99	0.11								
0.28	0.03	1.24	0.10	0.71	0.08	0.45	0.09	0.28	0.02	0.31	0.06								
0.38	0.06	0.47	0.09	0.69	0.01	0.34	0.05	0.31	0.04	0.29	0.06								
0.65	0.09	0.62	0.06	0.47	0.05	0.41	0.06	0.38	0.05	0.64	0.06								
1.65	0.17	1.17	0.12	0.61	0.09	1.03	0.30	0.92	0.19	1.12	0.28								
0.38	0.04	0.74	0.13	0.18	0.03	0.33	0.07	0.59	0.12	0.35	0.04								
0.21	0.03	0.69	0.10	0.21	0.05	0.19	0.02	0.27	0.05	0.16	0.02								
0.12	—	0.13	1.01	0.63	0.07	0.27	0.06	0.21	—	0.23	0.07								
0.66	0.09	1.25	0.13	0.79	0.06	0.94	0.09	0.59	0.07	0.43	0.06								
0.35	0.07	0.12	0.02	0.17	0.04	0.07	0.01	0.49	0.09	0.47	0.09								
0.65	0.08	0.33	0.04	0.55	0.05	0.47	0.04	0.74	0.15	0.54	0.03								
0.65	0.07	0.94	0.11	0.62	0.11	1.08	0.09	0.60	0.08	0.71	0.11								
0.79	0.13	0.90	0.23	0.38	0.02	0.25	0.07	0.55	0.12	0.41	0.05								
0.06	—	0.36	0.02	0.51	0.03	0.44	0.06	0.24	0.01	0.10	0.01								
0.11	0.02	4.36	1.61	0.25	0.01	0.11	0.03	0.11	0.05	0.07	0.01								
0.05	0.02	0.36	0.07	0.65	0.10	0.07	0.02	0.17	—	0.45	0.05								
1.02	0.13	1.32	0.15	1.38	0.15	1.11	0.14	1.23	0.14	0.91	0.12								

第二十七表 (其一) 人口壹萬ニ對スル

Table No. XXVII. (No. 1) Cases and Deaths of Small-Pox per

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	—	—	0.22	—	0.05	—	0.15	—	98.21	30.05
青森縣 Aomori Ken.	—	—	—	—	0.08	—	—	—	0.52	—	0.02	—	27.73	6.09
岩手縣 Iwate ,,	0.02	—	—	—	0.02	—	—	—	—	—	0.06	0.02	4.10	0.61
宮城縣 Miyagi ,,	—	—	—	—	—	—	0.02	—	—	—	1.71	0.28	1.00	0.15
秋田縣 Akita ,,	0.03	—	—	—	0.05	—	0.02	—	0.03	—	0.16	0.02	44.54	9.91
山形縣 Yamagata ,,	0.01	—	0.03	—	—	—	—	—	—	—	0.21	0.01	8.15	1.33
福島縣 Fukushima ,,	—	—	—	—	0.02	—	—	—	—	—	0.05	—	2.62	0.49
茨城縣 Ibaraki ,,	—	—	—	—	—	—	0.05	—	—	—	0.57	0.04	2.73	0.22
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	0.24	—	0.76	0.02	3.75	0.32
群馬縣 Gumma ,,	—	—	—	—	—	—	0.02	0.02	0.10	0.03	5.93	1.12	1.87	0.28
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	0.01	—	3.65	0.71	7.24	1.37
千葉縣 Chiba ,,	—	—	—	—	—	—	0.01	—	0.37	0.06	2.41	0.54	2.79	0.32
東京府 Tōkyō Fu.	0.02	—	0.02	—	0.02	—	—	—	0.10	0.04	5.67	1.52	5.16	1.14
神奈川縣 Kanagawa Ken.	0.05	—	0.01	—	0.05	—	—	—	6.03	1.17	14.67	3.11	7.27	1.27
新潟縣 Niigata ,,	0.01	—	0.01	—	0.01	—	0.05	—	0.01	—	0.04	0.01	9.07	1.37
富山縣 Toyama ,,							—	—	—	—	0.13	0.01	18.78	3.40
石川縣 Ishikawa ,,	0.01	—	0.02	—	0.06	—	0.01	—	0.03	—	0.07	—	3.36	0.53
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	0.03	—	0.45	0.03	11.16	2.68
長野縣 Nagano ,,	0.03	—	0.04	—	0.02	—	0.01	—	—	—	0.56	0.03	1.34	0.20
岐阜縣 Gifu ,,	0.11	0.03	0.02	—	—	—	—	—	0.02	—	1.84	0.28	5.50	0.74
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	—	—	1.56	0.27
山梨縣 Yamanashi ,,	—	—	0.12	—	—	—	0.02	—	—	—	0.12	—	14.15	3.13
靜岡縣 Shizuoka ,,	—	—	0.06	—	0.03	—	0.01	—	0.01	—	1.44	0.29	25.00	5.26
愛知縣 Aichi ,,	0.28	0.08	0.02	—	0.05	—	0.02	—	0.01	—	0.20	0.04	2.67	0.63
三重縣 Mie ,,	0.06	0.01	—	—	0.01	—	—	—	—	—	0.23	0.03	22.07	0.31
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	—	—	—	—	—	—	0.02	—	—	—	0.21	0.03	20.59	7.00
京都府 Kyōto Fu.	—	—	—	—	—	—	—	—	—	—	0.29	0.09	1.46	0.35
大阪府 Ōsaka ,,	0.01	—	0.01	—	0.13	0.03	0.01	—	—	—	2.71	1.10	30.26	11.61
兵庫縣 Hyōgo Ken.	0.09	—	0.04	—	0.25	0.04	0.02	—	0.01	—	17.31	6.03	60.43	18.49
鳥取縣 Tottori ,,			?	?	0.89	—	0.13	—	0.10	—	0.08	—	2.46	0.47
島根縣 Shimane ,,	0.26	—	—	—	—	—	0.04	—	0.04	—	0.03	—	1.17	0.10
岡山縣 Okayama ,,	0.04	—	0.05	—	0.01	—	0.03	—	—	—	0.95	0.09	27.14	4.78
廣島縣 Hiroshima ,,	3.37	1.10	2.24	0.73	0.01	—	0.02	—	—	—	0.12	0.05	21.13	5.32
山口縣 Yamaguchi ,,	0.10	0.01	0.07	—	—	—	0.38	0.04	0.05	—	0.09	0.01	3.43	0.64
德島縣 Tokushima ,,	?	?	2.26	0.52	0.03	—	0.11	—	—	—	0.32	0.08	11.49	2.13
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	7.42	1.54	6.27	0.94	6.06	1.26	0.06	—	0.04	—	1.96	0.05	9.33	1.54
高知縣 Kochi ,,	9.15	1.69	16.63	3.11	0.42	0.02	0.22	—	0.26	0.02	0.55	0.02	19.24	3.51
福岡縣 Fukuoka ,,	1.86	0.22	2.08	0.21	0.13	—	5.89	1.27	0.27	0.07	9.27	1.22	35.81	8.11
佐賀縣 Saga ,,							?	—	0.06	—	1.70	0.15	42.56	9.42
長崎縣 Nagaski ,,	0.35	0.07	0.08	—	0.12	—	3.28	0.95	10.92	3.37	52.10	15.51	69.79	14.59
熊本縣 Kumamoto ,,	0.24	0.02	0.12	0.02	0.16	—	0.62	0.19	2.50	0.55	2.02	0.30	13.91	2.36
大分縣 Ōita ,,	1.05	0.12	0.09	0.01	0.16	—	0.04	0.03	0.01	—	—	—	5.46	1.46
宮崎縣 Miyazaki ,,							—	—	—	—	0.57	0.18	9.26	1.72
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	0.28	0.08	0.14	0.02	9.93	2.47	92.23	35.79
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	0.03	—	134.84	32.42
合計 Total.	0.95	0.20	0.71	0.12	0.30	0.05	0.34	0.08	0.45	0.11	3.36	0.88	18.89	4.81

痘瘡患者及死亡地方別

10,000 Population in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
102.45	40.69	1.35	0.27	0.27	0.05	—	—	2.43	0.71	93.24	32.45	45.97	18.03	0.49	0.07	0.11	0.02
101.50	19.40	12.63	2.98	1.25	0.46	0.02	—	0.11	—	20.58	5.42	26.97	6.74	0.23	—	0.21	—
38.66	8.50	10.69	3.00	3.70	1.69	0.04	—	0.03	—	2.68	0.67	7.53	2.03	0.39	0.13	0.03	—
16.32	3.50	1.03	0.12	0.17	0.05	0.09	—	0.01	—	2.22	0.48	5.96	1.39	0.17	0.04	0.16	0.02
36.10	8.87	3.37	1.13	0.06	—	—	—	0.01	—	1.00	0.24	5.49	1.26	2.35	0.51	0.03	—
24.29	5.72	2.14	0.30	0.01	—	—	—	0.04	—	7.41	1.63	2.35	0.41	1.42	0.29	0.08	—
12.66	2.33	3.61	0.49	—	—	0.04	—	0.05	0.01	3.19	0.66	2.39	0.51	1.26	0.20	0.04	0.01
1.03	0.13	0.05	—	0.25	0.03	0.01	—	3.35	0.39	41.16	7.24	3.22	0.86	1.61	0.35	0.01	—
0.13	0.04	—	—	1.97	0.21	0.85	0.10	11.25	1.47	20.92	3.58	1.53	0.42	0.69	0.15	—	—
0.13	—	0.05	—	0.50	0.07	0.01	—	0.75	0.04	15.19	2.92	17.33	4.38	0.18	0.03	0.01	0.01
0.28	0.04	0.04	—	0.04	—	0.10	0.01	0.76	0.08	7.64	1.46	6.69	1.55	0.99	0.13	0.04	—
0.27	0.03	0.05	0.01	0.05	0.01	0.03	—	0.94	0.15	12.68	2.36	0.26	0.05	2.37	0.47	3.42	0.58
0.71	0.12	0.08	0.01	0.26	0.02	0.52	0.06	7.15	1.75	42.66	9.94	1.17	0.36	2.11	0.51	0.19	0.02
1.77	0.41	0.63	0.18	0.08	—	0.03	—	8.37	2.38	27.30	7.98	1.50	0.36	1.60	0.30	0.11	—
20.75	3.33	0.24	0.04	0.01	—	0.04	—	0.03	0.01	10.12	2.43	14 31	4.55	3.74	1.07	0.03	0.02
64.08	15.78	0.37	0.05	0.03	—	—	—	0.32	0.08	14.98	4.98	40.49	13.09	0.04	—	—	—
10.97	1.76	4.94	1.02	—	—	—	—	0.08	0.01	6.18	1.45	13.62	3.17	0.28	0.01	0.03	—
26.28	7.65	2.41	0.45	0.51	0.12	0.12	0.02	0.10	—	2.67	0.44	2.03	0.49	1.66	0.33	0.10	0.02
5.78	1.06	1.31	0.30	0.03	—	—	—	0.03	0.01	1.22	0.20	28.77	6 38	6.81	1.83	0.14	0.02
1.47	0.34	0.43	0.08	0.03	0.01	0.02	—	0.10	—	0.78	0.14	1.05	0.39	0.52	0.07	0.01	—
0.20	0.02	—	—	0.12	0.03	—	—	0.03	—	0.28	0.03	0.48	0.12	0.10	0.03	0.12	0.01
23.96	5.76	0.47	0.13	0.44	0.07	—	—	0.06	—	0.88	0.09	7.82	2.01	51.33	13.77	8.56	2.34
0.89	0.20	0.91	0.18	4.91	1.20	0.06	0.02	0.16	0.02	4.64	0.82	2.24	0.56	5.89	1.65	0.09	0.01
0.81	0.13	1.23	0.24	0.08	0.03	—	—	0.02	—	2.97	0.46	1.27	0.27	0.13	0.01	0.02	0.01
0.32	0.12	0.07	—	—	—	—	—	0.03	—	2.11	0.28	2.05	0.47	0.03	0.01	—	—
—	—	0.28	0.02	0.02	—	—	—	0.08	—	1.05	0.10	27.50	8.47	1.48	0.45	0.25	0.02
0.05	—	0.22	—	0.02	—	0.02	—	0.03	—	4.64	0.69	22.17	4.37	0.72	0.16	0.08	—
0.12	—	0.01	—	0.01	—	—	—	0.01	—	0.87	0.23	2.30	0.43	0.10	0.03	0.20	0.09
0.52	0.10	0.06	0.03	0.02	—	0.01	—	0.05	0.01	11.42	4.25	38.22	14.77	3.22	1.16	0.14	0.03
0.24	0.07	0.18	0.07	0.01	—	0.03	—	0.01	—	4.06	1.97	15.64	7.09	0.63	0.13	0.05	0.01
0.02	—	—	—	—	—	—	—	—	—	0.27	—	11.67	2.57	1.68	0.20	0.07	—
0.49	0.03	—	—	—	—	0.20	—	—	—	0.09	—	0.47	0.03	0.11	—	0.01	—
1.74	0.31	0.43	0.05	0.04	—	0.02	—	0.02	—	0.46	0.05	25.99	4.97	0.61	0.23	0.03	0.01
21.48	5.08	2.99	0.51	0.04	0.01	0.05	—	0.06	0.01	0.55	0.06	10.75	2.39	9.98	2.83	0.01	0.01
1.12	0.10	0.67	0.05	0.33	0.04	0.05	—	—	—	1.34	0.33	17.43	3.68	0.13	0.01	0.09	—
4.49	0.92	0.10	—	—	—	—	—	0.04	—	1.03	0.15	17.30	3.61	0.30	0.04	0.03	—
		—	—	0.04	—	—	—	0.03	—	0.19	0.09	1.38	0.28	0.24	0.06	0.03	—
1.39	0.21	0.08	—	0.16	0.03	0.01	—	0.11	—	0.22	0.01	2.22	0.55	0.25	0.04	0.04	—
18.60	8.88	0.67	0.05	0.40	0.02	0.10	—	0.34	—	0.42	0.05	4.05	0.75	0.15	0.02	0.15	—
1.31	0.17	0.10	—	0.07	0.01	0.08	—	0.08	—	0.45	0.07	8.12	1.47	1.77	0.25	0.07	0.01
0.20	—	0.05	—	0.09	—	0.04	—	0.07	—	0.02	—	2.98	0.38	8.16	1.98	0.22	—
0.28	0.01	0.20	0.01	0.08	0.01	0.19	0.03	0.06	—	0.24	0.04	14.56	4.17	23.08	7.38	1.05	0.24
0.93	0.11	—	—	0.06	0.01	0.05	—	0.01	0.01	0.12	0.03	1.58	0.20	3.67	0.69	0.17	0.03
3.85	0.72	0.23	0.05	0.08	—	—	—	0.03	—	0.25	0.04	4.57	0.94	0.34	0.04	0.02	—
0.27	—	—	—	—	—	—	—	—	—	0.53	—	1.10	0.16	0.41	0.02	0.07	0.04
14.53	7.83	0.25	0.06	—	—	0.15	0.03	0.01	—	—	—	1.42	0.38	7.29	2.54	0.67	0.21
65.20	19.00	—	—	—	—	0.30	—	—	—	0.10	—	—	—	—	—	—	—
10.07	2.52	4.00	0.21	0.33	0.08	0.07	0.01	0.87	0.17	8.10	2.02	9.96	2.82	2.93	0.79	0.30	0.06

第二十七表 (其二) 人口一萬ニ對スル

Table No. XXVII. (No. 2) Cases and Deaths of Small-Pox per

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	1.79	0.54	13.81	3.96	5.75	1.17	0.76	0.20	0.06	—	0.05	—	0.03	—
青森縣 Aomori Ken.	0.73	0.12	0.97	0.13	9.72	2.15	10.51	2.89	0.40	0.02	0.12	—	0.20	0.03
岩手縣 Iwate ,,	0.39	0.07	1.85	0.40	1.09	0.21	1.47	0.36	0.04	—	—	—	—	—
宮城縣 Miyagi ,,	9.33	2.76	9.00	2.30	1.70	0.42	0.30	0.06	0.02	—	—	—	—	—
秋田縣 Akita ,,	0.01	—	0.49	0.01	0.55	0.12	1.01	0.16	0.01	—	0.01	—	—	—
山形縣 Yamagata ,,	0.21	0.02	0.70	0.14	0.88	0.14	0.16	0.02	—	—	0.01	—	—	—
福島縣 Fukushima ,,	0.93	0.14	4.84	1.08	1.16	0.35	0.02	—	—	—	—	—	0.01	—
茨城縣 Ibaraki ,,	2.02	0.34	11.05	2.37	0.01	—	0.04	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	0.41	0.10	5.42	1.25	0.01	—	0.32	0.01	—	—	—	—	—	—
群馬縣 Gumma ,,	0.41	0.05	3.30	0.74	0.01	—	0.01	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	2.11	0.44	21.48	4.92	—	—	0.01	—	0.02	—	—	—	—	—
千葉縣 Chiba ,,	1.47	0.27	32.97	4.33	—	—	—	—	—	—	—	—	0.01	0.01
東京府 Tōkyo Fu.	13.12	3.78	31.62	10.63	0.11	0.01	0.06	—	0.04	—	0.13	0.01	0.05	—
神奈川縣 Kanagawa Ken.	1.56	0.21	10.92	3.08	0.03	—	0.01	—	0.01	—	0.04	—	0.01	—
新潟縣 Niigata ,,	0.27	0.03	5.36	1.30	0.07	0.02	0.01	—	0.01	—	0.01	—	—	—
富山縣 Toyama ,,	0.05	—	4.12	1.39	—	—	—	—	—	—	—	—	0.01	—
石川縣 Ishikawa ,,	0.30	0.01	0.97	0.17	0.11	—	0.05	—	0.01	—	—	—	—	—
福井縣 Fukui ,,	0.63	0.15	3.49	0.64	0.02	—	—	—	0.03	—	—	—	—	—
長野縣 Nagano ,,	0.19	0.02	1.65	0.30	0.15	0.06	0.07	—	—	—	0.01	—	0.02	—
岐阜縣 Gifu ,,	0.06	—	0.76	0.19	0.03	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	0.57	0.20	2.02	0.46	0.05	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	1.00	0.12	3.86	0.69	0.06	0.02	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	0.52	0.11	7.49	1.72	0.03	0.02	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	0.04	—	3.41	0.53	0.05	0.02	0.02	—	0.01	—	—	—	0.01	—
三重縣 Mie ,,	0.31	0.07	12.93	3.29	0.04	—	0.04	—	—	—	0.01	—	—	—
奈良縣 Nara ,,	1.00	0.12	11.93	2.55	—	—	—	—	0.01	—	—	—	0.02	—
和歌山縣 Wakayama ,,	2.04	0.38	11.01	2.12	—	—	—	—	—	—	—	—	—	—
京都府 Kyoto Fu.	1.88	0.48	4.96	1.42	0.01	—	0.10	—	0.02	—	0.02	—	—	—
大阪府 Ōsaka ,,	7.90	2.27	43.32	19.10	0.06	0.01	0.12	0.01	0.08	0.02	0.02	—	0.02	0.01
兵庫縣 Hyōgo Ken.	14.47	7.18	11.35	3.91	0.07	—	0.07	—	0.02	—	0.01	0.01	0.01	—
鳥取縣 Tottori ,,	0.22	0.02	5.42	1.16	0.10	—	0.02	—	0.12	—	—	—	—	—
島根縣 Shimane ,,	0.06	0.01	0.87	0.16	0.01	—	0.01	—	—	—	—	—	—	—
岡山縣 Okayama ,,	1.09	0.34	4.08	1.00	0.04	0.02	0.01	—	0.04	—	—	—	—	—
廣島縣 Hiroshima ,,	2.21	0.58	5.03	1.37	0.02	—	0.01	—	0.04	—	—	—	—	—
山口縣 Yamaguchi ,,	1.08	0.22	2.45	0.49	0.01	—	—	—	—	—	0.05	—	0.05	0.02
德島縣 Tokushima ,,	4.11	1.10	33.21	8.47	0.04	—	0.04	—	0.01	—	0.01	—	—	—
香川縣 Kagawa ,,	0.49	0.13	3.69	0.90	—	—	0.72	—	0.16	—	—	—	0.03	0.01
愛媛縣 Ehime ,,	0.56	0.11	3.79	0.87	0.65	0.14	0.04	—	—	—	—	—	0.01	—
高知縣 Kochi ,,	0.95	0.13	4.70	0.95	—	—	0.14	—	—	—	0.04	—	—	—
福岡縣 Fukuoka ,,	3.44	0.85	13.92	4.05	0.06	—	0.04	—	0.02	—	—	—	—	—
佐賀縣 Saga ,,	0.79	0.07	1.53	0.33	—	—	0.02	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	0.40	0.07	16.12	4.66	0.09	—	0.20	0.01	0.10	—	0.28	0.01	0.01	—
熊本縣 Kumamoto ,,	0.20	0.03	1.19	0.20	—	—	0.70	0.02	—	—	—	—	0.01	—
大分縣 Ōita ,,	0.53	0.05	4.39	1.17	0.02	—	0.01	—	—	—	0.01	—	—	—
宮崎縣 Miyazaki ,,	0.02	—	4.02	0.86	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	0.78	0.31	2.78	0.93	0.03	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	9.62	4.00	15.47	7.06	—	—	0.02	—	—	—	—	—	—	—
合計 Total.	2.46	0.78	9.46	2.77	0.40	0.08	0.27	0.06	0.02	0.00	0.02	0.00	0.01	0.00

痘瘡患者及死亡地方別

10,000 Population in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.03	—	0.10	—	0.32	0.07	0.56	0.11	—	—	0.50	0.09	—	—	0.25	0.05	0.03	—
0.12	—	0.03	—	—	—	0.04	0.03	—	—	0.03	—	0.01	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	0.17	0.03	—	—	—	—	—	—
—	—	—	—	—	—	0.01	0.01	—	—	—	—	—	—	—	—	—	—
0.13	—	—	—	—	—	—	—	0.24	—	—	—	—	—	—	—	—	—
0.13	—	—	—	—	—	—	—	—	—	0.16	0.04	—	—	—	—	—	—
—	—	—	—	—	—	0.29	0.10	—	—	0.05	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	0.48	0.13	—	—	—	—	—	—
—	—	0.01	—	—	—	—	—	—	—	0.23	0.03	—	—	0.01	—	—	—
0.01	—	0.01	—	—	—	0.01	—	—	—	0.19	0.02	—	—	0.01	—	—	—
—	—	—	—	0.01	—	—	—	—	—	0.18	0.04	—	—	0.01	—	—	—
—	—	—	—	—	—	0.01	—	—	—	0.36	0.08	0.01	0.01	—	—	—	—
0.01	—	0.03	—	0.00	—	0.00	—	0.02	—	5.55	1.52	0.03	0.00	—	—	—	—
0.02	—	0.04	—	0.01	—	0.32	0.09	0.14	0.03	5.82	1.78	0.03	0.01	0.01	—	0.02	—
0.01	—	0.03	—	—	—	0.00	—	—	—	0.30	0.03	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	0.16	0.01	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.01	—	0.67	0.08	—	—	—	—	—	—
—	—	0.03	—	—	—	—	—	0.03	—	1.25	0.16	—	—	—	—	—	—
0.01	—	0.01	—	—	—	0.09	0.01	—	—	0.14	0.04	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	0.55	0.11	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.01	—	0.53	0.07	—	—	—	—	—	—
—	—	—	—	0.09	—	—	—	—	—	1.31	0.26	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	0.47	0.15	0.01	—	—	—	—	—
—	—	—	—	0.04	0.01	—	—	0.13	0.02	4.33	0.90	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.03	—	1.73	0.28	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.02	—	2.93	0.65	—	—	0.18	—	0.02	—
—	—	0.01	—	0.03	—	—	—	1.03	0.11	3.88	0.64	0.01	—	—	—	—	—
—	—	0.01	—	—	—	0.01	—	0.05	—	2.28	0.33	—	—	—	—	—	—
0.02	0.01	0.03	—	0.20	0.07	0.00	—	0.10	0.01	16.38	7.78	0.02	0.00	—	—	0.00	—
0.04	—	0.04	—	0.02	0.01	0.02	—	4.52	2.25	29.73	10.92	0.01	0.01	0.01	—	0.04	—
—	—	—	—	—	—	—	—	0.02	—	0.50	0.09	—	—	—	—	—	—
—	—	0.03	—	—	—	1.24	0.29	—	—	0.30	0.08	—	—	—	—	—	—
—	—	—	—	0.04	0.01	—	—	0.01	—	1.73	0.43	—	—	—	—	0.16	0.04
0.07	0.01	0.01	—	0.02	—	0.39	0.07	0.03	0.01	3.06	0.68	—	—	0.01	—	0.06	—
0.03	0.02	0.29	0.01	0.19	0.06	1.16	0.30	0.02	0.01	2.21	0.66	—	—	—	—	—	—
—	—	0.04	0.01	0.03	—	0.01	—	0.06	—	10.20	2.31	—	—	—	—	—	—
—	—	0.01	0.01	—	—	—	—	—	—	7.80	2.06	0.01	—	0.01	0.01	—	—
—	—	0.01	0.01	0.83	0.14	0.01	—	—	—	1.23	0.17	—	—	—	—	—	—
—	—	—	—	0.03	0.03	—	—	—	—	0.76	0.15	—	—	0.12	—	—	—
0.02	0.01	0.44	0.03	0.23	0.05	0.01	—	0.02	—	5.29	1.30	0.08	0.01	0.01	0.01	—	—
—	—	0.30	0.03	0.03	—	—	—	0.11	0.02	0.63	0.16	0.02	—	—	—	0.23	0.09
0.02	—	8.01	1.81	0.03	—	0.15	0.01	0.06	0.03	0.37	0.08	0.05	0.01	0.01	0.01	1.29	0.21
0.02	—	1.11	0.18	0.18	0.04	0.01	0.01	—	—	0.13	0.04	0.05	0.01	0.06	0.01	0.01	—
—	—	0.06	—	0.12	0.02	0.57	0.07	0.02	—	1.40	0.18	0.49	0.13	0.10	0.01	—	—
—	—	1.10	0.16	—	—	0.04	0.04	—	—	1.44	0.30	—	—	—	—	—	—
—	—	0.29	0.05	—	—	—	—	—	—	0.05	0.01	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	4.68	0.72	0.32	0.12	—	—	—	—
0.02	0.00	0.25	0.05	0.06	0.01	0.10	0.02	0.21	0.09	3.51	1.13	0.02	0.01	0.02	0.00	0.04	0.01

第二十七表 (其三) 人口一萬ニ對スル

Table No. XXVII. (No. 3) Cases and Deaths of Small-Pox per

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	0.02	—	0.01	—	—	—	0.02	0.01	0.01	—	0.02	0.01	0.00	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	0.80	0.02
岩手縣 Iwate ,,	—	—	—	—	0.01	—	—	—	—	—	0.07	0.02	1.18	0.26
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.14	0.02
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.02	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.10	0.01
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—	0.04	0.01	—	—
茨城縣 Ibaraki ,,	—	—	—	—	0.01	—	—	—	—	—	0.01	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	0.01	—	—	—	—	—	—	—	0.20	0.04
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	0.06	—	0.01	0.01
埼玉縣 Saitama ,,	—	—	—	—	0.01	0.01	—	—	—	—	—	—	0.06	—
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	—	—	0.01	—	0.03	0.01
東京府 Tokyo Fu.	—	—	0.07	0.04	0.13	0.05	—	—	—	—	0.09	0.01	0.47	0.12
神奈川縣 Kanagawa Ken.	—	—	0.03	—	0.02	0.02	—	—	0.14	0.03	0.07	0.02	0.10	0.01
新潟縣 Niigata ,,	—	—	0.03	0.02	0.00	—	—	—	—	—	0.03	0.01	0.01	0.01
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	0.02	0.01	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	0.01	—	0.06	0.01	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	0.29	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.03	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.01	—
滋賀縣 Shiga ,,	—	—	—	—	0.01	—	—	—	—	—	0.06	0.01	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	—	—	0.10	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—	0.11	0.01	0.13	0.02
愛知縣 Aichi ,,	0.01	—	—	—	—	—	—	—	—	—	0.01	—	0.07	0.01
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	0.21	0.04	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—	1.23	0.33	—	—
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—	0.12	0.17	—	—
京都府 Kyoto Fu.	—	—	—	—	0.02	—	—	—	0.01	—	0.93	0.17	0.03	—
大阪府 Ōsaka ,,	—	—	—	—	0.00	—	—	—	0.11	0.03	10.25	2.93	0.05	0.02
兵庫縣 Hyogo Ken.	—	—	—	—	—	—	—	—	0.97	0.15	2.83	0.56	1.05	0.32
鳥取縣 Tottori ,,	0.02	—	—	—	—	—	—	—	0.06	0.04	0.08	0.02	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—	0.03	—	0.02	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	1.56	0 28	0.05	—
廣島縣 Horoshima ,,	0.01	—	—	—	—	—	—	—	—	—	1.36	0.12	0.02	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	0.29	0.01	0.07	0.02
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	1.69	0.16	0.54	0.07
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	0.01	—	1.63	0.17	1.84	0.41
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	—	0.71	0.14	0.02	—
高知縣 Kōchi ,,	—	—	—	—	—	—	—	—	—	—	1.45	0.23	0.01	—
福岡縣 Fukuoka ,,	—	—	0.02	—	0.23	0.08	—	—	—	—	1.00	0.20	1.30	0.24
佐賀縣 Saga ,,	—	—	—	—	0.01	—	—	—	—	—	0.57	0.10	0.07	0.01
長崎縣 Nagasaki ,,	0.02	—	0.59	0.19	3.20	0.69	0.12	0.02	0.01	0.01	0.08	0.03	0.88	0.2
熊本縣 Kumamoto ,,	0.05	0.01	—	—	0.15	0.01	—	—	—	—	2.17	0.45	0.61	0.1
大分縣 Ōita ,,	—	—	0.06	—	0.23	—	—	—	—	—	0.03	—	1.41	0.0
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	2.97	0.50	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	0.04	0.03	—	—	—	—	0.11	0.01	0.05	0.0
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	0.07	0.02	—	—	0.12	0.0
合計 Total.	0.00	0.00	0.02	0.01	0.09	0.02	0.00	0.00	0.11	0.02	0.91	0.21	0.26	0.0

痘瘡患者及死亡地方別

10,000 Population in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.48	0.09	0.14	0.04	—	—	0.10	0.01	0.92	0.21								
0.29	0.08	0.03	—	—	—	—	—	0.09	0.01								
—	—	0.06	—	0.01	—	—	—	—	—								
0.05	0.01	—	—	—	—	0.02	0.01	0.03	—								
0.13	0.03	1.24	0.28	—	—	0.10	0.01	0.21	0.02								
0.01	—	0.34	0.02	0.01	—	—	—	—	—								
0.23	0.03	0.27	0.08	0.04	—	0.05	0.01	—	—								
0.83	0.14	0.03	0.01	—	—	—	—	0.02	0.01								
0.06	0.02	0.04	0.01	0.09	0.03	0.10	0.02	0.01	—								
—	—	0.02	0.02	0.02	—	—	—	—	—								
—	—	0.11	0.02	—	—	—	—	0.01	—								
0.01	—	0.02	—	0.19	0.03	—	—	—	—								
0.01	0.00	0.32	0.10	0.01	—	0.04	0.01	0.05	0.02								
0.02	—	0.01	—	0.04	0.01	0.10	0.01	0.04	—								
0.32	0.03	0.17	0.02	1.34	0.23	0.58	0.08	0.49	0.14								
—	—	—	—	—	—	0.55	0.07	—	—								
1.03	0.08	0.17	0.01	—	—	—	—	0.01	—								
0.10	—	0.25	0.03	—	—	0.25	0.05	0.02	0.02								
0.03	0.01	0.01	0.01	—	—	—	—	0.01	—								
0.06	0.01	0.03	—	—	—	—	—	0.05	0.01								
—	—	0.95	0.18	—	—	0.06	0.02	0.06	—								
—	—	—	—	—	—	0.02	—	—	—								
0.18	0.03	0.14	0.06	0.01	—	—	—	0.01	0.01								
0.13	0.03	0.05	0.01	0.06	—	—	—	0.01	—								
0.18	0.02	0.22	0.04	0.01	—	—	—	—	—								
0.33	0.14	0.01	—	0.07	0.01	0.04	0.01	—	—								
1.65	0.31	1.77	0.48	—	—	—	—	—	—								
0.38	0.07	0.44	0.09	0.02	0.01	0.07	0.01	0.04	—								
1.74	0.54	4.67	1.55	0.35	0.10	0.02	0.00	0.82	0.16								
6.59	2.06	0.37	0.07	0.41	0.16	0.07	0.03	0.44	0.07								
0.18	0.02	0.13	0.04	—	—	0.15	0.02	0.28	0.02								
0.20	0.03	0.31	0.08	—	—	0.01	—	0.03	0.01								
0.17	0.03	0.22	0.06	0.05	—	0.05	—	0.06	0.01								
0.12	0.02	0.48	0.05	0.01	0.01	0.09	0.06	2.36	0.64								
1.17	0.23	0.70	0.08	0.32	0.08	0.79	0.20	0.90	0.20								
3.92	0.72	1.22	0.24	0.12	0.06	—	—	1.08	0.07								
0.84	0.12	0.24	0.01	1.27	0.24	0.01	—	0.46	0.10								
0.12	0.03	0.32	0.10	0.07	—	0.23	0.08	0.27	0.07								
0.85	0.26	1.97	0.28	0.16	0.03	—	—	—	—								
0.18	0.02	1.15	0.30	0.53	0.16	1.03	0.22	0.99	0.09								
0.02	—	0.01	—	0.06	0.01	0.21	0.04	0.73	0.10								
0.35	0.08	0.17	0.02	1.34	0.23	0.58	0.08	0.49	0.14								
0.04	—	0.18	0.02	1.34	0.30	0.12	0.01	0.84	0.10								
0.13	0.04	2.56	0.74	0.27	0.05	0.18	0.05	1.73	0.47								
1.25	0.36	0.18	0.06	0.02	—	—	—	0.33	0.03								
0.65	0.03	0.20	0.10	0.01	—	0.01	—	0.03	0.01								
0.02	—	—	—	—	—	—	—	—	—								
0.72	0.20	0.57	0.15	0.16	0.04	0.12	0.02	0.33	0.07								

第二十八表 (其一) 人口壹萬ニ對スル發疹

Table No. XXVIII. (No. 1) Cases and Deaths of Typhus per

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	0.17	—	0.11	0.05	0.16	0.16	0.10	—	0.42	0.10
青森縣 Aomori Ken.	0.04	—	0.03	—	0.10	0.04	0.02	—	0.04	0.04	0.10	—	0.16	0.08
岩手縣 Iwate ,,	0.39	0.12	0.17	0.07	0.07	0.03	—	—	0.05	0.05	—	—	0.16	0.06
宮城縣 Miyagi ,,	1.37	0.03	0.85	0.21	0.10	0.08	0.05	0.03	0.03	0.02	—	—	0.04	0.03
秋田縣 Akita ,,	0.06	—	0.03	—	—	—	0.17	0.03	0.09	0.03	0.11	—	0.38	0.14
山形縣 Yamagata ,,	0.66	0.25	0.47	0.22	0.16	0.04	0.04	0.03	0.18	0.01	0.17	0.01	0.43	0.14
福島縣 Fukushima ,,	0.91	0.07	0.39	0.04	0.13	0.03	0.02	0.02	0.04	0.01	—	—	0.03	0.02
茨城縣 Ibaraki ,,	0.09	0.02	0.03	0.01	0.13	0.02	0.03	—	0.03	0.02	0.23	0.10	0.63	0.17
栃木縣 Tochigi ,,	0.31	0.02	0.22	0.02	0.10	0.05	0.02	—	0.11	0.05	0.02	—	0.15	0.02
群馬縣 Gumma ,,	0.93	0.26	0.98	0.25	0.70	0.26	0.20	—	0.13	0.03	0.11	0.05	0.51	0.09
埼玉縣 Saitama ,,	0.62	0.15	0.62	0.16	0.72	0.12	0.30	0.07	0.01	—	0.22	0.03	0.23	0.05
千葉縣 Chiba ,,	0.50	0.05	0.67	0.08	—	—	0.22	0.04	0.04	0.03	0.10	0.04	0.30	0.05
東京府 Tokyō Fu.	2.92	0.73	3.63	0.91	0.47	0.13	0.18	0.03	0.12	0.03	0.11	0.03	0.11	0.06
神奈川縣 Kanagawa Ken.	2.28	0.50	3.31	0.49	0.64	0.16	0.10	0.04	0.11	0.02	0.13	0.02	0.23	0.06
新潟縣 Niigata ,,	0.01	0.01	0.01	—	0.03	0.02	0.02	0.01	0.01	—	0.02	0.02	0.04	0.01
富山縣 Toyama ,,							?	?	0.11	0.01	0.33	0.03	0.55	0.11
石川縣 Ishikawa ,,	0.12	0.04	0.09	0.03	0.13	0.04	0.03	0.01	0.03	0.04	0.33	0.07	1.12	0.24
福井縣 Fukui ,,	—	—	—	—	0.12	0.05	0.02	0.02	0.10	0.02	0.03	—	2.56	0.51
長野縣 Nagano ,,	0.08	—	0.19	0.03	0.04	0.02	0.03	0.03	0.07	0.03	0.05	0.02	0.16	0.07
岐阜縣 Gifu ,,	0.12	0.08	0.03	0.04	0.03	0.02	0.07	0.01	0.11	0.03	0.04	0.01	0.46	0.07
滋賀縣 Shiga ,,	—	—	—	—	—	—	0.02	0.02	0.05	0.02	0.03	0.02	1.15	0.12
山梨縣 Yamanashi ,,	1.90	0.25	0.89	0.20	0.44	0.12	0.05	0.05	0.02	—	0.07	0.02	0.28	0.05
靜岡縣 Shizuoka ,,	0.23	0.05	0.40	0.03	0.08	0.05	0.02	—	0.04	0.02	0.01	—	0.05	—
愛知縣 Aichi ,,	0.25	0.05	0.15	0.04	0.15	0.09	0.13	0.07	0.03	0.01	0.04	0.01	1.87	0.28
三重縣 Mie ,,	0.33	0.11	0.20	0.03	0.34	0.14	0.13	0.05	0.15	0.02	0.04	0.02	0.27	0.06
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	0.28	0.15	0.13	0.10	0.02	—	0.03	0.02	0.02	—	0.03	0.02	0.24	0.13
京都府 Kyoto Fu.	0.09	0.02	0.14	0.04	0.04	0.01	—	—	0.02	0.01	0.04	0.02	17.61	3.86
大阪府 Ōsaka ,,	0.29	0.14	0.12	0.07	0.22	0.03	0.03	0.02	0.15	0.03	0.11	0.02	10.69	2.29
兵庫縣 Hyogo Ken.	0.98	0.25	0.60	0.18	0.48	0.17	0.17	0.07	19.42	2.03	3.03	0.55	15.95	2.82
鳥取縣 Tottori ,,			—	—	0.03	0.03	0.11	0.05	0.03	0.08	0.03	—	0.16	0.05
島根縣 Shimane ,,	0.13	0.05	0.06	0.02	0.01	—	0.02	—	—	—	0.01	—	0.03	0.03
岡山縣 Okayama ,,	—	—	—	—	—	—	0.03	0.02	1.10	0.16	7.51	0.83	0.75	0.19
廣島縣 Hiroshima ,,	0.02	0.02	0.02	0.01	—	—	0.02	—	0.39	0.06	0.29	0.11	0.69	0.18
山口縣 Yamaguchi ,,	0.19	0.07	0.05	0.03	0.15	0.03	0.37	0.13	0.67	0.03	0.20	0.03	0.52	0.16
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	0.03	0.03	9.02	0.91
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	0.97	0.32	0.59	0.17	0.55	0.15	0.44	0.10	0.63	0.10	0.40	0.08	0.43	0.12
高知縣 Kochi ,,	0.07	0.03	0.51	0.15	0.07	0.05	0.04	0.04	0.15	0.02	0.27	0.04	0.29	0.13
福岡縣 Fukuoka ,,	0.20	0.10	—	—	0.04	—	0.07	0.01	0.04	0.02	0.08	0.05	—	—
佐賀縣 Saga ,,							?	?	0.17	0.06	0.13	0.02	0.11	0.02
長崎縣 Nagasaki ,,	0.11	0.01	0.02	0.01	0.17	0.01	0.21	0.04	0.04	0.04	0.07	0.04	0.05	0.01
熊本縣 Kumamoto ,,	0.27	0.06	0.22	0.07	0.09	0.02	0.19	0.03	1.30	0.27	6.87	0.98	3.90	0.65
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	2.89	0.16
宮崎縣 Miyazaki ,,							?	?	0.03	—	0.05	0.05	0.03	0.03
鹿兒島縣 Kagoshima ,,	0.03	0.02	0.06	0.02	0.05	0.02	—	—	—	—	0.05	—	0.02	0.01
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.42	0.10	0.38	0.09	0.17	0.05	0.11	0.03	0.92	0.12	0.61	0.10	2.12	0.41

「チフス」患者及死亡地方別

10,000 Population in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.09	—	0.11	0.03	2.07	0.18	—	—	0.11	0.04	0.04	—	0.02	—	—	—	—	—
0.08	0.04	0.02	—	—	—	0.02	0.02	—	—	—	—	—	—	—	—	0.02	—
0.08	0.03	0.02	0.02	0.03	0.03	—	—	0.01	—	—	—	—	—	—	—	—	—
—	—	0.05	0.03	—	—	0.08	0.01	—	—	—	—	—	—	—	—	—	—
0.26	0.05	0.10	0.01	0.06	0.03	—	—	—	—	0.01	0.01	0.10	—	—	—	—	—
0.04	0.01	0.03	—	0.01	—	0.13	0.03	0.01	—	0.12	0.01	0.04	0.01	0.20	0.03	0.13	0.05
0.01	—	0.01	0.01	0.03	—	—	—	—	—	0.01	0.01	—	—	0.01	0.01	0.01	0.01
0.35	0.01	0.19	0.09	0.04	0.01	0.10	0.05	0.16	0.03	0.03	0.01	0.05	0.03	0.10	—	0.14	0.05
0.06	0.01	0.03	—	0.04	0.03	0.06	0.01	0.05	0.01	0.01	0.01	0.01	—	0.01	—	0.03	0.01
1.62	0.23	0.15	0.07	0.06	0.01	—	—	0.03	0.01	0.08	0.03	—	—	0.01	—	—	—
0.47	0.13	0.13	0.02	0.04	0.03	0.01	0.02	0.04	0.01	0.04	0.01	0.03	—	—	—	—	—
0.29	0.07	0.02	—	—	—	0.02	—	0.20	0.03	0.12	0.05	0.02	0.02	0.04	0.02	0.06	0.01
0.05	0.01	0.05	0.03	0.02	—	0.03	0.01	0.07	0.03	0.13	0.01	0.02	0.02	0.06	0.02	0.06	0.03
0.27	0.04	0.17	0.05	0.08	0.04	0.10	0.06	0.24	0.06	0.17	0.04	0.01	0.03	0.06	—	0.01	0.02
0.07	0.01	0.59	0.05	0.01	0.01	0.01	—	—	—	0.34	0.03	0.01	—	0.02	0.01	0.04	0.01
2.74	0.54	0.08	0.03	0.04	0.01	0.01	—	0.04	0.01	0.04	—	0.07	0.04	0.05	0.01	0.05	0.03
0.30	0.05	0.11	0.04	0.04	0.03	0.13	0.08	0.05	0.03	0.03	0.03	0.04	0.01	0.03	—	0.03	—
0.12	0.03	0.40	0.02	0.13	0.05	0.03	0.03	—	—	0.03	—	—	—	—	—	—	—
0.14	0.03	0.03	—	0.03	—	0.02	0.01	0.02	0.01	0.01	—	—	—	—	—	—	—
—	—	0.02	—	0.04	0.02	—	—	—	—	0.01	—	0.02	—	0.02	—	—	—
0.60	0.09	0.03	—	—	—	—	—	—	—	0.01	0.01	—	—	—	—	—	—
0.16	0.09	0.11	0.04	0.15	0.02	0.02	—	0.09	0.04	0.11	0.02	—	—	0.06	0.02	0.29	0.02
0.02	—	0.03	0.02	—	—	—	—	0.04	0.03	0.04	0.01	—	—	—	—	0.10	—
—	—	—	—	—	—	0.01	—	—	—	0.01	0.01	0.03	0.01	0.01	—	0.01	0.01
0.06	0.03	0.09	0.02	0.04	—	—	—	0.01	0.01	0.03	0.02	0.01	0.01	—	—	—	—
		—	—	0.04	0.02	0.02	0.02	0.02	—	0.06	0.04	0.12	0.04	0.04	0.02	0.08	0.02
0.03	0.03	0.05	0.03	—	—	—	—	0.05	0.02	0.09	0.06	—	—	0.06	0.03	0.02	—
0.06	0.02	0.01	0.01	—	—	—	—	0.16	0.05	—	—	0.01	—	—	—	0.09	0.04
0.26	0.07	0.05	0.02	0.14	0.05	0.05	0.03	0.89	0.24	0.09	0.03	0.20	0.08	0.10	0.01	—	—
5.70	1.11	1.61	0.03	0.30	0.12	0.90	0.15	5.50	0.73	0.27	0.04	0.58	0.13	0.19	0.06	0.34	0.08
0.21	0.05	0.13	0.03	0.06	—	—	—	0.37	0.05	0.02	—	0.05	—	0.02	—	—	—
2.27	0.19	0.01	0.01	—	—	—	—	—	—	0.06	—	0.06	—	0.01	0.01	—	—
2.56	0.29	0.05	0.01	—	—	0.02	—	0.04	0.02	0.28	0.06	0.04	0.01	0.01	0.01	0.05	—
0.38	0.14	0.30	0.04	0.05	0.02	0.05	0.02	0.05	0.03	0.01	—	0.07	0.01	0.10	0.02	0.01	0.01
0.44	0.05	—	—	0.02	0.02	—	—	0.03	0.03	—	—	—	—	—	—	0.01	0.01
5.95	1.01	6.88	0.93	0.40	0.09	0.04	0.01	0.13	0.04	0.12	0.04	0.40	—	0.01	0.01	0.21	0.04
		—	—	0.04	0.01	0.01	0.01	0.55	0.06	0.07	—	0.04	—	0.01	0.01	0.03	—
0.22	0.05	0.43	0.14	0.21	0.03	0.01	—	0.07	0.01	0.02	0.01	0.01	—	0.02	0.01	0.04	—
0.04	0.04	0.07	0.05	0.07	0.02	0.02	—	—	—	—	—	0.03	—	—	—	—	—
0.02	—	—	—	—	—	—	—	—	—	0.02	—	0.01	0.01	—	—	—	—
0.04	—	0.04	0.02	0.04	0.04	0.02	—	0.04	—	—	—	—	—	—	—	—	—
0.03	—	0.03	0.01	0.07	0.04	0.03	0.01	—	—	—	—	—	—	—	—	—	—
0.10	0.03	0.05	0.01	0.02	0.02	0.01	—	—	—	0.01	—	0.03	0.02	—	—	—	—
0.06	0.06	—	—	0.04	0.03	0.01	—	—	—	—	—	—	—	—	—	—	—
0.05	—	0.05	0.05	—	—	—	—	—	—	—	—	—	—	—	—	0.02	—
0.03	0.01	0.16	0.03	0.16	0.06	0.09	0.03	—	—	—	—	—	—	—	—	—	—
—	—	1.04	0.16	—	—	0.02	0.02	—	—	—	—	—	—	—	—	—	—
0.63	0.11	0.28	0.05	0.07	0.02	0.06	0.02	0.29	0.05	0.07	0.01	0.05	0.01	0.03	0.01	0.04	0.01

第二十八表 (其二) 人口壹萬ニ對スル發疹

Table No. XXVIII. (No. 2) Cases and Deaths of Typhus per

	同二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	0.01	0.01	0.01	—	0.01	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	0.03	—	0.05	0.05	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	0.01	0.01	0.01	—	—	—	—	—	—	—
山形縣 Yamagata ,,	0.01	0.01	0.14	0.06	0.07	0.01	0.39	0.06	0.26	0.06	0.20	0.05	0.24	0.02
福島縣 Fukushima ,,	—	—	—	—	0.02	—	—	—	0.34	0.03	—	—	—	—
茨城縣 Ibaraki ,,	0.03	—	0.01	—	0.02	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	0.01	—	0.03	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	0.01	0.01	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	0.02	0.01	0.05	0.01	—	—	0.02	0.01	0.01	—	0.01	—	0.01	—
千葉縣 Chiba ,,	0.03	—	0.06	0.02	—	—	—	—	—	—	—	—	—	—
東京府 Tokyo Fu.	0.03	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.02	0.01	—	—	—	—
神奈川縣 Kanagawa Ken.	0.01	—	0.03	0.02	—	—	0.01	0.01	—	—	—	—	—	—
新潟縣 Niigata ,,	0.01	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	0.04	0.03	—	—	—	—	0.02	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	0.01	0.01	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	0.07	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	0.01	0.01	0.05	0.02	—	—	—	—	0.01	—	—	—	—	—
滋賀縣 Shiga ,,	0.03	0.03	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	0.06	—	—	—	0.04	0.02	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	0.01	0.01	—	—	—	—	—	—	0.01	0.01	—	—	—	—
愛知縣 Aichi ,,	0.01	—	0.01	0.01	—	—	0.01	—	0.01	0.01	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	0.02	—	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	0.02	0.02	0.02	—	0.01	0.01	—	—	—	—
京都府 Kyōto Fu.	0.01	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	0.03	0.01	0.01	—	0.01	—	0.01	—	0.02	—	0.01	0.01	0.01	0.01
兵庫縣 Hyogo Ken.	0.24	0.05	—	—	0.01	0.01	0.03	0.01	0.01	—	0.01	0.01	—	—
鳥取縣 Tottori ,,	—	—	—	—	0.02	0.02	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	0.03	—	0.01	0.01	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	0.04	0.01	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	0.03	0.03	—	—	0.05	0.03	0.01	0.01	—	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	0.03	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	0.06	—	—	—	0.01	0.01	—	—	—	—	—	—
愛媛縣 Ehime ,,	0.02	—	—	—	—	—	—	—	0.01	—	—	—	—	—
高知縣 Kochi ,,	—	—	0.03	0.03	0.01	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	0.02	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	0.05	0.05	0.02	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	0.02	0.02	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	0.01	0.01	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.02	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.02	0.00	0.00	0.00	0.00	0.00

「チフス」患者及死亡地方別

10,000 Population in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—	—	—	—	—	0.01	—	0.01	0.01	—	—
—	—	0.02	—	—	—	0.01	—	—	—	—	—	—	—	—	—	—	—
0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.03	0.01	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	0.01	0.01	—	—	—	—
—	—	0.38	0.05	—	—	—	—	—	—	0.03	0.01	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.00	—	—	—	—	—	0.00	0.00	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	0.02	0.02	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.02	0.02	—	—	—	—	—	—	0.02	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02
—	—	—	—	—	—	—	—	0.01	—	—	—	—	—	0.01	0.01	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.01	—	—	—	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.01	0.01
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.02	—	—	—	—
0.01	0.01	—	—	—	—	0.01	—	0.01	—	—	—	—	—	—	—	0.01	0.01
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.02	0.01	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.01	—	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.00	0.00	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

第二十八表 (其三) 人口壹萬ニ對スル發疹

Table No. XXVIII. (No. 3) Cases and Deaths of Typhus per

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	0.35	0.01	0.45	0.07	0.01	—	0.01	—	0.02	—
青森縣 Aomori Ken.	—	—	—	—	5.86	1.04	2.13	0.27	1.35	0.18	1.41	0.22	0.38	0.03
岩手縣 Iwate ,,	—	—	—	—	2.06	0.08	0.48	0.04	0.01	—	—	—	0.01	0.01
宮城縣 Miyagi ,,	—	—	—	—	2.53	0.25	0.99	0.10	0.08	0.02	0.25	0.03	0.01	—
秋田縣 Akita ,,	—	—	—	—	3.64	0.39	0.02	—	—	—	0.64	0.04	0.58	0.09
山形縣 Yamagata ,,	—	—	—	—	0.08	0.01	0.35	0.04	—	—	0.07	0.01	1.38	0.18
福島縣 Fukushima ,,	—	—	—	—	5.41	0.81	0.03	0.01	0.08	0.02	0.01	0.01	0.01	0.01
茨城縣 Ibaraki ,,	—	—	—	—	1.65	0.37	0.18	0.05	0.00	0.00	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	0.28	0.10	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	1.11	0.15	0.01	—	0.11	0.03	0.01	—	0.03	—
埼玉縣 Saitama ,,	—	—	—	—	1.07	0.25	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	0.33	0.04	—	—	—	—	0.01	—	—	—
東京府 Tōkyō Fu.	—	—	—	—	13.52	2.58	0.18	0.03	1.28	0.72	—	—	0.04	0.00
神奈川縣 Kanagawa Ken.	—	—	—	—	1.17	0.16	—	—	—	—	—	—	0.01	—
新潟縣 Niigata ,,	—	—	—	—	0.25	0.03	—	—	0.01	0.01	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	0.03	0.01	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	0.01	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.04	0.0
長野縣 Nagano ,,	—	—	—	—	0.59	0.10	0.03	0.01	0.36	0.08	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	0.51	0.15	—	—	—	—	0.18	0.03	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	0.08	0.03	—	—	0.01	—	—	—	0.01	—
知愛縣 Aichi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	0.02	—	0.02	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	0.00	0.00	—	—	—	—	—	—	—	—	—	—	—	—
兵庫縣 Hyōgo Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	0.06	0.04	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	0.03	0.01	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	0.01	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	0.08	0.01	—	—	—	—	—	—	—	—
高知縣 Kōchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	0.01	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	0.03	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	0.04	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	0.04	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	0.02	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	0.02	0.01	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	0.07	0.02	—	—	—	—
合計 Total.	0.00	0.00	—	—	0.23	0.01	0.09	0.01	0.11	0.02	0.04	0.00	0.04	0.0

「チフス」患者及死亡地方別

10,000 Population in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.02	—	—	—	—	—	—	—	0.03	0.00								
1.45	0.19	0.41	0.01	0.04	0.01	0.08	0.05	—	—								
0.12	0.01	—	—	—	—	—	—	—	—								
0.06	—	—	—	0.85	0.09	—	—	0.04	—								
0.66	0.08	0.07	—	0.15	0.01	0.01	0.01	—	—								
0.31	0.06	0.26	0.02	0.72	0.10	0.14	0.02	—	—								
—	—	0.01	—	—	—	0.01	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
0.01	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
0.01	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	0.01	0.01								
—	—	—	—	—	—	—	—	—	—								
0.01	0.01	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	0.00	0.00								
—	—	—	—	—	—	0.02	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	0.01	0.01	—	—	—	—								
—	—	—	—	0.01	—	—	—	—	—								
—	—	—	—	—	—	—	—	0.01	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—	—	—								
0.04	0.01	0.01	0.00	0.03	0.00	0.00	0.00	0.00	0.00								

第二十九表 (其一) 人口壹萬ニ對スル猩紅熱

Table No. XXIX. (No. 1) Cases and Deaths of Scarlet Fever per

	明治三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.		同三十六年 1903.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	0.01	—	—	—	—	—	—	—	0.02	—	0.01	—	0.01	—
青森縣 Aomori Ken.	—	—	0.05	0.02	—	—	0.01	0.01	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	0.01	0.01	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	0.01	—	—	—	—	—	—	—	0.06	—	0.02	—
秋田縣 Akita ,,	0.01	0.01	—	—	0.03	0.01	0.03	—	0.01	—	0.01	—	—	—
山形縣 Yamagata ,,	0.12	—	0.04	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima ,,	0.03	—	0.03	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	0.01	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	0.01	—	0.01	—	—	—	—	—	0.02	—	—	—
千葉縣 Chiba ,,	0.01	—	—	—	—	—	—	—	—	—	—	—	—	—
東京府 Tōkyō Fu.	—	—	0.12	0.01	0.15	0.01	0.08	0.01	0.09	0.01	0.28	0.01	0.24	0.01
神奈川縣 Kanagawa Ken.	0.00	—	0.02	—	0.03	0.01	0.07	—	0.06	0.01	0.09	0.01	0.03	—
新潟縣 Niigata ,,	—	—	—	—	—	—	0.01	—	—	—	0.01	—	0.01	0.01
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.01	—
福井縣 Fukui ,,	—	—	0.02	0.02	0.02	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	0.02	—	0.01	—	0.01	—
岐阜縣 Gifu ,,	0.01	—	—	—	0.02	—	—	—	—	—	—	—	2.02	0.01
滋賀縣 Shiga ,,	0.05	—	—	—	0.06	0.02	0.04	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	—	—	0.01	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	0.04	—	0.01	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	0.02	—	0.02	—	—	—	0.02	—	—	—	0.01	—	—	—
京都府 Kyōto Fu.	0.01	—	0.21	0.03	0.30	—	0.23	0.03	0.02	—	0.26	0.03	0.26	0.02
大阪府 Ōsaka ,,	0.04	0.01	0.04	—	0.03	—	0.13	0.02	0.07	—	0.07	0.01	0.04	0.02
兵庫縣 Hyōgo Ken.	0.04	—	—	—	0.01	—	0.01	0.01	0.01	0.01	0.02	—	0.06	0.01
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	0.02	—	—	—
島根縣 Shimane ,,	—	—	0.03	0.01	0.01	—	0.02	—	—	—	0.01	0.01	0.03	—
岡山縣 Okayama ,,	—	—	0.01	—	0.02	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	0.01	0.01	0.01	—	—	—	0.01	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.03	—
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	0.01	0.01	—	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	0.01	—	0.01	—	0.01	—	—	—	0.01	0.01	—	—
高知縣 Kōchi ,,	—	—	—	—	—	—	0.03	0.02	—	—	0.02	—	0.03	—
福岡縣 Fukuoka ,,	—	—	—	—	—	—	0.02	0.02	0.01	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	0.02	—	—	—	—	—	0.01	—	0.02	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	0.01	—	—	—	—	—	0.01	—	—	—
大分縣 Ōita ,,	0.04	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	0.01	—	—	—	—	—	—	—	—	—	0.06	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.01	0.00	0.02	0.00	0.02	0.00	0.02	0.00	0.01	0.00	0.03	0.00	0.03	0.00

患者及死亡地方別

10,000 Population in Each Prefecture.

同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.		大正元年 1912.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	0.06	0.02	0.07	0.01	0.12	0.01	0.16	—	0.40	0.01	0.47	0.01	0.25	0.02
—	—	0.01	—	0.06	—	0.07	—	0.04	—	0.35	0.02	0.10	—	0.05	—	0.04	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	0.01	—
—	—	—	—	0.02	—	0.07	—	0.02	—	0.02	—	0.17	0.02	0.07	0.01	0.06	0.01
—	—	—	—	—	—	0.01	—	—	—	0.02	—	0.12	—	0.09	—	0.72	0.18
—	—	—	—	—	—	0.07	0.01	0.03	0.01	0.08	—	0.07	—	0.07	—	0.04	0.01
—	—	—	—	—	—	—	—	0.02	0.02	—	—	0.02	—	—	—	—	—
—	—	—	—	0.01	—	0.01	—	0.01	—	0.01	—	—	—	0.01	—	—	—
—	—	—	—	—	—	—	—	—	—	0.05	—	0.18	0.02	0.20	0.01	0.03	—
—	—	—	—	0.11	0.03	—	—	0.08	0.02	4.25	1.13	5.59	1.51	0.80	0.21	0.52	0.08
—	—	—	—	0.01	—	0.01	—	0.09	0.04	1.44	0.59	1.54	0.59	0.77	0.16	0.29	0.13
—	—	—	—	0.01	0.01	—	—	0.01	0.01	—	—	0.05	0.01	0.01	—	0.06	0.03
0.27	0.30	0.26	0.03	0.54	0.06	0.91	0.09	0.78	0.06	0.86	0.06	2.77	0.30	1.77	0.30	1.31	0.14
0.06	—	0.01	—	0.35	0.03	0.31	0.04	0.32	0.08	0.14	0.01	0.33	0.02	0.69	0.19	0.22	0.04
—	—	—	—	—	—	0.01	—	0.01	—	—	—	0.01	0.01	—	—	0.01	0.01
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	0.01	0.01	—	—	0.03	—	—	—	0.03	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	0.01	—	0.01	0.01	0.01	—	0.23	0.11	0.01	0.01	0.01	—
—	—	—	—	—	—	—	—	—	—	0.01	—	—	—	—	—	—	—
—	—	—	—	—	—	0.07	0.04	0.21	0.03	0.57	0.17	0.19	0.02	—	—	0.24	0.03
—	—	—	—	0.06	—	—	—	—	—	0.04	—	0.02	—	0.02	—	—	—
—	—	0.01	—	—	—	0.08	—	0.01	—	0.07	0.01	0.05	—	0.04	0.01	0.01	—
—	—	—	—	—	—	0.20	0.05	0.11	0.01	0.12	0.01	0.07	0.01	0.10	0.01	0.10	0.02
—	—	—	—	—	—	—	—	0.02	—	0.21	0.08	0.13	0.02	0.13	—	0.12	0.01
—	—	—	—	—	—	0.02	—	—	—	—	—	0.07	0.02	0.02	—	—	—
—	—	0.01	—	—	—	—	—	0.11	0.03	0.03	—	0.03	0.01	0.03	—	0.06	—
0.24	0.02	0.23	0.01	0.31	0.05	1.30	0.23	3.60	0.58	4.41	0.90	3.49	0.24	1.81	0.12	2.73	0.09
0.01	—	0.10	0.02	0.05	0.02	0.09	0.01	0.12	0.05	0.12	0.05	0.19	0.05	0.10	0.02	0.25	0.01
0.02	—	0.05	0.01	0.02	0.01	0.05	—	0.08	0.01	0.03	—	0.10	—	0.06	0.01	0.17	0.02
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.13	—	1.01	—	—	—	—	—	0.01	—	—	—	0.04	0.03	0.01	—	0.07	—
—	—	—	—	—	—	—	—	0.01	—	0.02	—	0.12	0.02	0.16	0.01	0.08	—
—	—	0.01	—	—	—	0.01	0.01	0.03	0.01	—	—	—	—	—	—	0.01	0.01
—	—	—	—	—	—	—	—	0.09	0.01	0.07	0.01	0.03	0.01	0.12	0.01	0.10	0.01
—	—	—	—	—	—	—	—	0.01	0.01	0.01	—	0.01	0.01	—	—	0.01	—
—	—	—	—	0.04	0.01	0.01	—	—	—	0.18	0.08	2.73	1.24	1.47	0.29	0.80	0.24
—	—	0.01	—	—	—	—	—	—	—	—	—	0.02	—	0.01	—	0.04	0.02
—	—	0.02	—	—	—	—	—	0.09	—	0.04	—	0.03	—	0.03	—	—	—
—	—	—	—	0.03	0.01	0.01	—	—	—	0.01	—	0.01	—	0.02	—	0.01	—
—	—	0.14	—	—	—	—	—	—	—	—	—	—	—	0.02	—	—	—
—	—	0.01	—	—	—	—	—	0.04	—	0.01	—	0.05	—	0.03	—	0.04	—
—	—	—	—	—	—	—	—	—	—	0.01	—	0.03	—	0.02	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	0.02	—	0.01	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.01	—	—	—	—	—	—	—	0.01	—	—	—	0.02	0.01	0.02	0.01	0.02	0.01
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.02	0.00	0.03	0.00	0.05	0.01	0.11	0.01	0.17	0.02	0.31	0.07	0.47	0.09	0.26	0.04	0.23	0.03

第二十九表 (其二) 人口壹萬ニ對スル猩紅熱

Table No. XXIX. (No. 2) Cases and Deaths of Scarlet Fever per

	大正二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.		同八年 1919.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	0.42	0.01	0.35	0.01	0.27	—	0.33	0.02	0.24	0.01	0.20	0.01	0.28	0.03
青森縣 Aomori Ken.	0.08	0.01	0.33	0.03	0.09	—	0.17	—	0.19	0.01	0.01	—	0.15	0.03
岩手縣 Iwate ,,	0.01	—	—	—	—	—	—	—	0.02	—	0.02	—	0.18	0.02
宮城縣 Miyagi ,,	0.10	—	0.04	—	0.07	0.01	0.24	0.02	0.12	0.01	0.29	0.01	0.19	0.01
秋田縣 Akita ,,	0.37	0.09	0.12	—	0.14	0.02	0.33	0.02	0.19	—	0.11	—	0.13	0.03
山形縣 Yamagata ,,	0.02	—	0.05	—	—	—	0.04	—	0.07	—	0.03	0.01	0.01	—
福島縣 Fukushima ,,	0.04	0.01	0.02	0.01	0.02	—	0.05	—	0.05	0.01	0.07	0.01	0.04	—
茨城縣 Ibaraki ,,	0.02	0.01	0.01	—	—	—	0.03	—	0.01	0.01	0.01	0.01	0.01	—
栃木縣 Tochigi ,,	0.04	0.01	0.01	—	0.17	—	0.06	—	0.04	—	0.07	0.01	0.08	—
群馬縣 Gumma ,,	0.14	—	0.19	0.01	0.13	—	0.11	—	0.20	0.01	0.07	—	0.11	0.02
埼玉縣 Saitama ,,	0.53	0.06	0.27	0.02	0.10	0.01	0.12	—	0.11	0.01	0.09	0.01	0.10	—
千葉縣 Chiba ,,	0.10	0.04	0.17	0.04	0.03	—	0.06	—	0.06	0.01	0.06	0.01	0.04	0.01
東京府 Tōkyō Fu.	1.40	0.12	1.35	0.07	1.47	0.15	1.26	0.04	1.37	0.07	1.26	0.07	1.31	0.09
神奈川縣 Kanagawa Ken.	0.34	0.03	0.82	0.07	0.46	0.03	0.36	0.02	0.47	0.03	0.38	0.01	0.50	0.04
新潟縣 Niigata ,,	0.01	—	0.00	—	0.02	—	0.02	0.01	0.04	0.01	0.03	—	0.04	0.01
富山縣 Toyama ,,	0.01	—	—	—	—	—	0.01	—	—	—	—	—	0.01	—
石川縣 Ishikawa ,,	0.03	—	0.01	—	—	—	0.01	—	0.06	—	—	—	0.01	0.01
福井縣 Fukui ,,	—	—	0.05	0.02	—	—	0.03	—	—	—	—	—	0.02	0.02
長野縣 Nagano ,,	0.01	—	0.06	0.01	0.08	0.01	0.03	—	0.12	0.01	0.06	0.02	0.05	0.01
岐阜縣 Gifu ,,	—	—	—	—	0.02	—	0.04	—	0.21	—	0.03	—	0.01	—
滋賀縣 Shiga ,,	0.08	—	0.21	0.06	0.16	0.03	0.03	—	0.21	—	0.08	—	0.16	—
山梨縣 Yamanashi ,,	0.07	—	0.12	—	0.18	0.02	0.07	—	0.02	—	0.09	0.03	0.20	0.03
靜岡縣 Shizuoka ,,	0.01	0.01	0.07	0.01	0.06	0.01	0.05	—	0.07	—	0.10	—	0.12	0.01
愛知縣 Aichi ,,	0.09	—	0.07	—	0.10	0.00	0.10	0.01	0.12	—	0.10	0.01	0.08	0.00
三重縣 Mie ,,	0.07	0.01	0.12	0.01	0.12	0.01	0.13	—	0.14	0.01	0.04	0.01	0.09	—
奈良縣 Nara ,,	0.04	0.02	0.14	—	0.02	—	0.07	0.02	0.03	—	0.03	—	0.07	—
和歌山縣 Wakayama ,,	0.07	0.01	0.08	0.03	0.04	0.01	0.03	—	0.07	—	0.12	0.01	0.09	—
京都府 Kyōto Fu.	2.70	0.06	2.40	0.09	2.31	0.05	1.77	0.07	2.51	0.07	1.76	0.81	2.18	0.11
大阪府 Ōsaka ,,	0.35	0.03	0.23	0.03	0.22	0.02	0.26	0.02	0.28	0.05	0.24	0.01	0.28	0.02
兵庫縣 Hyōgo Ken.	0.21	0.02	0.29	0.01	0.21	0.00	0.13	0.01	0.16	0.01	0.15	0.02	0.25	0.05
鳥取縣 Tottori ,,	0.02	—	—	—	—	—	—	—	—	—	0.02	—	0.02	—
島根縣 Shimane ,,	0.03	—	0.08	0.01	0.14	0.01	0.17	—	0.05	—	0.01	—	0.01	—
岡山縣 Okayama ,,	0.07	—	0.05	0.01	0.09	—	0.07	0.01	0.09	0.01	0.05	0.01	0.15	0.01
廣島縣 Hiroshima ,,	—	—	0.01	—	0.03	—	0.04	0.01	0.05	0.01	—	—	0.08	0.03
山口縣 Yamaguchi ,,	0.31	0.08	0.21	—	0.08	—	0.07	—	0.15	—	0.09	—	0.13	0.04
德島縣 Tokushima ,,	0.03	—	—	—	0.01	—	—	—	0.01	—	—	—	—	—
香川縣 Kagawa ,,	0.14	0.03	0.12	0.03	0.12	0.01	0.07	0.03	0.12	0.03	0.11	0.04	0.22	0.03
愛媛縣 Ehime ,,	0.02	—	0.08	0.01	0.09	0.01	0.14	0.02	0.20	—	0.03	0.01	0.04	0.01
高知縣 Kōchi ,,	0.10	—	—	—	—	—	—	—	0.06	—	0.06	—	0.06	—
福岡縣 Fukuoka ,,	0.02	0.01	0.01	—	0.01	—	0.02	—	0.04	0.02	0.01	—	0.03	—
佐賀縣 Saga ,,	0.02	—	0.03	—	0.01	—	—	—	—	—	—	—	0.02	0.02
長崎縣 Nagasaki ,,	0.02	0.02	0.09	—	0.08	—	0.07	0.02	0.04	—	0.05	0.02	0.35	—
熊本縣 Kumamoto ,,	—	—	0.04	—	0.01	—	0.02	0.01	0.03	—	0.04	—	0.03	—
大分縣 Ōita ,,	0.08	—	0.04	—	0.03	—	0.02	—	0.06	—	0.02	—	0.01	—
宮崎縣 Miyazaki ,,	—	—	0.02	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	0.03	—	0.02	0.01	0.01	—	0.01	—	0.01	—	0.01	—	0.01	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	0.02	—	—	—
合計 Total.	0.25	0.02	0.23	0.01	0.21	0.01	0.91	0.09	0.22	0.01	0.18	0.01	0.24	0.02

患者及死亡地方別

10,000 Population in Each Prefecture.

同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患患 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.01	—	0.23	—	0.24	0.00	0.25	0.01								
0.05	—	0.22	0.01	0.17	003	0.10	0.01								
0.31	0.01	0.16	—	0.09	—	0.05	0.01								
0.24	0.01	0.09	—	0.15	—	0.10	—								
0.19	0.01	0.17	0.02	0.04	0.01	0.24	0.02								
0.05	—	—	—	0.03	0.01	0.06	—								
0.05	—	0.03	—	0.03	—	0.03	—								
0.01	0.01	0.05	—	—	—	0.03	—								
0.08	—	0.09	0.01	0.07	0.01	0.04	—								
0.12	—	0.30	0.05	0.30	0.02	0.10	—								
0.17	0.01	0.19	0.01	0.13	—	0.16	—								
0.07	0.01	0.05	0.01	0.07	0.01	0.06	—								
1.24	0.07	1.47	0.07	1.28	0.06	1.20	0.04								
0.39	0.05	0.57	0.04	0.51	0.02	0.55	00.1								
0.06	0.02	—	—	0.01	0.01	0.04	—								
—	—	—	—	0.03	—	—	—								
0.05	—	0.04	—	0.04	0.01	—	—								
0.02	—	0.10	0.03	0.05	0.02	0.02	—								
0.03	—	0.08	0.02	0.11	0.01	0.10	0.01								
0.04	—	0.06	—	0.06	—	0.03	—								
0.32	0.06	0.51	0.06	0.57	0.02	0.34	—								
0.05	—	0.14	—	0.50	0.02	0.12	—								
0.07	0.01	0.14	0.01	0.13	0.01	0.10	0.01								
0.07	0.00	0.11	0.00	0.11	0.01	0.14	0.02								
0.07	0.02	0.18	0.03	0.17	0.01	0.07	—								
0.02	0.02	0.04	—	0.09	0.02	0.14	0.02								
0.05	0.01	0.13	0.01	0.14	0.03	0.19	—								
2.52	0.09	2.96	0.12	2.86	0.08	2.77	0.10								
0.46	0.07	0.41	0.02	0.43	0.03	0.38	0.07								
0.12	0.01	0.04	0.01	0.31	0.04	0.32	0.01								
—	—	0.02	—	0.02	—	0.02	—								
—	—	0.10	—	0.03	—	0.07	—								
0.10	0.01	0.03	—	0.76	0.09	0.39	0.06								
0.03	0.01	0.03	0.01	0.03	—	0.04	0.01								
0.14	0.01	0.11	—	0.06	0.01	0.16	0.07								
—	—	—	—	0.01	—	—	—								
0.25	0.01	0.15	—	0.09	0.01	0.15	0.01								
0.15	—	0.09	—	0.05	0.01	0.09	0.01								
0.09	—	0.07	—	0.10	0.01	0.16	—								
0.03	0.00	0.02	0.00	0.03	0.00	0.05	0.00								
—	—	—	—	—	—	—	—								
0.03	—	0.02	—	0.08	—	0.03	—								
0.02	—	0.04	0.01	0.01	—	0.02	—								
0.02	—	0.05	0.01	0.02	0.01	0.03	—								
—	—	0.02	—	0.01	—	0.01	—								
0 02	—	0.01	—	0.01	—	0.01	—								
—	—	—	—	—	—	—	—								
0.24	0.02	0.28	0.01	0.29	0.02	0.27	0.02								

第三十表 (其一) 人口壹萬ニ對スル

Table No. XXX. (No. 1) Cases and Deaths of Diphteria

	明治十三年 1880.		同 十四年 1881.		同 十五年 1882.		同 十六年 1883.		同 十七年 1884.		同 十八年 1885.		同 十九年 1886.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	2.25	0.73	0.33	0.27	0.73	0.42	0.49	0.34	1.88	0.65
青森縣 Aomori Ken.	0.69	0.46	0.78	0.52	0.66	0.33	0.25	0.08	0.12	0.10	0.38	0.22	0.48	0.21
岩手縣 Iwate ,,	0.59	0.32	0.18	0.10	0.15	0.07	0.15	0.05	0.19	0.13	0.41	0.25	1.82	0.37
宮城縣 Miyagi ,,	1.29	0.60	1.31	0.78	1.08	0.65	1.09	0.62	1.43	0.88	1.81	1.03	3.87	1.77
秋田縣 Akita ,,	0.32	0.13	0.22	0.11	0.46	0.25	0.85	0.57	1.00	0.61	0.68	0.36	0.64	0.35
山形縣 Yamagata ,,	0.18	0.16	0.79	0.20	0.25	0.04	0.34	0.16	0.44	0.14	0.53	0.31	0.35	0.18
福島縣 Fukushima ,,	1.24	0.69	1.46	0.63	1.49	0.61	1.31	0.39	0.70	0.47	0.90	0.48	3.35	1.23
茨城縣 Ibaraki ,,	0.10	0.06	0.04	0.01	—	—	0.12	0.09	0.42	0.20	0.90	0.37	0.96	0.39
栃木縣 Tochigi ,,	0.17	0.05	0.30	0.10	1.25	0.48	1.17	0.43	0.43	0.13	0.32	0.11	1.78	0.69
群馬縣 Gumma ,,	0.40	0.15	0.35	0.10	0.33	0.08	0.18	0.10	0.42	0.19	1.23	0.41	1.08	0.45
埼玉縣 Saitama ,,	0.56	0.31	0.44	0.28	0.59	0.35	0.76	0.49	0.43	0.34	1.71	0.85	1.89	0.73
千葉縣 Chiba ,,	0.08	0.06	0.12	0.08	0.11	0.01	0.13	0.09	0.12	0.07	0.34	0.19	0.80	0.18
東京府 Tōkyo Fu.	2.53	1.61	2.86	1.79	2.83	1.78	3.19	1.89	2.66	1.70	2.89	1.56	1.54	0.82
神奈川縣 Kanagawa Ken.	0.71	0.44	0.76	0.48	0.77	0.51	0.51	0.34	0.83	0.59	1.12	0.74	1.38	0.95
新潟縣 Niigata ,,	0.44	0.21	0.28	0.14	0.51	0.25	0.44	0.22	0.91	0.57	0.68	0.37	0.94	0.50
富山縣 Toyama ,,							?	?	0.61	0.40	0.50	0.38	0.39	0.21
石川縣 Ishikawa ,,	0.23	0.09	0.20	0.12	0.25	0.18	0.25	0.14	0.28	0.20	0.68	0.40	0.75	0.52
福井縣 Fukui ,,	?	?	?	?	0.19	0.17	0.46	0.29	0.27	0.15	0.52	0.37	0.34	0.10
長野縣 Nagano ,,	0.12	0.07	0.18	0.11	0.54	0.22	0.27	0.14	0.33	0.15	0.65	0.40	0.88	0.36
岐阜縣 Gifu ,,	0.56	0.24	0.71	0.28	0.83	0.35	1.11	0.36	0.76	0.42	0.91	0.49	0.69	0.35
滋賀縣 Shiga ,,	0.73	0.47	0.90	0.47	0.62	0.32	2.19	0.83	2.04	0.80	2.63	0.92	1.73	0.63
山梨縣 Yamanashi ,,	3.64	1.60	2.92	1.09	0.88	0.41	0.90	0.51	0.58	0.50	0.57	0.31	0.51	0.23
靜岡縣 Shizuoka ,,	1.90	1.16	2.89	1.76	2.96	1.97	3.16	1.60	2.40	1.51	2.75	1.42	2.39	1.64
愛知縣 Aichi ,,	1.00	0.55	1.20	0.74	1.05	0.60	0.90	0.53	1.51	0.71	1.55	0.67	1.06	0.48
三重縣 Mie ,,	0.33	0.13	1.22	0.36	0.49	0.19	0.78	0.26	1.12	0.40	0.84	0.30	0.78	0.34
奈良縣 Nara ,,														
和歌山縣 Wakayama ,,	0.20	0.10	0.40	0.31	0.66	0.40	0.30	0.25	0.16	0.13	0.71	0.37	0.49	0.10
京都府 Kyōto Fu.	0.57	0.17	0.66	0.20	0.66	0.35	1.30	0.62	0.75	0.31	1.11	0.51	0.61	0.26
大阪府 Ōsaka ,,	0.24	0.11	0.17	0.09	0.22	0.11	0.13	0.09	0.09	0.06	0.10	0.04	0.05	0.02
兵庫縣 Hyōgo Ken.	0.45	0.32	0.33	0.20	0.47	0.32	0.68	0.50	0.44	0.24	0.38	0.19	0.28	0.14
鳥取縣 Tottori ,,			?	?	0.21	0.13	0.29	0.24	0.05	0.05	0.18	0.16	0.10	0.05
島根縣 Shimane ,,	0.74	0.47	0.19	0.14	0.12	0.07	0.07	0.04	0.03	0.03	0.12	0.09	0.03	0.03
岡山縣 Okayama ,,	0.24	0.16	0.15	0.08	0.29	0.19	0.21	0.16	0.25	0.13	0.15	0.10	0.15	0.10
廣島縣 Hiroshima ,,	0.16	0.09	0.19	0.08	0.06	0.03	0.09	0.04	0.06	0.04	0.03	0.02	0.08	0.05
山口縣 Yamaguchi ,,	0.17	0.05	0.27	0.16	0.07	0.05	0.32	0.21	0.37	0.19	0.51	0.25	0.52	0.11
德島縣 Tokushima ,,	?	?	0.31	0.22	0.36	0.25	0.77	0.42	0.46	0.21	0.95	0.58	0.89	0.54
香川縣 Kagawa ,,														
愛媛縣 Ehime ,,	0.27	0.15	0.21	0.18	0.43	0.23	0.27	0.13	0.55	0.22	0.39	0.16	0.57	0.19
高知縣 Kōchi ,,	0.07	0.05	0.16	0.09	0.09	0.07	0.15	0.13	0.15	0.05	0.20	0.13	0.70	0.45
福岡縣 Fukuoka ,,	0.21	0.14	0.16	0.11	0.13	0.10	0.16	0.11	0.15	0.13	0.24	0.12	0.16	0.15
佐賀縣 Saga ,,							?	?	0.05	0.03	0.05	0.03	0.13	0.10
長崎縣 Nagasaki ,,	0.03	0.02	0.03	0.01	0.07	0.03	0.10	0.07	0.24	0.21	0.25	0.23	0.59	0.34
熊本縣 Kumamoto ,,	0.47	0.27	0.37	0.23	0.24	0.12	0.53	0.30	0.44	0.29	0.36	0.22	0.38	0.25
大分縣 Ōita ,,	0.15	0.03	0.13	0.11	0.15	0.11	0.27	0.21	0.21	0.19	0.28	0.22	0.18	0.09
宮崎縣 Miyazaki ,,							?	?	0.08	0.05	0.10	0.08	0.03	0.03
鹿兒島縣 Kagoshima ,,	—	—	0.01	—	0.05	0.04	—	—	0.01	0.01	—	—	0.14	0.01
沖繩縣 Okinawa ,,	—	—	—	—	—	—	0.06	0.06	—	—	0.05	0.05	—	—
合計 Total.	0.51	0.28	0.56	0.31	0.56	0.31	0.62	0.33	0.60	0.34	0.74	0.38	0.84	0.38

「ヂフテリア」患者及死亡地方別

per 10,000 Population in Each Prefecture.

同二十年 1887.		同二十一年 1888.		同二十二年 1889.		同二十三年 1890.		同二十四年 1891.		同二十五年 1892.		同二十六年 1893.		同二十七年 1894.		同二十八年 1895.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1.38	0.64	1.47	0.66	1.77	1.30	0.97	0.75	2.06	1.30	2.66	1.99	3.90	2.69	2.01	1.20	2.28	1.62
0.57	0.28	1.96	1.07	1.52	0.89	1.59	0.86	1.83	1.02	3.37	1.61	3.44	1.69	2.16	1.25	1.80	0.99
1.33	0.63	1.13	0.70	1.59	0.70	0.86	0.52	1.17	0.62	0.88	0.44	1.88	1.00	2.06	1.12	3.57	1.69
2.85	1.19	2.14	1.02	1.62	0.66	1.42	0.76	1.78	1.03	2.01	0.81	1.40	0.72	1.33	0.73	2.09	1.08
0.66	0.44	0.81	0.55	1.16	0.83	1.17	0.76	1.34	0.94	0.83	0.45	1.15	0.72	1.66	1.03	2.39	1.45
0.30	0.12	0.36	0.19	0.19	0.08	0.15	0.07	0.71	0.39	0.96	0.80	0.98	0.68	0.65	0.56	0.87	0.55
1.50	0.91	0.82	0.42	0.96	0.56	0.75	0.49	0.93	0.56	0.88	0.63	0.94	0.63	0.98	0.68	1.71	0.99
0.95	0.47	1.19	0.55	1.04	0.51	1.04	0.53	1.34	0.70	0.67	0.21	0.63	0.38	0.57	0.27	0.33	0.07
1.04	0.54	1.18	0.54	0.79	0.40	1.07	0.63	0.69	0.32	2.39	1.13	1.67	0.79	1.41	0.60	0.90	0.42
1.69	0.61	0.84	0.42	1.26	0.68	2.25	1.22	1.87	0.96	1.45	0.84	1.27	0.76	1.79	1.08	1.83	0.96
1.80	0.92	0.95	0.61	0.85	0.58	0.69	0.47	0.73	0.53	0.96	0.63	0.79	0.52	0.56	0.34	0.54	0.36
0.45	0.11	0.14	0.03	0.17	0.10	0.35	0.22	0.74	0.40	0.81	0.57	0.70	0.48	0.78	0.54	0.59	0.35
2.32	1.41	2.31	1.43	2.61	1.43	2.21	1.37	2.16	1.17	2.98	1.75	3.48	1.98	2.37	1.34	4.32	1.25
1.36	0.94	1.12	0.74	0.83	0.60	1.02	0.80	0.99	0.77	1.16	0.82	1.46	0.99	1.33	0.91	1.71	1.02
1.54	0.89	2.24	1.25	1.54	0.96	1.04	0.68	1.03	0.73	1.27	0.84	0.99	0.62	1.51	0.93	0.95	0.63
0.32	0.25	0.19	0.15	0.07	0.05	0.03	0.03	0.25	0.20	0.17	0.13	0.64	0.42	0.54	0.35	0.27	0.16
0.41	0.26	0.49	0.46	0.39	0.28	0.54	0.41	0.92	0.60	0.73	0.50	1.34	0.93	1.42	0.93	0.73	0.48
0.20	0.20	0.30	0.17	0.20	0.12	0.12	0.02	0.08	0.05	0.07	0.05	0.02	0.02	0.16	0.11	0.13	0.10
0.73	0.36	0.49	0.27	0.51	0.23	0.59	0.27	0.89	0.36	1.11	0.44	1.51	0.74	1.11	0.51	0.97	0.44
1.16	0.42	0.97	0.33	2.17	0.97	1.50	0.54	0.89	0.29	1.42	0.57	1.23	0.31	3.14	0.68	1.93	0.58
1.09	0.38	0.70	0.22	0.80	0.27	1.08	0.43	2.40	1.03	2.73	0.94	4.85	1.63	2.99	1.30	2.22	0.94
0.21	0.14	0.38	0.25	0.53	0.33	0.52	0.39	1.90	1.27	1.50	1.11	2.16	1.46	1.58	1.07	2.03	1.58
1.14	0.80	1.12	0.90	1.16	0.76	0.62	0.47	1.53	0.99	1.81	1.15	4.38	1.41	4.59	2.35	5.00	2.92
0.76	0.26	0.55	0.33	0.89	0.37	0.81	0.48	1.50	0.66	1.43	0.66	2.49	1.12	2.48	1.04	2.72	1.14
0.20	0.13	0.26	0.11	0.13	0.13	0.35	0.24	0.46	0.28	0.79	0.56	1.30	0.78	1.93	1.15	2.16	1.27
—	—	0.02	—	0.06	0.04	0.10	0.08	1.20	0.86	1.64	1.20	0.82	0.61	0.49	0.39	0.54	0.41
0.19	0.05	0.53	0.19	0.15	0.10	0.27	0.16	0.43	0.19	0.32	0.13	0.87	0.28	1.15	0.63	1.04	0.48
0.39	0.13	0.26	0.16	0.74	0.42	0.55	0.36	1.12	0.61	1.85	1.06	2.61	1.33	2.13	1.07	2.46	0.96
0.06	0.04	0.11	0.08	0.16	0.10	0.25	0.13	1.06	0.65	1.90	1.34	2.17	1.24	1.50	0.89	1.73	0.75
0.22	0.12	0.27	0.16	0.49	0.25	0.47	0.23	0.91	0.47	1.48	0.87	1.95	1.19	1.47	0.90	1.79	0.89
0.08	0.05	0.05	0.03	0.15	0.10	0.02	—	0.35	0.25	0.52	0.32	1.31	0.72	0.74	0.45	1.03	0.66
0.09	0.07	0.03	0.03	0.04	0.01	0.04	0.03	0.01	—	0.03	0.01	0.09	0.06	0.37	0.33	0.91	0.47
0.34	0.15	0.16	0.07	0.07	0.04	0.09	0.07	0.15	0.07	0.22	0.08	0.32	0.18	0.72	0.34	1.24	0.40
0.05	0.03	0.05	0.03	0.02	0.02	0.02	0.01	0.07	0.06	0.13	0.13	0.18	0.12	0.16	0.08	0.12	0.09
0.24	0.09	0.27	0.08	0.18	0.01	0.40	0.18	0.28	0.16	0.45	0.18	0.38	0.19	0.29	0.13	0.45	0.20
0.19	0.09	0.47	0.24	0.04	0.03	0.04	0.03	0.12	0.12	0.10	0.04	0.22	0.19	0.24	0.18	0.36	0.27
		—	—	0.06	0.01	0.12	0.09	0.18	0.12	0.62	0.50	0.76	0.61	0.66	0.48	1.14	0.70
0.29	0.14	0.15	0.07	0.05	0.01	0.11	0.06	0.33	0.15	0.28	0.18	0.89	0.55	0.95	0.50	0.97	0.57
0.48	0.32	0.23	0.11	0.05	0.03	0.45	0.17	0.33	0.24	0.24	0.17	0.48	0.41	0.37	0.27	0.67	0.37
0.19	0.10	0.17	0.10	0.16	0.13	0.08	0.06	0.33	0.26	0.89	0.56	1.19	0.79	0.79	0.58	1.07	0.75
0.02	0.02	—	—	0.07	0.09	0.04	0.02	0.02	0.02	—	—	0.05	0.05	0.07	0.07	0.10	0.10
0.42	0.23	0.25	0.13	0.43	0.31	0.36	0.25	0.23	0.23	0.32	0.25	0.34	0.29	0.41	0.31	0.40	0.20
0.20	0.15	0.35	0.25	0.31	0.26	0.22	0.14	0.23	0.15	0.35	0.21	0.77	0.38	0.35	0.23	0.35	0.23
0.22	0.17	0.14	0.08	0.08	0.06	0.05	0.01	0.16	0.15	0.23	0.14	0.28	0.21	0.25	0.20	0.15	0.07
0.05	0.02	0.22	0.15	0.05	0.05	—	—	0.19	0.17	0.23	0.12	0.28	0.16	0.18	0.09	0.31	0.20
0.03	0.01	0.04	0.03	0.07	0.03	0.03	—	0.06	0.04	0.09	0.05	0.11	0.06	0.09	0.06	0.14	0.08
—	—	—	—	—	—	—	—	—	—	0.02	0.02	—	—	—	—	0.07	—
0.69	0.36	0.64	0.26	0.66	0.37	0.60	0.35	0.83	0.48	1.05	0.61	1.36	0.78	1.25	0.69	1.42	0.70

第三十表 (其二) 人口壹萬ニ對スル

Table No. XXX. (No. 2) Cases and Deaths of Diphtheria

	明治二十九年 1896.		同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	3.31	1.55	7.33	2.25	11.04	4.15	7.99	2.55	6.19	1.85	4.96	1.57	4.59	1.15
青森縣 Aomori Ken.	3.02	1.41	8.91	2.32	17.55	4.12	14.13	3.27	9.38	1.68	7.35	1.81	6.67	1.46
岩手縣 Iwate ,,	5.27	1.65	3.87	1.42	4.91	1.79	5.16	1.81	4.59	1.49	5.12	1.55	5.53	1.78
宮城縣 Miyagi ,,	2.22	0.65	4.75	1.36	8.11	1.97	10.37	2.42	8.05	2.03	5.29	1.46	6.28	1.25
秋田縣 Akita ,,	4.20	2.04	5.93	2.29	6.63	2.15	12.10	3.89	10.64	2.57	9.20	2.14	6.97	1.48
山形縣 Yamagata ,,	2.58	1.07	5.02	1.50	6.42	1.79	9.36	2.40	7.49	1.87	5.99	1.63	4.69	1.08
福島縣 Fukushima ,,	2.41	0.87	3.12	1.12	6.08	2.14	5.63	1.70	6.12	1.38	4.49	0.98	3.75	1.13
茨城縣 Ibaraki ,,	0.43	0.19	1.08	0.61	2.46	1.24	2.37	1.00	1.63	0.85	1.64	0.48	1.68	0.34
栃木縣 Tochigi ,,	1.53	0.51	2.84	1.23	4.79	1.45	6.32	2.26	5.60	2.37	4.43	1.48	3.16	0.91
群馬縣 Gumma ,,	2.32	0.74	5.46	2.24	7.04	2.59	7.89	2.95	6.51	2.18	6.73	2.14	4.91	1.19
埼玉縣 Saitama ,,	0.62	0.32	2.35	1.11	3.34	1.59	3.93	1.73	3.39	1.49	2.97	1.15	3.32	1.43
千葉縣 Chiba ,,	0.73	0.43	2.39	1.35	2.67	1.38	2.14	1.04	1.93	0.89	1.97	1.01	2.11	0.79
東京府 Tokyō Fu.	6.04	1.42	12.03	3.43	9.69	2.23	6.76	1.64	7.63	1.67	6.14	1.56	6.92	1.37
神奈川縣 Kanagawa Ken.	3.39	1.47	6.47	2.76	4.69	1.83	3.45	1.35	4.90	1.56	3.89	1.34	4.96	1.60
新潟縣 Niigata ,,	1.12	0.60	2.13	0.99	3.75	1.51	4.96	1.77	3.63	1.19	3.86	1.24	5.28	1.65
富山縣 Toyama ,,	0.96	0.37	0.97	0.34	1.11	0.42	1.19	0.40	0.64	0.15	0.86	0.24	0.84	0.42
石川縣 Ishikawa ,,	0.41	0.20	0.80	0.31	3.52	1.39	3.45	1.27	2.51	0.88	2.25	0.71	3.22	0.82
福井縣 Fukui ,,	0.52	0.29	1.47	0.67	2.64	1.11	3.00	1.28	2.19	0.48	2.73	0.79	3.29	0.90
長野縣 Nagano ,,	2.01	0.89	4.28	1.53	5.00	2.08	4.86	1.89	4.50	1.43	4.15	1.58	3.46	1.19
岐阜縣 Gifu ,,	1.69	0.50	4.57	1.41	5.70	1.41	5.38	1.45	4.49	1.42	3.61	0.98	3.01	0.76
滋賀縣 Shiga ,,	1.87	0.58	3.11	0.99	3.70	0.98	2.91	0.66	3.45	0.72	2.59	0.78	1.78	0.66
山梨縣 Yamanashi ,,	3.96	2.08	7.88	3.67	6.51	2.86	5.40	2.06	2.69	1.06	2.54	0.93	2.95	1.14
靜岡縣 Shizuoka ,,	6.83	2.43	7.75	2.76	7.82	2.05	7.25	1.86	4.87	1.41	3.89	1.26	4.27	1.21
愛知縣 Aichi ,,	2.72	1.00	5.05	1.78	7.92	2.31	6.06	1.49	5.58	1.77	4.21	1.19	4.24	1.14
三重縣 Mie ,,	3.39	1.19	5.79	1.49	5.81	1.42	5.55	1.43	4.50	1.10	3.66	0.83	3.62	1.10
奈良縣 Nara ,,	1.25	0.62	2.00	0.99	2.52	1.21	4.24	1.64	3.56	1.76	2.33	0.96	2.31	0.88
和歌山縣 Wakayama ,,	1.12	0.34	0.99	0.41	2.79	0.78	4.09	1.48	3.02	1.18	1.91	0.73	2.02	0.57
京都府 Kyōto Fu.	2.17	0.72	3.65	1.04	5.31	1.36	6.73	1.69	6.00	1.79	4.57	1.14	4.19	1.11
大阪府 Ōsaka ,,	2.57	0.87	4.34	1.45	5.53	1.12	4.96	0.86	5.85	2.08	3.40	1.31	3.49	1.16
兵庫縣 Hyōgo Ken.	2.06	0.88	2.26	1.02	3.53	1.28	4.38	1.58	3.39	1.41	2.65	0.90	2.43	0.88
鳥取縣 Tottori ,,	1.04	0.66	0.61	0.32	1.44	0.64	2.38	0.95	2.43	1.16	2.66	0.89	2.59	0.84
島根縣 Shimane ,,	1.66	0.71	1.06	0.54	1.49	0.57	1.81	0.76	1.57	0.54	1.72	0.64	1.61	0.48
岡山縣 Okayama ,,	0.71	0.32	0.74	0.29	1.41	0.49	1.95	0.71	2.85	0.99	2.25	0.97	2.86	0.85
廣島縣 Hiroshima ,,	0.26	0.19	0.46	0.34	1.00	0.46	1.17	0.53	1.49	0.71	1.05	0.49	8.78	0.25
山口縣 Yamaguchi ,,	0.49	0.23	1.08	0.38	1.47	0.51	2.42	0.94	2.55	0.80	1.73	0.57	1.79	0.54
德島縣 Tokushima ,,	0.50	0.16	1.09	0.41	1.52	0.66	1.67	0.80	2.21	1.07	1.28	0.73	1.19	0.42
香川縣 Kagawa ,,	1.38	0.92	1.37	0.75	2.69	1.24	3.66	1.55	2.74	1.38	2.17	0.92	2.12	0.85
愛媛縣 Ehime ,,	1.56	0.78	2.48	1.24	2.21	1.01	3.28	1.47	2.84	1.39	2.42	1.14	1.81	0.76
高知縣 Kōchi ,,	1.71	0.68	5.83	1.17	4.57	0.94	4.74	1.07	3.17	1.06	3.13	0.87	2.58	0.61
福岡縣 Fukuoka ,,	1.63	0.72	3.65	1.36	4.74	1.64	5.72	1.82	3.94	1.06	3.04	0.78	3.67	1.00
佐賀縣 Saga ,,	0.91	0.25	2.38	0.82	3.78	1.23	9.83	1.26	2.73	0.58	1.59	0.49	1.51	0.30
長崎縣 Nagasaki ,,	1.30	0.55	2.29	0.91	3.61	1.43	4.98	1.89	2.79	0.97	1.19	0.77	1.78	0.57
熊本縣 Kumamoto ,,	0.41	0.24	0.71	0.34	1.87	0.92	3.16	1.24	1.72	0.74	1.61	0.50	1.35	0.59
大分縣 Ōita ,,	0.59	0.25	0.71	0.39	0.20	0.94	3.36	1.20	2.51	1.12	1.74	0.64	1.58	0.67
宮崎縣 Miyazaki ,,	0.44	0.27	0.50	0.29	1.45	0.90	3.38	1.94	1.91	0.67	1.21	0.64	1.50	0.57
鹿兒島縣 Kagoshima ,,	0.31	0.21	1.57	0.87	1.76	0.86	1.48	0.71	0.93	0.40	0.83	0.34	1.26	0.41
沖繩縣 Okinawa ,,	—	—	—	—	0.02	—	0.06	0.02	0.04	0.04	0.12	0.10	0.14	0.10
合計 Total.	1.96	0.75	3.49	1.26	4.50	1.48	4.76	1.51	4.00	1.27	3.29	1.06	3.28	0.94

「ヂフテリア」患者及死亡地方別

per 10,000 Population in Each Prefecture.

同三十六年 1903.		同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
5.60	1.46	6.13	1.53	6.50	1.65	6.62	1.27	6.77	1.56	6.15	1.28	8.54	1.80	8.92	1.87	8.54	1.97
5.40	1.34	4.26	0.90	4.07	1.15	4.61	0.99	5.53	1.08	5.25	0.83	7.26	1.41	5.43	0.94	6.38	1.00
3.96	1.40	3.54	0.80	2.80	0.84	1.71	0.55	2.02	0.42	1.87	0.46	2.35	0.73	3.54	1.10	6.12	1.11
5.51	1.40	4.81	1.03	5.54	0.98	4.57	0.86	4.74	0.92	5.90	1.18	5.72	1.08	6.36	1.36	7.55	1.68
5.97	1.10	4.15	0.76	4.35	0.86	3.23	0.67	3.36	0.68	5.16	1.03	5.87	1.16	7.01	1.47	6.79	1.12
3.61	0.83	3.73	0.93	3.31	0.87	3.35	0.68	3.51	0.98	4.11	0.96	3.33	0.79	3.90	0.98	4.75	1.01
3.36	0.74	3.21	0.63	3.91	0.81	4.45	1.30	3.85	0.99	5.15	1.04	6.12	1.61	6.29	1.22	7.15	1.44
1.35	0.34	0.99	0.29	1.51	0.40	1.45	0.54	1.60	0.50	2.59	0.76	3.21	1.02	4.22	1.08	4.55	1.26
2.86	0.86	3.10	0.95	2.86	0.85	3.38	0.92	4.92	1.57	5.46	1.49	4.81	1.47	6.02	1.72	6.61	1.42
5.16	1.53	4.29	1.29	3.77	1.09	4.05	1.19	3.39	0.96	5.32	1.59	4.59	1.36	5.31	1.58	6.00	1.93
3.08	1.16	2.37	0.98	2.42	0.91	2.30	0.90	2.90	1.13	4.03	1.34	4.11	1.46	4.40	1.53	4.63	1.38
1.93	0.90	1.69	0.70	2.33	1.18	2.85	1.06	2.47	0.71	2.71	1.09	2.49	1.05	2.72	0.78	3.84	1.13
4.20	1.15	4.52	1.09	4.90	1.23	5.34	1.29	5.47	1.61	5.62	1.42	5.22	1.32	5.04	1.00	4.83	1.28
4.57	1.63	3.77	1.46	3.61	1.28	4.48	1.31	5.38	1.44	4.45	1.13	3.30	1.03	4.01	1.24	3.63	0.97
4.90	1.37	3.78	1.00	3.25	0.83	3.00	0.91	3.53	0.76	5.14	1.23	6.44	1.51	6.32	1.35	5.84	1.27
1.25	0.39	1.01	0.25	0.82	0.27	0.65	0.25	0.86	0.26	1.08	0.38	1.13	0.29	0.46	0.09	1.57	0.46
2.53	0.87	3.29	1.07	3.70	1.24	3.74	1.05	3.11	0.87	4.44	1.19	4.47	1.38	4.61	1.44	4.15	0.94
2.82	0.64	2.38	0.55	2.38	0.72	2.96	0.99	2.73	0.68	2.62	0.94	2.80	0.75	2.07	0.62	2.39	0.56
3.39	1.07	2.99	1.02	3.45	1.15	2.27	0.75	2.45	0.89	2.44	0.81	4.01	1.31	4.20	1.23	4.99	1.20
2.74	0.67	2.24	0.67	2.32	0.49	2.06	0.67	2.22	0.70	4.02	1.12	3.68	0.75	4.40	0.98	4.08	1.04
1.86	0.47	1.91	0.51	1.61	0.31	2.48	0.67	2.40	1.51	2.02	0.48	2.85	0.57	2.63	0.29	1.92	0.55
3.72	1.21	3.76	1.49	3.81	1.14	2.73	0.81	3.31	1.06	4.49	1.62	4.21	1.15	3.19	0.78	5.60	1.66
4.74	1.47	4.52	1.39	4.49	1.28	4.92	1.33	3.47	0.09	4.12	1.04	4.58	1.22	4.89	1.20	4.88	1.02
4.15	1.14	3.32	0.92	3.27	0.77	3.92	1.15	3.44	0.88	4.86	1.15	4.61	1.22	4.50	1.03	4.24	0.94
2.69	0.76	2.40	0.50	1.77	0.44	2.49	0.55	2.56	0.69	4.23	0.97	5.31	1.07	5.26	1.07	6.07	1.20
2.30	0.93	1.52	0.68	1.09	0.53	1.60	0.66	2.24	1.06	2.83	1.23	2.18	0.62	2.06	1.03	2.55	0.92
1.80	0.53	1.98	0.70	1.94	0.39	2.27	0.67	2.45	0.66	3.79	1.02	3.83	1.25	4.18	1.13	3.46	1.14
3.00	0.99	2.71	0.87	2.47	0.81	4.29	1.07	4.72	1.06	5.15	1.48	5.17	1.40	4.65	1.36	4.38	1.20
2.68	0.93	3.17	1.04	3.20	1.04	3.58	1.41	4.22	1.63	3.87	1.34	4.33	1.59	3.96	1.47	4.07	1.47
2.11	0.75	1.98	0.72	2.21	0.68	2.43	0.86	2.69	1.06	2.30	0.85	1.92	0.80	2.18	0.83	1.88	0.57
2.20	0.95	1.85	0.85	3.43	1.31	3.29	1.04	3.89	1.13	3.57	0.98	3.09	0.98	4.37	1.12	4.55	0.03
1.35	0.42	0.99	0.33	1.51	0.55	1.72	0.62	2.10	0.81	2.34	0.79	2.46	0.87	2.56	0.97	2.83	0.87
2.21	0.64	1.64	0.54	1.63	0.47	1.31	0.38	1.37	0.41	2.36	0.71	3.07	0.84	3.48	0.94	3.26	0.95
1.05	0.51	0.88	0.35	1.15	0.55	1.26	0.56	1.26	0.45	0.91	0.50	1.07	0.43	1.07	0.45	1.13	0.44
1.89	0.67	1.81	0.60	2.47	0.58	2.62	0.98	2.93	0.78	3.19	0.76	2.97	0.80	3.56	0.80	3.95	0.95
0.74	0.29	0.82	0.36	0.93	0.50	1.07	0.46	1.01	0.38	1.70	0.56	1.57	0.73	1.12	0.41	1.26	0.64
1.67	0.58	1.37	0.61	1.39	0.50	1.26	0.57	1.54	0.56	2.38	1.05	2.20	0.89	3.49	1.31	2.69	0.98
2.00	0.71	1.92	0.82	2.21	0.93	2.42	1.01	2.51	1.01	2.34	0.80	2.33	0.92	1.52	0.54	2.26	0.77
2.12	0.57	1.00	0.22	1.64	0.46	2.52	0.52	1.59	0.36	1.81	0.52	2.28	0.64	3.06	0.82	2.51	0.67
3.43	0.96	3.18	0.70	2.54	0.81	3.12	0.83	2.78	0.79	2.32	0.86	1.71	0.66	1.36	0.55	1.72	0.58
2.46	0.52	2.34	0.50	1.78	0.32	1.83	0.37	1.15	0.26	1.09	0.25	0.90	0.18	0.79	0.30	0.90	0.20
2.78	1.15	3.03	0.91	2.85	0.95	2.62	0.95	2.52	0.99	2.42	0.76	3.36	1.07	2.89	0.92	2.84	0.91
1.17	0.57	1.30	0.62	1.37	0.64	1.22	0.46	1.27	0.54	0.75	0.35	1.19	0.43	0.53	0.16	0.92	0.33
1.27	0.62	1.13	0.44	1.22	0.60	1.03	0.40	0.88	0.26	0.87	0.39	0.98	0.47	0.82	0.43	0.78	0.20
1.83	0.77	1.50	0.48	1.54	0.77	2.13	0.81	1.99	0.65	2.31	0.72	1.68	0.69	2.54	0.64	2.41	0.79
1.08	0.37	0.84	0.28	0.91	0.33	0.76	0.21	1.00	0.41	0.91	0.32	0.72	0.28	1.08	0.37	0.88	0.39
0.42	0.15	0.40	0.21	2.26	0.65	2.03	1.06	0.66	0.23	1.43	0.48	1.60	0.60	1.70	0.57	1.25	0.29
2.94	0.90	2.68	0.79	2.77	0.81	2.92	0.86	30.1	0.87	3.46	0.97	3.63	1.03	3.78	1.00	3.93	1.02

第三十表 (其三) 人口壹萬ニ對スル

Table No. XXX. (No. 3) Cases and Deaths of Diphtheria

	大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	7.48	1.92	6.59	1.40	9.07	1.95	9.61	1.67	7.05	1.50	7.92	1.48	7.44	1.33
青森縣 Aomori Ken.	7.90	1.21	4.62	0.77	5.41	1.04	5.97	1.07	4.18	0.72	5.89	1.19	4.69	1.00
岩手縣 Iwate ,,	4.55	1.19	3.57	1.07	3.07	0.82	3.82	0.77	3.38	0.84	3.07	0.94	3.17	0.72
宮城縣 Miyagi ,,	7.08	1.38	5.16	0.98	4.93	0.88	5.59	1.16	6.21	1.23	6.02	1.08	6.05	1.12
秋田縣 Akita ,,	6.45	0.99	5.67	0.98	6.62	1.39	6.82	1.16	4.78	0.77	4.74	0.73	4.66	0.78
山形縣 Yamagata ,,	4.65	1.11	3.35	0.71	3.80	0.86	4.62	0.85	5.09	1.08	4.40	0.83	3.46	0.63
福島縣 Fukushima ,,	6.14	1.18	6.89	1.57	7.11	1.63	6.71	1.33	6.81	1.32	6.27	1.27	5.93	0.95
茨城縣 Ibaraki ,,	3.14	0.88	3.94	1.11	3.26	0.88	3.80	0.99	2.52	0.67	2.68	0.74	2.55	0.55
栃木縣 Tochigi ,,	6.79	1.66	6.09	1.49	4.32	1.28	5.26	1.30	5.14	1.32	5.40	1.39	4.55	1.00
群馬縣 Gumma ,,	5.42	1.44	5.70	1.42	5.39	1.22	6.50	1.67	5.71	1.56	6.42	1.55	5.64	1.42
埼玉縣 Saitama ,,	4.49	1.21	4.36	1.23	3.62	1.10	4.47	1.41	3.20	1.01	3.29	0.91	2.65	0.86
千葉縣 Chiba ,,	3.62	1.03	3.92	1.28	3.21	0.94	3.37	0.81	2.09	0.71	2.61	0.75	2.06	0.55
東京府 Tōkyō Fu.	4.29	0.97	4.86	1.39	4.48	1.27	5.49	1.75	3.80	1.06	4.26	1.36	3.96	1.14
神奈川縣 Kanagawa Ken.	3.20	0.86	3.97	1.44	3.92	1.05	4.62	1.23	3.79	0.87	3.77	0.96	2.51	0.73
新潟縣 Niigata ,,	6.58	1.24	5.54	1.01	5.38	0.87	4.75	0.73	3.67	0.65	3.65	0.70	3.27	0.67
富山縣 Toyama ,,	1.58	0.37	1.25	0.27	1.15	0.23	1.26	0.30	0.91	0.20	0.73	0.23	0.44	0.13
石川縣 Ishikawa ,,	3.80	1.16	2.89	0.61	3.12	0.71	2.18	0.61	1.92	0.58	1.85	0.55	1.97	0.50
福井縣 Fukui ,,	2.19	0.58	2.81	0.79	1.57	0.36	1.17	0.46	0.90	0.28	0.85	0.23	1.22	0.41
長野縣 Nagano ,,	4.20	1.05	3.85	1.14	4.09	0.97	5.25	1.21	5.08	0.93	4.92	1.16	4.50	0.99
岐阜縣 Gifu ,,	3.52	0.84	3.68	0.68	4.08	0.73	3.52	0.72	3.39	0.89	2.08	0.48	2.16	0.43
滋賀縣 Shiga ,,	2.94	0.61	2.70	0.65	3.78	0.65	3.46	0.55	1.34	0.25	1.45	0.40	1.72	0.45
山梨縣 Yamanashi ,,	5.72	1.36	4.04	1.14	2.61	0.66	4.73	1.37	2.75	0.62	2.86	0.62	2.65	0.64
靜岡縣 Shizuoka ,,	3.85	0.97	5.14	1.16	3.17	0.73	3.08	0.76	2.78	0.71	2.88	0.63	2.31	0.50
愛知縣 Aichi ,,	4.05	0.92	4.21	0.88	4.19	0.89	3.53	0.84	2.46	0.52	2.41	0.55	2.07	0.60
三重縣 Mie ,,	4.67	0.75	4.[illegible]5	0.94	4.56	0.83	4.14	0.32	3.59	0.62	3.51	0.47	2.74	0.58
奈良縣 Nara ,,	1.51	0.63	2.04	0.77	2.25	0.82	1.99	0.66	1.38	0.57	1.73	0.53	1.27	0.44
和歌山縣 Wakayama ,,	3.47	0.91	3.77	1.00	2.69	0.60	3.93	0.72	2.98	0.71	4.23	0.82	2.92	0.62
京都府 Kyoto Fu.	4.77	1.28	4.49	1.32	3.64	1.15	3.29	0.71	2.47	0.67	2.82	0.73	2.73	0.74
大阪府 Ōsaka ,,	3.67	1.15	3.81	1.35	3.15	0.97	3.62	1.06	3.21	0.92	4.38	1.37	3.54	1.08
兵庫縣 Hyogo Ken.	1.87	0.64	2.40	0.91	2.32	0.82	2.61	0.77	2.04	0.53	2.37	0.82	1.58	0.49
鳥取縣 Tottori ,,	3.77	0.72	4.16	1.12	3.32	0.72	2.16	0.54	2.28	0.49	2.15	0.63	1.23	0.29
島根縣 Shimane ,,	3.40	0.91	2.23	0.66	2.00	0.61	1.95	0.38	1.77	0.65	1.96	0.50	1.79	0.51
岡山縣 Okayama ,,	3.09	0.82	2.37	0.67	1.61	0.55	1.45	0.59	1.26	0.42	1.29	0.45	1.33	0.45
廣島縣 Hiroshima ,,	1.43	0.56	1.36	0.51	1.16	0.50	1.14	0.37	1.21	0.55	1.38	0.49	1.57	0.63
山口縣 Yamaguchi ,,	3.94	0.67	5.08	0.94	3.97	0.64	2.84	0.80	3.17	0.57	3.58	0.74	3.44	0.83
德島縣 Tokushima ,,	1.44	0.58	1.33	0.41	1.05	0.45	1.85	0.80	0.69	0.27	0.86	0.31	0.63	0.20
香川縣 Kagawa ,,	2.85	0.86	1.90	0.63	2.27	0.76	2.18	0.71	1.43	0.69	1.63	0.76	1.48	0.42
愛媛縣 Ehime ,,	2.78	1.00	2.53	0.79	2.25	0.72	2.75	0.75	1.98	0.54	2.51	0.69	2.07	0.72
高知縣 Kochi ,,	2.91	0.74	3.22	0.64	2.22	0.31	1.98	0.32	1.60	0.31	1.43	0.28	1.44	0.31
福岡縣 Fukuoka ,,	1.76	0.55	2.20	0.77	1.89	0.59	1.90	0.44	1.62	0.44	1.92	0.68	1.86	0.56
佐賀縣 Saga ,,	1.04	0.23	0.89	0.30	0.58	0.15	0.46	0.10	0.20	0.07	0.40	0.11	0.38	0.14
長崎縣 Nagasaki ,,	2.41	0.62	2.79	0.89	2.69	0.76	2.43	0.64	2.50	0.70	2.62	0.84	2.89	0.86
熊本縣 Kumamoto ,,	1.03	0.43	0.98	0.38	0.95	0.43	1.85	0.37	0.93	0.29	1.06	0.52	0.70	0.23
大分縣 Ōita ,,	0.92	0.29	0.88	0.25	1.08	0.43	0.88	0.34	1.22	0.47	0.93	0.31	0.75	0.20
宮崎縣 Miyazaki ,,	1.75	0.50	1.21	0.53	1.36	0.42	1.63	0.57	1.19	0.31	1.20	0.35	0.94	0.23
鹿兒島縣 Kagoshima ,,	0.89	0.34	0.95	0.25	1.27	0.44	1.18	0.34	0.98	0.37	0.76	0.26	0.50	0.17
沖繩縣 Okinawa ,,	1.41	0.37	2.36	0.63	1.73	0.50	1.06	0.27	0.94	0.33	0.73	0.21	1.34	0.44
合計 Total.	3.72	0.92	3.65	0.96	3.42	0.85	3.62	0.86	2.94	0.72	3.12	0.78	2.77	0.68

「ヂフテリヤ」患者及死亡地方別

per 10,000 Population in Each Prefecture.

同 八 年 1919.		同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
8.28	1.26	0.32	—	7.60	1.44	5.13	0.86	6.34	1.12								
4.46	0.87	6.01	1.07	6.22	0.89	4.44	0.58	4.15	0.77								
4.16	0.82	4.46	1.09	3.58	0.83	2.95	0.80	2.43	0.44								
5.20	0.83	5.82	1.01	4.73	0.73	5.87	0.90	4.64	0.95								
3.85	0.67	5.84	0.83	7.09	1.29	6.83	1.17	4.92	0.76								
2.91	0.50	3.17	0.58	3.76	0.82	4.96	1.05	3.90	0.70								
4.76	0.15	4.87	0.99	3.92	0.90	6.41	1.14	4.79	0.94								
2.07	0.65	2.94	0.61	2.33	0.54	2.78	0.72	1.94	0.52								
3.94	0.82	4.20	0.82	3.54	0.82	3.32	1.04	2.98	0.80								
4.54	1.12	4.26	0.76	4.09	1.01	4.30	0.88	3.68	1.06								
2.26	0.46	3.55	0.55	3.12	0.81	3.20	0.73	2.50	0.53								
1.83	0.55	2.48	0.76	2.46	0.72	2.52	0.71	2.29	0.67								
3.24	1.00	2.94	0.80	3.25	0.95	2.73	0.78	2.48	0.69								
2.99	0.64	3.61	0.98	3.00	0.79	2.48	0.70	2.12	0.58								
3.14	0.62	3.23	0.63	3.08	0.60	2.61	0.45	2.42	0.39								
0.65	0.14	0.54	0.11	0.63	0.14	0.45	0.11	0.49	0.10								
1.73	0.35	2.14	0.51	1.84	0.37	1.63	0.35	1.22	0.30								
0.90	0.34	1.59	0.57	1.27	0.38	1.71	0.53	1.96	0.37								
3.69	0.76	3.32	0.76	3.39	0.80	4.09	1.02	3.65	0.89								
1.64	0.39	1.45	0.39	1.58	0.42	1.36	0.37	1.45	0.36								
2.14	0.43	2.80	0.58	2.99	0.53	1.53	0.23	2.04	0.59								
2.86	0.82	1.94	0.81	2.26	0.72	3.02	0.80	2.28	0.60								
2.17	0.47	2.36	0.62	2.61	0.79	2.04	0.53	2.20	0.76								
1.66	0.36	1.76	0.43	1.80	0.49	1.77	0.43	1.59	0.40								
2.53	0.62	3.26	0.67	3.16	0.61	3.13	0.63	2.96	0.59								
1.08	0.41	1.35	0.51	1.50	0.44	0.91	0.49	1.14	0.44								
3.26	0.51	2.96	0.59	1.74	0.34	1.67	0.48	1.74	0.43								
2.27	0.60	3.01	0.81	3.59	0.82	2.70	0.64	2.12	0.66								
2.92	0.77	3.19	0.85	2.47	1.47	1.97	0.58	2.19	0.61								
1.48	0.55	0.93	0.17	0.77	0.29	1.32	0.47	1.09	0.36								
1.94	0.44	1.32	0.31	2.08	0.61	2.13	0.63	1.56	0.63								
2.18	0.79	1.73	0.57	1.98	0.55	1.82	0.56	1.30	0.37								
0.87	0.29	0.93	0.31	1.02	0.34	0.71	0.26	0.61	0.24								
1.22	0.49	0.50	0.19	1.18	0.38	0.84	0.36	0.78	0.25								
3.24	0.45	2.55	0.38	2.08	0.40	1.54	0.24	1.51	0.36								
0.60	0.20	0.84	0.27	0.74	0.28	0.74	0.27	0.60	0.21								
1.51	0.63	1.70	0.50	1.49	0.61	1.19	0.40	1.30	0.56								
1.53	0.49	1.82	0.51	1.60	0.40	1.43	0.45	1.52	0.54								
1.44	0.23	1.68	0.42	1.05	0.33	1.18	0.34	0.64	0.15								
1.33	0.38	0.85	0.31	0.79	0.27	0.73	0.21	0.90	0.27								
0.34	0.12	0.21	0.03	0.22	0.04	0.19	0.10	0.25	0.04								
2.11	0.60	1.61	0.48	1.31	0.31	1.53	0.33	1.26	0.28								
0.67	0.25	0.67	0.22	0.48	0.19	0.42	0.18	0.53	0.19								
0.55	0.16	0.60	0.26	0.49	0.16	0.28	0.14	0.26	0.14								
1.28	0.36	0.98	0.26	1.00	0.29	0.64	0.21	0.81	0.28								
0.61	0.23	0.65	0.25	0.61	0.16	0.60	0.16	0.35	0.14								
0.59	0.12	1.05	0.44	1.26	0.36	0.70	0.20	0.79	0.23								
2.54	0.59	2.71	0.61	2.56	0.62	2.38	0.56	2.18	0.53								

第三十一表 (其一) 人口壹萬ニ對スル流行性

Table No. XXXI. (No. 1) Cases and Deaths of Cerebro-Spinal

	大正七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	0.01	0.01	0.01	0.00	0.67	0.03	0.02	—
青森縣 Aomori Ken.	—	—	—	—	0.03	0.01	0.04	0.01
岩手縣 Iwate ,,	—	—	0.19	0.11	0.05	0.02	0.07	0.01
宮城縣 Miyagi ,,	—	—	0.09	0.03	0.06	0.03	0.45	0.17
秋田縣 Akita ,,	0.01	0.01	0.14	0.08	0.13	0.11	0.07	0.02
山形縣 Yamagata ,,	—	—	0.43	0.25	0.01	—	0.06	0.04
福島縣 Fukushima ,,	—	—	0.42	0.19	0.10	0.04	0.05	0.04
茨城縣 Ibaraki ,,	0.01	0.01	0.01	0.01	0.04	0.02	0.03	—
栃木縣 Tochigi ,,	—	—	—	—	0.05	0.01	0.01	0.01
群馬縣 Gumma ,,	0.01	0.01	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	0.06	0.03	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	0.04	0.03	0.01	0.01
東京府 Tōkyō Fu.	0.10	0.07	0.36	0.21	0.25	0.13	0.26	0.12
神奈川縣 Kanagawa Ken.	—	—	0.13	0.02	0.13	0.01	0.16	0.07
新潟縣 Niigata ,,	0.03	0.02	0.11	0.70	0.01	0.01	0.02	0.01
富山縣 Toyama ,,	0.02	0.02	0.01	—	—	—	—	—
石川縣 Ishikawa ,,	0.01	0.01	—	—	—	—	0.03	0.01
福井縣 Fukui ,,	—	—	0.03	0.02	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	0.06	0.04	0.01	0.01
岐阜縣 Gifu ,,	—	—	—	—	0.03	0.03	0.01	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	0.05	0.02	0.59	0.21	0.15	0.05	0.15	0.05
靜岡縣 Shizuoka ,,	0.02	0.01	0.03	0.02	0.01	—	0.05	0.03
愛知縣 Aichi ,,	0.00	—	0.04	0.02	0.04	0.01	0.03	0.01
三重縣 Mie ,,	0.06	0.04	0.08	0.06	0.06	0.02	—	—
奈良縣 Nara ,,	0.13	0.03	0.26	0.07	0.05	0.04	0.09	0.07
和歌山縣 Wakayama ,,	0.24	0.20	0.15	0.09	0.11	0.05	0.05	0.04
京都府 Kyōto Fu.	0.18	0.07	0.37	0.19	0.42	0.21	0.46	0.23
大阪府 Ōsaka ,,	2.73	1.83	2.76	1.64	1.09	0.66	0.64	0.43
兵庫縣 Hyōgo Ken.	0.75	0.29	0.99	0.41	0.19	0.08	0.21	0.13
鳥取縣 Tottori ,,	0.12	0.08	0.99	0.62	0.35	0.18	0.52	0.22
島根縣 Shimane ,,	0.01	—	0.81	0.41	0.13	0.04	0.48	0.32
岡山縣 Okayama ,,	0.04	0.01	0.41	0.29	0.06	0.06	0.04	0.04
廣島縣 Hiroshima ,,	—	—	0.23	0.11	0.12	0.08	0.12	0.06
山口縣 Yamaguchi ,,	—	—	0.56	0.24	0.12	0.05	0.11	0.09
德島縣 Tokushima ,,	0.04	0.03	0.01	—	0.13	0.06	0.01	—
香川縣 Kagawa ,,	0.04	0.03	0.95	0.42	0.10	0.07	0.22	0.12
愛媛縣 Ehime ,,	0.14	0.06	0.35	0.17	0.14	0.08	0.12	0.05
高知縣 Kōchi ,,	—	—	1.35	0.69	0.25	0.10	0.21	0.12
福岡縣 Fukuoka ,,	0.07	0.04	2.52	0.11	0.80	0.39	0.29	0.12
佐賀縣 Saga ,,	—	—	0.15	0.06	—	—	0.15	0.01
長崎縣 Nagasaki ,,	0.50	0.28	0.52	0.24	0.33	0.13	0.12	0.10
熊本縣 Kumamoto ,,	0.04	0.01	0.09	0.05	0.10	0.05	0.14	0.10
大分縣 Ōita ,,	0.04	0.01	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	0.02	—	—	—	0.02	—
鹿兒島縣 Kagoshima ,,	—	—	0.09	0.05	0.14	0.01	0.05	0.02
沖繩縣 Okinawa ,,	—	—	—	—	0.03	0.02	—	—
合計 Total.	0.19	0.11	0.44	0.22	0.17	0.09	0.14	0.07

腦脊髓膜炎患者及死亡地方別

Meningitis per 10,000 Population in Each Prefecture.

同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.02	0.01	0.00	0.00								
0.01	—	0.01	—								
0.08	0.05	0.02	0.01								
0.37	0.18	0.38	0.11								
0.17	0.11	0.09	0.05								
0.01	—	0.01	0.01								
0.08	0.01	0.03	0.01								
0.02	0.01	0.41	0.21								
0.07	0.02	0.06	0.04								
0.05	0.02	0.04	0.03								
0.01	0.01	0.02	0.01								
0.04	0.01	0.04	0.02								
0.30	0.15	0.33	0.12								
0.12	0.07	0.08	0.04								
0.02	0.02	0.01	—								
—	—	—	—								
—	—	0.03	0.03								
—	—	—	—								
0.07	0.04	0.01	0.01								
0.02	0.01	0.04	0.03								
—	—	—	—								
0.08	0.02	0.18	0.07								
0.07	0.04	0.40	0.24								
0.05	0.02	0.06	0.05								
0.05	0.03	0.06	0.01								
0.14	0.07	0.03	0.02								
0.04	0.04	0.04	0.03								
0.42	0.19	0.21	0.10								
0.38	0.26	0.35	0.25								
0.23	0.15	0.13	0.07								
0.46	0.15	0.15	0.09								
0.38	0.21	0 41	0.30								
0.77	0.59	0.06	0.03								
0.49	0.30	0.07	0.04								
0.07	0.05	0.06	0.03								
0.68	0.47	0.07	0.06								
0.37	0.30	0.06	0.03								
0.13	0.09	0.03	0.02								
0.37	0.18	0.18	0.13								
0.25	0.12	0.16	0.07								
0.07	0.03	0.06	—								
0.12	0.05	0.12	0.06								
0.06	0.01	0.10	0.06								
—	—	0.03	0.02								
—	—	—	—								
0.05	0.02	0.01	0.01								
0.02	0.02	—	—								
0.16	0.09	0.12	0.06								

第三十二表 (其一) 人口壹萬ニ對スル

Table No. XXXII. (No. 1) Cases and Deaths of Plague per

	同 三十年 1897.		同三十一年 1898.		同三十二年 1899.		同三十三年 1900.		同三十四年 1901.		同三十五年 1902.		同三十六年 1903.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaido.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
東京府 Tokyo Fu.	—	—	—	—	—	—	—	—	—	—	0.02	0.01	0.03	0.03
神奈川縣 Kanagawa Ken.	0.01	0.01	—	—	—	—	—	—	—	—	0.09	0.05	0.50	0.42
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	0.02	0.02	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	0.16	0.16	—	—	—	—	—	—
愛知縣 Aichi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	0.02	0.02	—	—	0.03	0.03	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	—	—	—	—	0.21	0.13	1.09	0.77	—	—	—	—	—	—
兵庫縣 Hyogo Ken.	—	—	—	—	0.14	0.02	0.02	0.02	—	—	—	—	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	0.01	0.01	—	—	—	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	—	—	—	—	—	—	0.24	0.16	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
高知縣 Kōchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	0.01	0.01	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	0.05	0.01	0.01	0.01	—	—	0.02	0.02	0.01	0.01
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	0.00	—	—	0.01	0.00	0.04	0.03	0.00	0.00	0.00	0.00	0.01	0.01

「ペスト」患者及死亡地方別

10,000 Population in Each Prefecture.

同三十七年 1904.		同三十八年 1905.		同三十九年 1906.		同四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.		同四十四年 1911.		大正元年 1912.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.06	0.05	—	—	0.00	—	—	—	0.01	0.01	—	—	—	—	—	—
—	—	—	—	—	—	0.19	0.17	—	—	0.25	0.20	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	0.02	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	0.03	0.01	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.04	0.04	—	—	0.07	0.04	0.28	0.12	—	—	—	—	—	—	—	—
—	—	—	—	2.69	1.91	0.07	0.07	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	0.04	0.04	—	—	—	—	—	—
—	—	0.74	0.60	0.88	0.74	2.97	2.71	0.37	0.35	0.14	0.13	0.06	0.06	—	—	—	—
0.01	0.01	0.50	0.38	0.46	0.33	0.09	0.09	1.27	1.00	1.44	1.12	0.04	0.04	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	0.07	0.07	—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.06	0.04	0.34	0.29	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	0.05	0.05	—	—	0.01	0.01	—	—	—	—	—	—	—	—
—	—	0.43	0.27	0.01	0.01	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	0.06	0.04	0.02	—	—	—	0.28	0.22	0.25	0.17	—	—	—	—
—	—	—	—	—	—	—	—	—	—	0.28	0.28	0.06	0.06	—	—	—	—
—	—	—	—	0.06	0.05	0.02	0.02	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	0.06	0.02	0.41	0.27	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.00	0.00	0.06	0.04	0.10	0.08	0.13	0.12	0.07	0.05	0.08	0.06	0.01	0.01	—	—	—	—

第三十二表 (其二) 人口壹萬ニ對スル

Table No. XXXII. (No. 2) Cases and Deaths of Plague per

	同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.		同七年 1918.		同八年 1919.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
北海道 Hokkaidō.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	—	—	0.01	0.01	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	0.08	0.07	—	—	—	—	—	—	—	—	—	—
東京府 Tōkyō Fu.	—	—	0.17	0.14	0.07	0.06	—	—	—	—	0.00	0.00	—	—
神奈川縣 Kanagawa Ken.	0.17	0.14	0.21	0.15	—	—	—	—	—	—	—	—	0.01	0.01
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	—	—	—	—	—	—	0.09	0.08	0.10	0.09	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	0.53	0.44	0.03	0.03	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大阪府 Ōsaka ,,	—	—	—	—	—	—	0.00	—	—	—	—	—	—	—
兵庫縣 Hyōgo Ken.	0.03	0.01	—	—	—	—	—	—	—	—	—	—	0.01	0.00
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
高知縣 Kōchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	0.00	0.02	0.01	0.00	0.00	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00

「ペスト」患者及死亡地方別

10,000 Population in Each Prefecture.

同 九 年 1920.		同 十 年 1921.		同 十一年 1922.		同 十二年 1923.		同 十三年 1924.		同 十四年 1925.		同 十五年 1926.		同 十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	0.04	0.04	—	—								
0.29	0.03	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	0.29	0.21	—	—								
—	—	0.01	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	0.52	0.41	0.01	0.01								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
—	—	—	—	—	—	—	—								
0.00	0.00	0.00	—	0.21	0.17	0.00	0.00								

第三十三表 (其一) 總死亡千ニ對スル

Table No. XXXIII. (No. 1) Deaths of Cholera per

	明治十三年 1880.	同十四年 1881.	同十五年 1882.	同十六年 1883.	同十七年 1884.	同十八年 1885.	同十九年 1886.	同二十年 1887.	同二十一年 1888.	同二十二年 1889.
北海道 Hokkaidō.	—	—	48.31	0.23	—	0.14	197.08	0.14	0.39	0.02
青森縣 Aomori Ken.	0.69	—	2.53	—	0.01	—	265.41	0.63	0.33	—
岩手縣 Iwate ,,	0.23	—	32.52	0.11	—	—	22.67	0.14	0.15	—
宮城縣 Miyagi ,,	—	—	177.89	0.76	0.19	—	55.56	0.13	0.87	0.13
秋田縣 Akita ,,	0.43	—	15.14	0.42	0.17	0.09	194.29	0.36	0.09	0.08
山形縣 Yamagata ,,	0.50	—	74.99	1.63	0.15	0.15	84.16	0.22	0.88	0.55
福島縣 Fukushima ,,	0.16	—	40.40	0.33	0.14	0.13	10.44	0.42	0.06	0.06
茨城縣 Ibaraki ,,	1.00	0.08	57.90	0.16	0.91	0.26	22.79	0.38	0.12	0.06
栃木縣 Tochigi ,,	0.33	—	105.47	0.95	0.91	—	25.75	0.54	0.24	0.36
群馬縣 Gumma ,,	0.20	0.11	132.84	0.27	1.14	—	15.77	0.43	0.36	0.61
埼玉縣 Saitama ,,	0.88	0.12	57.63	0.13	0.27	0.61	31.84	0.15	0.31	0.14
千葉縣 Chiba ,,	—	2.34	51.81	0.23	0.31	1.99	97.77	0.46	0.32	0.22
東京府 Tōkyō Fu.	1.59	1.25	152.09	1.06	1.21	4.84	234.08	1.50	1.14	0.37
神奈川縣 Kanagawa Ken.	1.09	1.13	146.69	0.99	0.90	9.11	139.85	0.56	0.43	0.35
新潟縣 Niigata ,,	0.92	0.39	39.87	0.36	0.30	0.31	154.60	1.47	0.44	0.59
富山縣 Toyama ,,				0.34	0.56	0.18	375.63	0.60	0.83	0.35
石川縣 Ishikawa ,,	1.45	0.27	34.53	0.25	0.29	0.05	164.62	0.52	0.54	0.41
福井縣 Fukui ,,	—	—	10.75	0.43	0.92	0.71	258.69	0.65	1.25	1.14
長野縣 Nagano ,,	—	0.11	47.46	0.06	1.44	0.05	100.89	0.42	0.26	0.15
岐阜縣 Gifu ,,	0.18	0.17	0.77	—	—	—	13.01	0.06	—	—
滋賀縣 Shiga ,,	1.36	2.30	4.51	0.15	0.42	0.82	22.30	0.75	0.36	0.07
山梨縣 Yamanashi ,,	—	0.14	220.97	0.83	2.36	1.34	63.74	1.56	1.81	0.62
靜岡縣 Shizuoka ,,	0.95	1.07	110.79	0.21	1.27	0.57	26.69	0.38	0.59	0.23
愛知縣 Aichi ,,	0.44	0.58	16.89	0.24	0.09	0.05	28.63	0.21	0.03	0.09
三重縣 Mie ,,	0.19	1.40	29.73	0.61	0.28	0.15	55.37	0.75	0.05	0.20
奈良縣 Nara ,,								—	2.04	1.26
和歌山縣 Wakayama ,,	0.21	13.54	45.96	1.04	1.07	7.06	123.35	0.72	0.27	0.53
京都府 Kyoto Fu.	0.29	13.71	204.07	0.40	0.49	13.02	116.65	1.07	0.60	0.85
大阪府 Ōsaka ,,	1.62	42.99	60.87	1.30	1.27	35.17	230.40	1.68	1.19	1.44
兵庫縣 Hyogo Ken.	0.74	17.41	20.76	0.75	0.28	19.84	118.50	1.35	0.91	0.71
鳥取縣 Tottori ,,		—	24.09	0.51	0.78	0.14	70.91	0.60	0.45	0.27
島根縣 Shimane ,,	0.57	—	18.81	0.08	—	0.07	65.87	0.68	0.24	0.21
岡山縣 Okayama ,,	1.91	10.13	18.22	1.00	0.17	2.86	75.99	0.99	0.40	0.70
廣島縣 Hiroshima ,,	1.62	1.75	46.56	0.86	0.59	2.20	145.88	0.49	0.39	0.67
山口縣 Yamaguchi ,,	0.68	3.48	26.69	0.65	0.77	1.56	126.88	0.88	0.43	0.40
德島縣 Tokushima ,,	0.41	4.70	15.06	0.25	0.21	2.58	38.91	1.17	0.30	—
香川縣 Kagawa ,,									—	0.21
愛媛縣 Ehime ,,	1.43	6.39	55.23	0.74	0.52	2.01	83.43	1.14	0.88	0.44
高知縣 Kōchi ,,	0.10	10.22	5.86	0.44	0.20	0.30	86.32	0.27	0.66	0.46
福岡縣 Fukuoka ,,	4.38	20.19	7.81	2.54	1.33	15.82	49.78	2.71	2.60	2.59
佐賀縣 Saga ,,				1.25	0.43	20.31	77.83	1.14	1.16	0.35
長崎縣 Nagasaki ,,	3.24	52.97	6.63	0.22	0.08	171.01	105.92	1.12	0.42	1.03
熊本縣 Kumamoto ,,	3.61	51.38	2.63	2.25	2.47	75.69	15.66	1.98	2.22	1.30
大分縣 Ōita ,,	0.31	3.40	39.48	0.40	0.21	0.57	58.22	0.50	0.27	0.58
宮崎縣 Miyazaki ,,				0.43	0.34	4.30	2.03	—	0.69	1.36
鹿兒島縣 Kagoshima ,,	—	24.85	—	0.50	0.15	16.37	1.35	0.28	0.06	0.27
沖繩縣 Okinawa ,,	—	9.90	0.03	2.86	—	—	72.25	7.84	—	—
合計 Total.	1.03	9.32	50.93	0.68	0.60	10.79	114.43	0.87	0.61	0.53

「コレラ」死亡地方別

1,000 Deaths in General.

同二十三年 1890.	同二十四年 1891.	同二十五年 1892.	同二十六年 1893.	同二十七年 1894.	同二十八年 1895.	同二十九年 1896.	同三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.
1.91	—	0.47	0.09	0.08	4.54	0.39	—	—	—	0.12	—	0.11	—
1.63	0.18	—	0.09	—	0.77	0.15	0.08	—	0.30	—	—	—	—
—	—	—	—	—	7.41	0.03	—	0.06	0.05	0.22	—	—	—
0.89	0.13	—	—	—	90.15	0.20	0.23	0.12	0.75	0.05	—	—	—
0.23	0.15	0.23	0.07	—	11.81	0.31	0.20	0.20	0.97	0.47	—	4.20	—
0.55	0.12	0.06	—	—	42.41	0.29	0.35	—	0.15	—	—	—	0.06
—	0.05	—	0.14	—	17.31	0.05	0.24	0.04	0.42	—	—	—	—
4.12	—	—	0.10	—	26.60	0.54	0.11	—	—	—	—	—	—
9.08	0.33	0.25	0.25	0.28	15.79	0.66	0.80	—	0.19	0.16	—	6.07	0.09
11.61	0.32	0.17	—	0.25	1.27	0.16	—	—	—	—	—	—	—
3.90	0.47	0.04	0.13	—	9.49	0.35	0.25	0.04	0.47	—	—	—	—
40.47	5.66	0.60	0.43	0.13	27.79	2.56	0.61	0.31	—	—	—	—	—
88.88	6.03	0.92	0.40	0.37	63.15	5.74	1.23	0.67	0.50	0.51	—	11.32	—
82.26	6.23	0.79	0.85	0.20	36.80	2.95	1.03	0.67	0.98	0.03	—	25.05	—
0.59	0.90	0.34	0.24	0.06	9.32	0.78	0.20	0.46	0.58	0.17	—	—	—
0.78	0.52	0.34	0.06	0.33	131.10	0.48	0.17	—	0.43	0.39	—	7.77	—
0.53	0.65	—	—	0.19	29.28	0.19	0.25	0.24	0.12	—	—	—	—
1.44	0.95	0.28	0.15	0.32	25.93	0.43	0.50	0.74	0.31	0.19	—	0.62	—
0.71	0.14	0.30	0.35	—	1.86	0.09	0.04	0.16	0.12	—	—	—	—
0.06	—	0.52	—	—	4.79	0.04	0.12	0.05	0.15	—	—	—	—
7.97	0.98	0.43	0.06	0.21	14.06	0.07	0.30	0.29	0.28	0.05	—	—	—
25.01	1.86	2.00	1.96	2.09	7.99	0.79	0.82	0.97	0.63	0.20	—	1.35	—
15.08	1.91	0.63	0.55	0.28	12.66	0.73	0.28	0.37	0.74	—	—	—	—
0.07	0.09	0.03	—	—	15.06	0.30	—	—	—	0.04	—	—	—
0.82	0.10	0.09	—	0.06	18.24	0.05	0.05	0.05	0.14	—	—	0.08	—
33.61	4.96	1.65	0.80	1.11	49.60	1.27	0.54	0.35	0.53	0.05	—	—	—
87.60	7.28	0.62	0.36	1.20	36.04	1.75	0.81	0.56	0.75	0.15	—	4.61	—
45.71	3.92	0.78	0.64	0.59	72.67	1.34	0.95	0.44	1.23	0.30	0.03	26.17	0.03
201.36	21.12	1.93	0.96	1.50	142.10	1.68	1.14	0.67	0.40	0.41	0.38	0.38	—
92.57	5.04	0.88	0.42	0.59	82.96	0.87	0.91	1.04	0.91	0.18	—	19.60	4.35
2.83	0.92	0.24	0.11	0.33	92.53	0.57	0.58	0.30	—	0.39	0.14	1.28	—
10.03	7.64	0.14	0.06	—	38.68	0.64	0.81	0.66	0.88	0.78	0.51	62.23	—
59.50	1.78	0.19	0.25	0.30	94.51	2.26	1.05	0.63	0.89	0.62	0.10	31.80	—
54.68	3.91	0.37	0.47	0.94	109.22	0.81	1.15	0.85	0.83	0.53	—	12.49	—
84.25	62.69	0.61	0.45	0.38	76.93	0.87	1.02	1.02	0.81	0.89	0.15	6.09	—
39.64	2.09	0.35	0.24	0.33	26.62	0.76	0.46	0.46	0.58	0.51	—	71.50	—
97.46	1.00	0.20	0.59	0.24	109.78	1.26	0.28	0.69	0.89	1.28	0.28	7.32	0.05
53.58	12.38	0.95	0.46	0.23	62.50	1.01	0.90	0.67	0.90	—	0.08	0.60	—
42.30	9.14	0.66	1.35	0.34	61.24	1.39	0.60	0.67	0.80	1.29	—	28.09	0.17
85.93	52.22	2.01	2.06	2.61	61.02	2.24	1.51	1.90	1.56	0.31	0.26	17.06	0.06
54.34	26.47	0.44	0.75	0.53	20.52	0.64	0.44	0.16	0.86	0.18	0.05	7.41	0.04
142.19	66.67	0.72	0.19	0.35	83.32	0.34	0.26	0.27	0.47	0.34	0.70	—	—
1.26	30.38	0.87	0.48	—	24.73	0.58	0.43	0.33	0.62	—	—	6.99	—
48.74	23.61	0.83	0.66	0.18	38.65	1.03	1.05	0.64	0.80	0.34	—	10.83	0.25
10.78	0.04	0.49	—	—	28.18	0.26	0.14	0.12	—	0.11	0.23	3.49	0.10
10.75	5.53	0.30	0.05	0.05	23.39	0.33	0.34	0.20	0.66	0.12	—	32.31	0.41
—	—	—	0.10	—	16.65	0.13	0.12	—	0.55	0.06	—	3.73	—
42.91	9.10	0.55	0.52	0.37	37.00	1.00	0.56	0.42	0.53	0.25	0.07	9.60	0.04

第三十三表 (其二) 總死亡千ニ對スル

Table No. XXXIII. (No. 2) Deaths of Cholera per

	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.	大正元年 1912.	同二年 1913.
北海道 Hokkaidō.	—	—	—	2.35	0.15	—	0.02	—	3.80	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	0.06	—	—	—	—	0.05	—
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	0.06	—
茨城縣 Ibaraki ,,	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	0.36	—	—	1.91	—	—	—
群馬縣 Gumma ,,	—	—	—	4.82	0.04	—	—	—	2.26	0.33
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	0.08	—
東京府 Tōkyō Fu.	0.05	—	—	—	0.24	5.27	4.72	—	0.21	—
神奈川縣 Kanagawa Ken.	—	—	—	10.76	—	0.02	9.42	0.02	2.55	—
新潟縣 Niigata ,,	—	—	—	0.04	—	—	—	—	0.07	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	0.38	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	1.21	—	—	—	—	0.09	—
愛知縣 Aichi ,,	—	—	—	0.30	—	—	—	—	0.73	0.28
三重縣 Mie ,,	—	—	—	0.02	—	—	0.07	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	0.20	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	0.51	—	2.34	—	0.39	—
京都府 Kōyto Fu.	—	—	—	6.78	0.02	0.11	15.95	0.05	2.61	—
大阪府 Ōsaka ,,	—	—	—	5.16	0.05	—	—	—	4.44	0.19
兵庫縣 Hyōgo Ken.	—	—	—	6.77	2.47	—	1.40	0.05	6.27	—
鳥取縣 Tottori ,,	—	—	—	0.50	0.19	0.06	0.33	—	—	—
島根縣 Shimane ,,	—	—	—	0.41	0.08	—	1.97	—	1.63	—
岡山縣 Okayama ,,	—	—	—	0.53	0.35	0.12	0.95	—	1.05	—
廣島縣 Hiroshima ,,	—	—	—	7.47	4.10	0.49	1.67	—	7.74	—
山口縣 Yamaguchi ,,	—	—	—	2.15	—	—	1.17	—	0.86	—
德島縣 Tokushima ,,	—	—	—	0.62	—	—	11.51	—	0.64	—
香川縣 Kagawa ,,	—	—	—	0.75	—	1.61	0.83	—	0.94	—
愛媛縣 Ehime ,,	—	—	—	—	—	—	3.05	—	1.11	—
高知縣 Kōchi ,,	—	—	—	26.87	4.88	0.44	5.37	—	15.74	—
福岡縣 Fukuoka ,,	—	—	—	1.43	3.03	—	0.05	—	1.38	—
佐賀縣 Saga ,,	—	—	—	0.48	—	—	0.58	—	0.38	—
長崎縣 Nagasaki ,,	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	6.26	0.82	—	2.33	—	6.14	—
宮崎縣 Miyazaki ,,	—	—	—	1.55	—	—	0.14	—	0.42	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	4.35	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	—	—	2.47	0.39	0.20	1.83	0.00	1.62	0.02

「コレラ」死亡地方別

1,000 Deaths in General.

同 三 年 1914.	同 四 年 1915.	同 五 年 1916.	同 六 年 1917.	同 七 年 1918.	同 八 年 1919.	同 九 年 1920.	同 十 年 1921.	同 十一 年 1922.	同 十二 年 1923.	同 十三 年 1924.	同 十四 年 1925.	同 十五 年 1926.	同 十六 年 1927.
—	—	6.39	0.07	—	—	—	—						
—	—	0.18	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	1.25	—	—	—	—	—						
—	—	0.82	—	—	—	—	—						
—	—	0.23	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	5.55	—	—	—	—	—						
—	—	5.58	—	—	—	—	—						
—	—	0.09	0.23	—	—	—	—						
—	—	0.20	—	—	0.02	—	—						
0.04	—	2.81	—	—	0.05	0.04	—						
—	—	16.53	0.06	—	0.03	0.04	0.07						
—	—	0.19	—	—	—	—	—						
—	—	4.48	—	—	—	7.32	—						
—	—	6.89	14.71	—	—	—	—						
—	—	2.09	1.31	—	—	—	—						
—	—	0.05	—	—	—	—	—						
—	—	0.21	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	0.19	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	0.10	—	—	—	0.02	—						
—	—	0.20	—	—	—	0.18	—						
—	—	1.00	—	—	—	7.15	—						
—	—	8.25	—	—	—	3.52	—						
—	—	18.89	0.20	—	0.10	0.46	—						
—	—	7.16	—	—	0.77	4.99	—						
—	—	22.08	1.41	—	0.73	23.13	—						
—	—	2.99	1.02	—	—	—	—						
—	—	5.96	0.04	—	0.06	0.95	—						
—	—	11.58	0.06	—	0.07	1.21	—						
—	—	16.93	2.84	—	—	5.59	—						
—	—	13.15	—	—	0.59	3.22	0.04						
—	—	7.40	0.06	—	0.12	4.72	—						
—	—	11.03	0.44	—	0.48	1.29	—						
—	—	9.59	—	—	0.17	4.74	—						
—	—	11.03	1.47	—	0.14	3.26	—						
—	—	13.26	0.15	—	2.79	5.42	0.08						
—	—	4.93	0.04	—	—	5.62	—						
—	—	—	0.11	—	—	3.25	0.37						
—	—	2.87	—	—	—	5.89	—						
0.21	—	11.07	0.68	—	0.93	5.87	—						
—	—	0.43	—	—	—	2.07	—						
—	—	—	—	—	—	0.64	—						
—	—	0.13	—	—	63.07	—	—						
0.00	—	5.27	0.45	—	0.71	2.19	0.01						

第三十四表 (其一) 總死亡千ニ對スル

Table No. XXXIV. (No. 1) Deaths of Dysentery per

	明治十三年 1880.	同 十四年 1881.	同 十五年 1882.	同 十六年 1883.	同 十七年 1884.	同 十八年 1885.	同 十九年 1886.	同 二十年 1887.	同 二十一年 1888.	同 二十二年 1889.
北海道 Hokkaidō.	—	—	—	0.30	—	0.14	0.09	—	0.13	0.21
青森縣 Aomori Ken.	0.14	—	—	0.28	0.12	0.25	0.28	—	0.11	0.36
岩手縣 Iwate ,,	4.89	2.44	4.79	0.41	0.77	0.28	5.84	2.21	2.01	1.29
宮城縣 Miyagi ,,	9.83	0.93	1.51	0.19	0.39	0.95	1.18	0.38	0.29	0.19
秋田縣 Akita ,,	0.85	0.11	0.32	0.10	0.17	—	0.69	—	0.10	0.16
山形縣 Yamagata ,,	3.51	0.07	0.23	—	—	—	0.33	0.07	—	—
福島縣 Fukushima ,,	5.53	1.51	1.05	0.78	0.35	0.63	0.49	1.38	0.19	0.12
茨城縣 Ibaraki ,,	1.07	0.15	1.24	1.74	3.87	0.32	0.77	0.37	0.49	0.06
栃木縣 Tochigi ,,	—	—	0.47	0.10	0.27	0.08	1.03	0.63	0.16	0.14
群馬縣 Gumma ,,	2.99	0.94	0.58	0.32	0.53	0.14	0.14	—	0.14	—
埼玉縣 Saitama ,,	0.11	1.16	0.82	0.17	0.48	0.24	0.36	0.25	0.20	0.05
千葉縣 Chiba ,,	—	0.86	—	0.10	—	0.72	0.08	0.23	0.46	0.04
東京府 Tōkyō Fu.	0.53	1.10	0.35	0.38	0.16	0.21	0.80	0.45	0.40	0.20
神奈川縣 Kanagawa Ken.	0.54	0.43	0.49	0.07	0.06	0.30	0.18	0.11	0.11	0.10
新潟縣 Niigata ,,	0.64	0.47	0 19	0.11	0.46	0.25	0.29	1.07	0.22	0.15
富山縣 Toyama ,,				0.40	0.24	0.36	1.05	0.84	1.06	0.14
石川縣 Ishikawa ,,	1.58	0.96	1.62	0.81	0.59	1.46	1.71	3.12	3.12	4.25
福井縣 Fukui ,,	?	0.87	0.59	0.50	0.41	1.01	5.78	2.13	3.21	1.14
長野縣 Nagano ,,	—	0.17	0.22	0.11	0.16	0.27	0.27	0.95	0.15	0.05
岐阜縣 Gifu ,,	0.89	0.94	0.13	0.18	0.47	0.54	0.42	0.11	0.47	0.52
滋賀縣 Shiga ,,	0.35	0.56	0.92	0.22	0.07	0.12	0.95	0.37	0.65	0.14
山梨縣 Yamanashi ,,	—	0.60	0.88	0.15	0.66	0.41	0.84	0.52	—	0.37
靜岡縣 Shizuoka ,,	0.26	2.82	0.89	1.34	0.36	0.33	1.85	0.71	0.69	0.41
愛知縣 Aichi ,,	0.38	0.41	0.68	0.35	0.19	0.47	0.26	0.24	0.37	0.12
三重縣 Mie ,,	0.20	0.49	0.35	0.78	0.56	0.15	1.60	0.40	0.54	0.30
奈良縣 Nara ,,								—	0.20	—
和歌山縣 Wakayama ,,	—	1.72	0.19	0.28	0.97	2.40	1.49	0.63	0.45	1.60
京都府 Kyōto Fu.	0.24	0.77	0.26	0.35	0.32	1.40	0.40	0.24	0.11	0.11
大阪府 Ōsaka ,,	2.83	0.38	0.44	0.47	0.25	0.41	0.24	2.17	0.39	1.08
兵庫縣 Hyōgo Ken.	0.27	0.95	0.69	1.30	6.14	0.80	12.51	5.57	10.94	12.42
鳥取縣 Tottori ,,		?	0.16	0.35	0.47	—	0.73	0.30	0.45	6.42
島根縣 Shimane ,,	0.17	0.06	0.15	0.07	—	3.64	11.65	15.39	16.61	14.97
岡山縣 Okayama ,,	1.99	2.64	1.65	7.37	16.46	39.89	51.90	19.19	29.37	9.43
廣島縣 Hiroshima ,,	1.57	0.78	0 42	6.11	12.04	39.19	41.67	28.96	27.43	9.68
山口縣 Yamaguchi ,,	3.50	3.79	12.62	29.92	20.32	26.87	18.94	26.26	61.75	37.29
德島縣 Tokushima ,,	7.39	12.69	4.79	16.33	114.73	156.73	36.01	25.43	24.98	16.83
香川縣 Kagawa ,,									—	7.64
愛媛縣 Ehime ,,	2.42	6.87	8.16	48.76	46.58	54.30	19.74	20.92	54.84	23.37
高知縣 Kōchi ,,	0.84	28.67	0.41	1.08	6.77	54.11	17.69	12.11	7.22	4.32
福岡縣 Fukuoka ,,	5.44	8.04	2.71	11.16	11.22	13.92	5.86	11.23	20.72	16.38
佐賀縣 Saga ,,				6.54	6.13	4.67	4.96	15.37	25.72	20.05
長崎縣 Nagasaki ,,	7.16	12.51	2.02	4.57	2.55	5.42	6.48	5.78	51.11	104.29
熊本縣 Kumamoto ,,	16.43	24.60	21.69	98.46	54.84	42.40	13.98	17.48	19.60	19.51
大分縣 Ōita ,,	8.24	8.66	3.06	8.62	12.18	22.71	5.92	10.96	19.21	14.55
宮崎縣 Miyazaki ,,				5.19	—	7.50	2.28	2.91	2.90	21.55
鹿兒島縣 Kagoshima ,,	0.22	0.51	0.19	1.25	15.77	8.54	3.14	5.28	13.94	5.12
沖繩縣 Okinawa ,,	—	—	—	0.30	—	—	—	—	2.95	—
合計 Total.	2.16	2.75	1.98	7.49	8.64	12.36	7.22	5.65	8.69	7.31

赤痢死亡地方別

1,000 Deaths in General.

同二十三年 1890.	同二十四年 1891.	同二十五年 1892.	同二十六年 1893.	同二十七年 1894.	同二十八年 1895.	同二十九年 1896.	同三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.
1.10	0.09	0.48	0.18	0.56	2.49	3.11	0.80	0.86	4.32	5.15	0.97	1.64	4.03
0.10	—	0.25	0.09	0.70	1.62	15.50	19.94	12.36	166.95	40.26	46.22	9.52	15.96
0.91	0.36	0.23	0.07	0.43	2.52	9.15	19.95	21.71	116.82	8.47	83.70	60.19	62.03
0.19	—	—	0.06	0.18	0.34	21.35	17.19	11.76	51.95	13.09	36.60	24.50	8.95
0.15	—	—	—	20.85	25.20	23.76	1.29	3.60	13.83	2.57	39.97	10.66	35.35
0.14	0.12	—	—	—	0.17	8.56	2.42	0.54	11.39	9.83	15.88	8.35	14.24
0.11	0.05	—	0.05	0.05	0.20	0.55	5.05	17.05	74.82	35.14	31.29	29.45	18.38
—	0.21	0.14	0.19	—	0.61	3.35	20.45	32.98	19.57	13.73	13.95	16.82	12.94
0.38	0.59	0.12	0.25	—	0.36	12.46	22.93	10.55	18.29	8.23	9.57	5.48	3.12
—	0.19	—	0.30	0.44	0.25	109.92	71.83	49.32	39.97	14.78	22.38	15.73	8.08
0.05	0.33	0.17	0.09	0.34	0.57	35.24	54.16	41.13	20.18	8.91	2.95	7.94	2.08
0.24	0.29	0.32	0.64	0.35	0.13	12.52	33.89	25.85	16.43	12.40	8.36	4.73	4.96
0.51	0.72	0.99	0.88	0.89	1.22	9.94	46.31	18.35	13.24	4.98	2.25	2.84	4.26
0.43	0.28	0.83	6.05	8.93	3.01	17.04	81.05	45.91	39.79	40.74	16.75	7.64	12.93
0.48	0.28	0.06	0.35	6.49	12.59	20.80	47.27	64.81	73.43	36.24	26.11	11.60	6.52
1.50	3.61	3.72	7.41	46.94	35.49	7.25	1.83	5.89	10.67	5.14	3.22	2.36	3.11
25.64	6.72	11.97	13.67	29.00	33.96	25.19	6.35	9.93	19.58	7.48	6.58	6.66	6.66
1.29	0.51	1.12	2.99	24.73	29.35	20.49	14.38	8.83	20.53	2.94	6.69	3.99	11.60
0.55	0.48	0.17	0.31	3.76	2.45	48.82	52.25	76.50	48.56	25.89	16.78	13.20	7.16
2.95	0.74	3.81	46.29	19.91	23.56	65.90	19.88	24.79	18.97	6.81	3.76	12.29	7.60
0.22	0.27	1.52	25.06	36.10	25.60	28.70	10.77	10.22	4.00	3.17	4.13	2.96	1.41
—	0.12	0.40	0.19	1.16	0.36	23.44	191.65	180.11	72.00	36.62	26.63	31.79	25.76
0.25	1.29	1.22	2.05	6.41	14.62	30.62	72.09	65.65	24.01	14.05	9.66	7.86	9.54
0.14	0.27	10.01	12.67	19.55	9.89	30.86	20.38	16.05	5.88	10.01	5.06	5.16	5.01
0.18	0.15	2.40	7.75	19.59	10.52	26.56	10.01	8.02	4.71	3.14	2.96	1.58	1.44
0.09	1.74	24.29	62.84	47.63	10.48	11.34	3.81	8.37	2.80	2.62	0.93	1.01	1.33
0.62	5.71	38.91	185.64	89.79	20.04	22.62	6.37	15.65	4.87	5.28	1.70	4.80	7.10
0.32	1.34	5.63	28.48	33.60	12.76	15.39	10.19	8.16	13.01	5.68	7.93	3.76	2.48
0.67	6.22	42.22	141.55	48.61	9.00	12.46	9.58	6.02	3.02	3.06	2.66	3.62	3.76
4.80	10.46	30.32	115.72	70.45	17.61	15.12	9.44	20.92	8.70	4.64	3.76	3.26	3.55
24.63	23.71	29.10	37.50	125.10	15.93	21.81	28.58	24.04	11.04	7.81	7.35	4.09	1.21
16.86	5.44	2.66	20.70	71.17	48.02	93.03	39.52	45.46	8.58	5.55	12.61	3.06	4.93
5.32	3.78	7.66	37.60	168.87	33.44	35.49	24.27	21.14	15.73	7.01	12.46	10.05	3.85
5.82	7.44	12.05	107.23	115.69	27.48	41.31	26.09	28.35	9.08	11.06	12.53	17.92	12.49
12.44	19.49	37.05	123.55	62.07	17.79	29.88	26.23	13.39	7.02	7.37	7.09	7.33	6.26
5.66	4.33	6.52	59.86	232.98	28.47	34.50	21.04	35.75	11.11	11.96	5.93	10.95	4.75
1.49	2.21	4.82	49.48	133.62	29.22	57.96	45.48	36.76	13.27	21.00	7.29	14.20	10.42
9.20	10.67	45.22	171.01	133.29	20.96	30.50	27.90	17.42	6.68	7.16	5.71	5.11	6.96
7.91	15.90	44.02	43.05	44.41	24.89	24.79	9.75	10.88	13.17	6.07	7.58	4.11	4.05
141.93	83.70	99.72	73.62	66.70	18.96	12.49	6.90	4.98	3.79	2.78	1.60	2.89	3.06
45.02	54.56	75.61	69.90	32.11	14.97	3.12	4.48	11.83	3.49	1.37	1.06	0.50	0.34
52.02	80.09	48.92	73.75	34.14	11.56	0.49	7.62	14.92	12.62	2.92	6.58	7.65	4.89
16.90	55.79	96.30	124.74	94.49	36.86	13.50	13.07	18.49	13.57	7.19	7.05	4.73	4.25
14.02	148.67	138.41	143.53	85.17	15.09	11.97	9.99	12.22	9.12	3.24	2.69	3.66	1.25
3.82	25.19	62.22	86.33	78.31	36.39	18.15	12.86	13.34	10.45	7.05	2.11	6.03	0.88
2.93	1.61	1.52	4.31	75.86	47.85	25.51	13.51	12.57	11.18	8.56	10.03	4.98	2.11
—	—	—	0.48	0.36	10.63	1.13	—	2.20	4.75	1.84	5.12	1.36	0.55
10.60	13.15	18.76	44.59	44.71	15.17	24.72	26.50	25.12	25.49	11.16	11.76	8.80	7.74

第三十四表 (其二) 總死亡千ニ對スル

Table No. XXXIV. (No. 2) Deaths of Dysentery per

	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1808.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.	大正元年 1912.	同二年 1913.
北海道 Hokkaidō.	0.43	2.21	6.51	3.23	1.91	1.25	0.51	0.91	3.83	0.25
青森縣 Aomori Ken.	13.69	12.80	3.26	3.71	1.68	1.22	0.50	0.94	1.33	0.53
岩手縣 Iwate ,,	9.85	31.61	7.20	3.44	6.60	2.16	1.23	12.23	8.54	2.11
宮城縣 Miyagi ,,	15.16	22.43	4.62	7.21	5.86	2.03	1.04	5.88	6.44	3.09
秋田縣 Akita ,,	6.03	7.90	5.28	5.68	7.98	2.17	2.25	8.75	2.68	0.40
山形縣 Yamagata ,,	3.72	7.19	2.99	2.76	1.94	2.98	0.47	0.42	0.76	0.52
福島縣 Fukushima ,,	15.00	11.83	13.41	8.50	3.95	3.56	1.67	9.19	3.12	2.00
茨城縣 Ibaraki ,,	6.38	7.12	5.01	2.74	3.35	2.59	0.77	1.31	0.35	0.42
栃木縣 Tochigi ,,	2.03	3.45	4.62	1.71	2.97	3.75	4.38	2.57	2.54	1.98
群馬縣 Gumma ,,	9.58	10.83	7.52	8.05	9.25	5.03	1.74	1.82	0.90	0.51
埼玉縣 Saitama ,,	2.68	4.32	3.75	1.75	3.51	2.87	1.75	1.51	1.48	0.85
千葉縣 Chiba ,,	4.32	4.19	6.21	3.81	1.44	0.96	0.85	1.90	1.01	0.87
東京府 Tokyo Fu.	3.12	3.75	3.33	2.51	2.21	2.33	2.72	3.45	4.60	4.02
神奈川縣 Kanagawa Ken.	6.29	10.74	2.44	2.24	2.42	3.91	3.59	2.01	2.19	1.29
新潟縣 Niigata ,,	4.93	6.03	2.88	3.94	1.10	0.98	1.71	1.93	0.94	0.50
富山縣 Toyama ,,	1.59	1.26	1.30	5.97	2.83	1.30	1.26	1.95	2.45	1.01
石川縣 Ishikawa ,,	6.39	5.88	4.57	11.35	16.29	18.06	12.97	12.82	7.61	3.54
福井縣 Fukui ,,	5.87	17.09	14.70	14.82	6.52	3.53	3.28	2.33	2.41	0.27
長野縣 Nagano ,,	4.39	5.92	5.96	5.32	6.29	4.63	13.22	3.31	4.38	1.32
岐阜縣 Gifu ,,	2.85	16.00	7.82	9.69	5.82	8.45	5.62	5.69	3.50	2.88
滋賀縣 Shiga ,,	1.89	8.86	4.10	2.36	2.50	1.61	1.21	1.54	1.17	0.35
山梨縣 Yamanashi ,,	30.40	30.80	9.82	14.17	22.28	11.36	5.47	3.75	1.98	1.37
靜岡縣 Shizuoka ,,	8.84	21.68	5.10	5.10	7.89	2.75	5.06	9.27	10.01	1.60
愛知縣 Aichi ,,	3.80	5.83	5.23	5.69	4.19	5.56	5.09	7.79	3.12	3.41
三重縣 Mie ,,	0.74	2.42	5.04	3.34	2.66	3.32	3.00	3.54	4.44	1.65
奈良縣 Nara ,,	0.64	3.72	2.23	1.47	2.80	1.85	2.08	3.18	1.06	0.17
和歌山縣 Wakayama ,,	2.23	5.51	2.41	0.96	5.31	0.86	3.11	2.26	1.87	1.99
京都府 Kyoto Fu.	2.93	4.17	3.34	2.82	2.36	3.13	2.12	2.71	1.97	4.79
大阪府 Ōsaka ,,	2.23	20.45	7.23	8.12	5.73	2.54	2.65	2.70	2.97	1.68
兵庫縣 Hyōgo Ken.	3.44	8.37	6.82	4.45	5.28	4.18	7.38	6.11	10.34	5.76
鳥取縣 Tottori ,,	5.49	2.28	9.21	2.67	17.02	9.72	5.32	9.65	19.74	3.42
島根縣 Shimane ,,	1.28	3.29	2.41	2.57	5.23	3.09	2.00	3.15	4.77	3.98
岡山縣 Okayama ,,	3.18	2.71	5.57	7.46	16.58	9.60	6.71	11.23	7.85	4.21
廣島縣 Hiroshima ,,	14.26	10.11	4.97	14.77	8.51	9.38	5.13	3.02	8.12	4.55
山口縣 Yamaguchi ,,	8.08	6.26	6.00	3.71	4.10	6.10	6.66	3.85	3.48	3.80
德島縣 Tokushima ,,	13.15	5.94	4.40	5.36	27.81	57.40	83.71	59.45	34.61	13.91
香川縣 Kagawa ,,	4.25	6.63	6.76	24.05	101.44	47.95	59.34	33.00	38.75	14.01
愛媛縣 Ehime ,,	6.05	5.42	12.91	5.55	11.09	13.95	12.13	10.60	2.88	4.47
高知縣 Kochi ,,	3.20	2.39	2.34	7.28	4.84	9.55	4.35	4.27	2.15	4.77
福岡縣 Fukuoka ,,	1.95	4.03	2.50	4.22	2.60	4.18	2.90	3.08	5.79	2.43
佐賀縣 Saga ,,	1.14	0.94	0.17	2.84	0.67	5.96	2.63	2.60	3.62	4.26
長崎縣 Nagasaki ,,	11.70	10.24	2.75	7.33	3.56	12.43	18.66	11.97	12.98	13.40
熊本縣 Kumamoto ,,	4.88	12.28	12.21	18.91	11.23	15.62	11.53	8.55	27.32	25.95
大分縣 Ōita ,,	3.92	4.01	2.05	2.00	4.94	5.10	12.20	4.04	5.24	6.17
宮崎縣 Miyazaki ,,	1.45	4.25	2.65	1.55	1.06	5.07	2.15	0.31	3.15	2.81
鹿兒島縣 Kagoshima ,,	2.83	14.78	6.39	8.07	1.99	3.46	3.79	3.52	1.58	1.66
沖繩縣 Okinawa ,,	0.25	0.26	0.36	0.27	—	—	0.11	—	—	0.11
合計 Total.	5.41	8.57	5.38	5.84	7.62	6.26	6.63	5.76	5.52	3.59

赤痢死亡地方別

1,000 Deaths in General.

同 三 1914. 年	同 四 1915. 年	同 五 1916. 年	同 六 1917. 年	同 七 1918. 年	同 八 1919. 年	同 九 1920. 年	同 十 1921. 年	同 十一 1922. 年	同 十二 1923. 年	同 十三 1924. 年	同 十四 1925. 年	同 十五 1926. 年	同 十六 1927. 年
1.33	1.45	0.33	0.15	0.24	0.10	0.14	0.09						
1.75	2.00	1.40	1.81	0.42	3.97	6.44	8.86						
5.86	1.96	4.26	3.93	2.73	8.58	6.50	6.77						
2.31	0.43	14.09	0.74	2.11	1.51	2.28	1.85						
5.88	2.91	0.65	0.19	0.19	0.17	2.86	2.34						
1.66	0.20	0.97	0.57	0.19	0.16	0.23	0.09						
3.88	0.42	3.04	1.47	0.37	2.83	1.47	1.85						
0.57	2.35	0.62	0.71	0.53	2.19	2.61	2.87						
0.98	3.28	1.63	1.26	0.94	0.43	0.59	0.67						
0.94	0.95	0.98	0.97	0.68	0.30	0.27	0.43						
0.97	1.42	1.21	0.96	0.88	1.00	1.14	0.79						
2.58	2.74	6.59	4.74	0.80	0.52	0.58	5.07						
3.53	3.90	3.82	3.94	3.85	3.32	2.75	2.41						
4.05	2.21	5.07	1.96	2.36	2.43	3.04	2.26						
0.63	0.60	0.46	0.29	0.29	0.29	0.28	0.21						
1.85	1.04	1.18	0.46	0.08	—	0. 4	0.05						
11.74	6.25	6.08	2.81	0.96	2.05	1.39	1.08						
2.42	8.00	1.34	1.27	0.33	0.52	0.45	0.36						
2.17	0.45	7.09	4.92	0.50	0.09	0.14	0.03						
3.20	3.59	3.27	3.88	2.09	1.71	1.88	2.83						
1.01	1.34	0.51	0.49	0.42	2.04	1.34	0.59						
2.92	1.00	1.25	1.20	0.97	0.37	2.68	1.60						
3.55	2.88	2.68	2.09	2.36	2.14	2.40	2.69						
3.42	2.65	2.51	3.43	1.95	1.72	1.08	1.21						
0.27	2.29	1.04	0.83	0.58	1.02	0.78	1.57						
2.69	2.35	1.39	0.47	0.58	0.46	0.88	1.92						
1.84	2.07	1.21	1.83	0.75	0.91	0.73	0.37						
3.18	2.75	2.85	3.05	1.82	1.13	0.46	1.81						
4.41	4.08	3.10	4.15	2.73	1.81	1.69	1.48						
10.96	12.77	6.96	4.68	3.30	2.37	1.57	2.41						
6.08	2.01	1.65	1.77	1.44	0.97	0.65	0.63						
10.23	7.04	11.78	2.28	1.49	1.35	0.95	1.01						
3.56	2.62	4.50	5.00	4.67	1.90	1.56	3.42						
4.55	3.62	6.29	4.38	3.64	9.55	7.41	8.25						
6.19	4.88	4.77	2.61	2.10	2.93	2.32	2.20						
23.12	11.08	6.07	7.89	5.12	4.99	4.72	3.57						
18.57	11.73	10.74	5.93	5.28	4.32	9.35	5.48						
6.79	8.97	5.38	2.88	2.64	3.34	2.01	1.19						
3.63	8.41	2.59	4.93	1.49	0.64	1.27	1.20						
2.72	7.03	3.09	1.74	1.51	3.20	1.54	1.20						
0.77	0.80	1.37	1.23	1.90	0.69	1.24	0.56						
18.31	7.29	5.33	4.13	1.31	4.42	4.59	6.92						
24.44	13.82	6.46	4.48	4.72	8.55	5.93	7.42						
9.37	7.57	8.62	0.72	5.44	4.08	4.63	4.07						
5.84	3.26	1.82	4.16	1.32	5.79	3.99	2.95						
7.84	18.64	10.10	3.48	1.96	2.03	0.71	0.76						
—	0.11	0.12	0.11	—	0.30	0.08	0.21						
5.19	3.99	3.83	2.63	1.89	2.28	2.28	2.28						

第三十五表 (其一) 總死亡千ニ對スル

Table No. XXXV. (No. 1) Deaths of Typhoid Fever per

	明治十三年 1880.	同 十四年 1881.	同 十五年 1882.	同 十六年 1883.	同 十七年 1884.	同 十八年 1885.	同 十九年 1886.	同 二十年 1887.	同 二十一年 1888.	同 二十二年 1889.
北海道 Hokkaidō.	—	—	12.08	7.62	1.98	6.16	3.57	7.87	9.71	8.59
青森縣 Aomori Ken.	2.85	6.35	8.84	6.24	9.60	15.68	21.44	16.39	24.86	16.88
岩手縣 Iwate ,,	4.89	11.83	7.11	9.27	12.46	5.44	22.96	42.47	59.00	38.74
宮城縣 Miyagi ,,	15 87	64.27	25.54	15.99	17.63	10.16	19.07	28.83	24.47	24.24
秋田縣 Akita ,,	8.48	2.25	3.00	2.44	3.37	6.85	7.50	17.49	15.60	8.96
山形縣 Yamagata ,,	7.71	2.35	8.96	5.16	5.24	4.41	16.67	17.84	13.96	13.90
福島縣 Fukushima ,,	17.01	19.95	22.33	12.82	22.86	18.68	26.21	26.49	21.12	18.56
茨城縣 Ibaraki ,,	4.19	5.03	2.87	2.25	3.64	4.54	10.06	10.34	10.59	3.25
栃木縣 Tochigi ,,	1.07	2.68	3.70	7.17	8.62	4.74	9.70	9.72	21.64	25.64
群馬縣 Gumma ,,	7.71	5.12	9.78	4.04	5.70	4.42	9.20	14.21	21.18	10.09
埼玉縣 Saitama ,,	5.81	8.70	9.29	5.57	4.68	4.34	7.88	8.73	6.84	6.80
千葉縣 Chiba ,,	2.37	7.83	0.21	3.49	6.41	8.52	8.00	8.15	6.93	6.52
東京府 Tokyo Fu.	23.32	20.09	5.96	14.67	10.65	10.54	7.61	7.68	7.51	7.70
神奈川縣 Kanagawa Ken.	6.76	7.02	5.08	3.27	3.84	4.33	4.90	7.89	7.74	9.38
新潟縣 Niigata ,,	3.27	3.37	5.06	6.19	9.06	4.42	6.34	10.49	12.96	12.58
富山縣 Toyama ,,				2.05	6.78	6.36	20.73	27.84	19.77	11.15
石川縣 Ishikawa ,,	1.35	2.26	4.58	9.08	8.10	5.22	17.55	25.14	24.10	18.38
福井縣 Fukui ,,	?	3.91	6.91	5.26	4.80	4.11	11.23	6.29	10.70	9.39
長野縣 Nagano ,,	0.92	3.31	6.19	5.77	8.92	8.51	7.69	10.99	9.09	8.95
岐阜縣 Gifu ,,	4.39	4.19	9.07	5.87	5.83	5.49	16.22	13.00	10.65	6.35
滋賀縣 Shiga ,,	3.82	7.75	4.20	6.18	5.50	7.21	24.68	11.34	9.34	7.64
山梨縣 Yamanashi ,,	15.00	26.73	13.04	12.30	6.29	10.24	11.32	11.97	9.26	11.37
靜岡縣 Shizuoka ,,	4.03	9.70	9.20	8.18	8.09	8.07	11.00	10.54	10.89	9.66
愛知縣 Aichi ,,	5.67	6.71	6.44	6.24	8.11	7.16	14.44	6.54	6.06	5.96
三重縣 Mie ,,	5.19	12.03	8.91	10.59	13.12	6.18	19.14	11.21	8.73	12.02
奈良縣 Nara ,,								—	6.33	5.52
和歌山縣 Wakayama ,,	1.16	12.92	14.33	8.38	7.85	10.47	17.43	5.22	4.66	7.77
京都府 Kyoto Fu.	12.72	14.14	8.59	6.51	8.55	14.96	28.64	14.56	6.53	8.84
大阪府 Ōsaka ,,	14.10	13.18	15.86	10.40	10.67	14.84	37.94	18.57	10.76	9.44
兵庫縣 Hyōgo Ken.	12.77	13.02	13.82	14.56	14.94	6.39	20.08	19.66	16.68	13.67
鳥取縣 Tottori ,,		?	6.35	7.00	9.41	4.79	17.18	27.08	31.11	15.97
島根縣 Shimane ,,	5.84	4.59	6.07	6.04	4.22	5.29	7.60	5.69	7.01	6.60
岡山縣 Okayama ,,	10.27	10.91	8.61	8.41	13.16	9.56	10.52	8.00	9.16	7.92
廣島縣 Hiroshima ,,	4.39	2.72	4.70	4.80	7.25	4.92	9.82	10.49	8.81	6.41
山口縣 Yamaguchi ,,	2.57	5.64	8.15	11.30	11.50	12.65	7.94	6 06	4.71	4.46
德島縣 Tokushima ,,	2.84	2.56	2.52	2.84	2.92	3.68	10.93	9.41	7.21	16.31
香川縣 Kagawa ,,									—	29.30
愛媛縣 Ehime ,,	7.14	8.11	10.56	8.91	13.56	5.42	16.79	23.35	14.92	8.69
高知縣 Kochi ,,	3.12	2.04	1.86	3.02	4.23	11.55	9.81	9.58	11.49	8.37
福岡縣 Fukuoka ,,	11.51	8.66	8.56	9.66	10.78	13.26	13.11	12.57	14.45	13.30
佐賀縣 Saga ,,				2.83	4.13	5.39	3.84	4.78	3.69	4.31
長崎縣 Nagasaki ,,	1.64	2.67	2.91	2.19	4.52	3.61	8.71	14.53	11.09	7.58
熊本縣 Kumamoto ,,	3.96	3.87	6.67	14.42	14.20	9.54	11.64	10.96	11.82	10.77
大分縣 Ōita ,,	4.72	3.40	5.36	2.59	1.83	6.17	10.28	10.53	6.79	4.59
宮崎縣 Miyazaki ,,				0.86	1.36	3.69	1.78	3.97	8.00	2.30
鹿兒島縣 Kagoshima ,,	0.89	3.32	2.68	3.73	0.81	0.53	0.49	1.87	1.38	2.66
沖繩縣 Okinawa ,,	—	—	—	2.39	0.28	0.43	0.67	0.73	3.34	0.43
合計 Total.	6.94	8.77	7.89	7.46	8.54	7.72	14.57	13.02	12.18	10.56

腸「チフス」死亡地方別

1,000 Deaths in General.

同二十三年 1890.	同二十四年 1891.	同二十五年 1892.	同二十六年 1893.	同二十七年 1894.	同二十八年 1895.	同二十九年 1896.	同三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.
14.85	13.17	10.84	8.43	17.77	11.66	10.75	6.28	14.00	12.90	14.14	11.82	4.22	8.01
26.85	25.29	14.69	8.13	11.33	14.45	20.83	12.14	16.03	14.72	11.91	9.59	6.84	11.72
31.97	23.29	13.28	13.20	10.90	13.67	11.42	12.62	5.64	8.63	5.70	5.67	4.43	5.39
21.51	15.54	8.87	16.33	10.19	13.62	14.52	14.41	9.85	14.21	11.28	8.64	4.28	6.61
18.20	23.09	12.32	6.82	7.83	10.78	12.07	8.78	11.27	10.42	10.66	9.12	6.66	6.92
11.99	14.47	18.54	10.76	15.75	14.25	18.64	19.77	14.49	13.50	10.70	13.35	10.24	11.71
19.13	17.19	13.76	12.07	13.32	13.34	14.60	14.31	14.04	9.73	9.79	7.69	9.46	8.34
4.12	8.62	4.28	3.51	3.89	5.40	8.21	4.82	6.46	5.48	4.39	4.43	3.89	2.45
27.69	24.84	14.93	14.25	23.90	18.44	14.52	9.47	10.99	15.53	12.18	10.16	11.78	8.97
15.22	17.59	18.57	13.46	16.17	17.95	14.95	8.23	8.58	9.91	7.87	9.85	9.63	7.72
13.91	14.52	15.61	12.09	11.37	12.41	11.67	6.59	5.11	6.61	5.45	9.50	6.97	8.14
8.25	17.23	12.20	12.92	13.45	11.91	11.95	6.92	5.34	5.51	3.75	4.49	3.21	2.89
11.56	10.14	19.61	22.95	9.59	10.09	19.09	7.89	9.79	9.92	10.15	8.55	6.76	6.75
11.34	11.06	10.35	8.42	12.44	10.03	12.12	6.68	7.26	6.78	6.76	7.01	7.64	7.72
12.66	12.26	11.23	7.24	11.66	12.26	13.92	8.33	7.48	7.51	5.25	6.94	5.65	4.23
12.70	8.45	3.72	9.08	6.58	5.98	4.71	2.63	0.86	2.85	2.63	1.15	2.00	1.56
13.06	13.70	9.25	7.22	8.07	7.91	5.14	5.59	4.20	6.03	4.43	4.37	3.12	2.52
9.04	5.33	3.28	2.02	3.72	7.62	3.33	1.43	2.23	3.03	0.63	1.31	1.17	1.04
12.44	12.61	16.53	17.13	22.16	18.15	15.00	8.70	7.56	10.15	6.14	5.44	6.15	6.00
10.49	7.74	16.91	10.94	14.63	16.03	16.44	10.29	5.44	5.79	4.74	4.65	4.61	4.69
6.14	8.46	5.77	8.92	8.33	9.58	10.50	5.72	4.89	4.14	2.97	2.10	3.87	1.91
13.47	15.24	15.88	12.40	16.49	13.80	10.54	8.38	3.16	3.51	4.34	1.70	3.32	0.79
9.33	12.69	10.62	17.37	14.84	12.66	8.90	8.68	5.83	5.31	4.81	5.62	4.13	4.65
4.34	5.41	6.85	5.37	8.72	8.40	9.84	7.53	12.41	9.77	7.55	5.31	6.40	4.82
7.52	6.66	8.62	5.54	7.44	8.29	7.71	6.11	4.17	6.75	3.71	3.72	3.78	2.11
3.19	5.79	5.52	7.34	5.35	6.22	5.58	3.99	3.35	3.80	2.29	1.78	2.53	2.04
5.18	4.05	5.48	5.94	6.61	7.12	5.16	3.71	4.25	6.57	3.64	3.48	4.11	3.93
7.19	12.75	10.04	10.73	13.36	12.80	12.03	9.05	9.78	8.48	6.43	5.45	6.69	7.57
5.89	11.44	7.14	7.63	10.54	5.95	4.96	2.99	2.08	1.18	4.09	2.96	1.81	1.89
30.09	8.40	6.22	9.51	10.48	10.34	13.31	4.69	3.56	3.89	3.22	3.76	2.94	2.56
12.17	6.68	7.49	6.62	6.02	6.37	3.54	3.35	2.39	5.56	3.84	4.24	6.54	5.36
9.74	5.44	7.30	2.75	6.64	6.72	9.85	6.86	8.83	13.02	7.10	8.20	6.81	4.43
5.37	4.42	6.06	6.52	7.96	5.80	7.92	5.07	4.72	5.53	5.11	10.80	3.84	4.90
3.67	5.76	3.89	2.77	4.26	6.94	6.99	3.41	4.78	6.35	3.87	5.78	6.28	5.47
5.06	5.05	2.35	3.04	2.87	6.15	4.25	2.69	4.48	4.36	4.86	5.92	2.76	5.02
11.17	10.54	5.46	4.27	4.64	5.97	8.47	3.28	1.70	1.17	1.18	0.66	0.40	0.61
12.94	40.28	15.48	13.56	6.53	16.30	18.25	1.92	1.91	3.64	3.15	3.13	2.21	2.44
9.32	17.91	5.10	5.20	6.71	7.84	7.80	5.65	4.80	4.10	5.16	8.14	7.22	4.09
5.30	4.92	2.49	2.80	3.28	3.46	3.95	4.23	3.79	2.22	1.38	0.54	1.11	1.74
11.75	16.43	12.23	8.84	11.37	16.55	10.41	7.77	10.95	12.16	15.59	9.54	9.74	6.08
4.24	4.38	1.92	1.64	2.03	1.13	1.56	1.58	0.72	4.00	1.88	1.71	1.50	0.67
8.48	6.65	5.26	4.36	3.25	4.61	4.03	3.15	3.16	3.09	6.02	5.78	5.50	4.04
10.08	8.14	6.42	10.27	8.53	8.78	5.70	11.26	5.27	5.60	4.76	6.27	4.29	3.34
5.08	4.06	6.42	5.06	5.04	5.65	3.62	2.94	3.90	5.26	3.64	4.31	3.67	3.00
2.55	2.20	5.15	4.34	3.36	2.22	2.17	2.05	1.98	2.35	2.31	2.11	0.83	0.66
1.12	1.03	1.09	0.26	0.51	0.64	0.44	0.17	—	0.93	0.39	0.17	0.97	0.20
1.37	1.93	1.31	0.77	0.24	0.51	0.88	0.59	0.44	0.77	0.46	1.10	1.58	1.10
10.31	11.28	9.50	8.84	9.50	9.83	10.14	6.69	6.39	6.91	5.89	5.84	5.01	4.61

第三十五表 (其二) 總死亡千ニ對スル

Table No. XXXV. (No. 2) Deaths of Typhoid Fever per

	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.	大正元年 1912.	同二年 1913.
北海道 Hokkaidō.	9.34	6.03	7.68	8.63	7.85	7.93	7.18	6.62	5.81	4.09
青森縣 Aomori Ken.	8.00	7.91	11.46	7.42	8.33	5.72	9.38	12.97	12.05	7.88
岩手縣 Iwate ,,	6.06	3.47	7.07	5.18	3.30	4.44	4.42	6.78	9.27	6.70
宮城縣 Miyagi ,,	7.55	8.84	10.19	11.99	9.59	7.95	9.53	10.09	8.07	5.79
秋田縣 Akita ,,	4.97	10.03	11.94	8.04	6.30	6.91	8.35	6.98	7.46	8.29
山形縣 Yamagata ,,	12.71	11.27	13.05	9.04	8.85	10.67	15.65	18.46	13.80	8.25
福島縣 Fukushima ,,	7.67	7.26	9.58	8.81	11.02	9.40	14.42	11.71	9.41	7.90
茨城縣 Ibaraki ,,	2.97	3.11	4.92	5.43	3.26	4.85	4.29	4.55	5.02	3.08
栃木縣 Tochigi ,,	7.41	8.68	8.12	16.29	12.19	12.02	10.08	8.30	10.43	7.41
群馬縣 Gumma ,,	6.37	7.45	9.62	7.69	6.66	8.14	6.76	9.46	8.66	7.36
埼玉縣 Saitama ,,	8.90	6.78	5.88	7.98	6.76	7.39	10.04	7.23	6.63	4.68
千葉縣 Chiba ,,	4.22	2.65	2.97	3.29	2.21	3.22	5.44	2.87	2.68	1.94
東京府 Tokyō Fu.	10.65	7.61	11.81	8.87	7.43	8.40	27.33	11.22	9.28	9.35
神奈川縣 Kanagawa Ken.	7.12	5.45	4.93	8.32	16.88	6.29	11.04	5.21	7.17	6.54
新潟縣 Niigata ,,	3.57	5.03	9.68	4.77	4.57	4.45	5.92	8.63	5.83	7.13
富山縣 Toyama ,,	1.04	1.07	1.30	1.28	2.36	0.70	2.11	4.41	3.82	4.33
石川縣 Ishikawa ,,	2.76	2.18	2.04	2.45	2.00	2.10	3.05	3.48	3.94	2.81
福井縣 Fukui ,,	1.02	1.45	1.58	1.13	0.94	0.75	0.57	6.58	1.37	4.33
長野縣 Nagano ,,	5.76	10.19	13.33	12.79	13.80	12.62	16.26	11.23	9.23	7.27
岐阜縣 Gifu ,,	3.66	4.06	5.15	4.64	3.72	3.75	4.58	4.93	4.74	2.83
滋賀縣 Shiga ,,	2.15	2.87	2.38	2.04	1.60	1.79	1.91	1.95	1.63	1.25
山梨縣 Yamanashi ,,	1.93	2.91	5.65	3.72	4.19	6.49	11.60	16.58	6.71	5.48
靜岡縣 Shizuoka ,,	4.16	4.33	4.90	5.29	6.44	4.56	4.45	4.61	8.40	4.05
愛知縣 Aichi ,,	4.66	4.85	4.39	4.85	3.69	3.37	6.06	6.19	4.85	4.06
三重縣 Mie ,,	2.11	2.66	2.75	1.73	1.44	1.79	2.87	2.95	1.86	1.89
奈良縣 Nara ,,	1.54	7.69	2.59	1.56	1.40	1.51	1.82	1.89	1.06	4.28
和歌山縣 Wakayama ,,	3.70	3.58	3.01	2.88	2.77	3.86	3.67	5.80	2.15	2.61
京都府 Kyōto Fu.	6.93	11.29	10.37	7.79	8.66	7.80	10.27	8.29	6.22	7.41
大阪府 Ōsaka ,,	2.05	4.12	4.17	4.63	3.62	4.47	7.31	9.89	10.36	11.29
兵庫縣 Hyōgo Ken.	5.50	3.80	4.20	3.09	3.14	3.08	3.99	3.51	5.43	5.09
鳥取縣 Tottori ,,	3.66	8.47	6.14	9.36	4.83	11.74	12.01	17.16	11.65	7.57
島根縣 Shimane ,,	3.57	5.17	6.22	3.14	5.11	9.60	6.12	9.03	6.16	5.72
岡山縣 Okayama ,,	3.05	2.62	3.65	3.22	3.39	3.90	2.37	2.23	3.26	2.35
廣島縣 Hiroshima ,,	5.03	7.24	6.40	2.86	1.94	2.67	4.24	2.69	3.44	3.77
山口縣 Yamaguchi ,,	6.29	8.01	7.00	4.89	5.38	3.37	4.23	5.50	4.99	5.03
德島縣 Tokushima ,,	0.64	0.59	0.13	0.26	—	0.34	0.22	0.31	—	0.42
香川縣 Kagawa ,,	1.71	2.97	1.72	1.79	1.04	1.62	1.31	2.35	2.70	4.85
愛媛縣 Ehime ,,	4.72	5.10	3.56	3.00	3.25	1.93	3.66	6.00	3.87	2.69
高知縣 Kōchi ,,	1.40	0.72	2.18	4.60	2.97	2.30	1.74	3.37	4.46	3.83
福岡縣 Fukuoka ,,	7.03	9.68	12.75	13.81	9.68	6.11	8.21	6.57	8.41	7.19
佐賀縣 Saga ,,	1.06	0.86	1.10	0.49	1.63	3.32	1.13	1.30	0.55	0.55
長崎縣 Nagasaki ,,	5.82	8.90	5.72	5.30	4.71	4.36	5.00	5.34	6.27	3.96
熊本縣 Kumamoto ,,	3.28	3.26	8.50	7.41	3.23	2.53	3.61	6.69	7.26	7.74
大分縣 Ōita ,,	1.24	2.71	3.01	2.62	2.59	2.82	2.51	2.73	1.57	1.72
宮崎縣 Miyazaki ,,	0.67	0.42	0.85	1.04	4.87	2.83	2.90	3.46	4.04	1.19
鹿兒島縣 Kagoshima ,,	0.32	0.25	0.15	0.10	—	0.47	0.38	1.59	3.62	1.93
沖繩縣 Okinawa ,,	0.12	0.92	1.58	2.67	0.13	0.39	0.67	1.46	—	0.21
合計 Total.	4.84	5.25	6.17	5.62	5.18	5.01	7.13	6.54	6.06	5.29

腸「チフス」死亡地方別

1,000 Deaths in General.

同 三 1914. 年	同 四 1915. 年	同 五 1916. 年	同 六 1917. 年	同 七 1918. 年	同 八 1919. 年	同 九 1920. 年	同 十 1921. 年	同 十一 1922. 年	同 十二 1923. 年	同 十三 1924. 年	同 十四 1925. 年	同 十五 1926. 年	同 十六 1927. 年
10.07	8.73	7.77	7.05	8.38	11.09	9.55	6.86						
12.80	5.63	4.95	4.65	10.93	13.08	6.57	7.68						
6.86	5.05	9.75	13.18	6.68	9.58	9.90	12.32						
7.35	8.43	11.68	9.91	6.16	14.37	13.10	13.48						
12.39	8.15	12.53	10.40	9.08	11.38	11.43	9.49						
7.24	8.77	10.85	5.97	4.26	5.35	9.67	11.41						
8.40	5.85	8.85	7.92	10.52	11.22	11.21	14.33						
5.27	4.00	5.30	3.92	3.18	4.87	4.73	7.53						
10.48	6.66	8.06	6.66	4.80	11.21	4.89	7.25						
4.68	5.18	4.78	4.51	4.23	7.70	5.53	6.56						
5.20	5.23	5.81	3.19	4.59	2.78	7.50	8.70						
3.26	2.40	2.67	3.55	3.14	2.65	3.58	3.20						
11.12	11.89	11.14	12.86	12.83	13.75	13.54	15.36						
7.39	5.67	11.47	4.83	9.17	12.18	12.37	15.53						
5.12	4.46	3.15	3.72	3.82	4.85	4.25	7.27						
2.75	2.19	4.23	3.22	1.56	1.64	1.93	2.58						
4.13	3.23	7.24	3.24	1.56	3.65	2.97	4.23						
3.50	2.77	6.36	2.91	1.50	4.10	2.52	3.03						
9.51	8.58	6.40	8.93	5.05	7.60	7.84	7.46						
3.20	5.54	5.91	3.56	3.00	4.80	3.55	6.56						
0.94	2.74	1.71	2.21	1.72	4.14	2.36	2.96						
7.35	4.37	7.15	3.93	2.66	6.57	14.85	10.72						
3.76	4.16	4.86	3.13	4.03	7.77	10.30	13.24						
4.12	6.66	8.05	6.05	6.43	7.23	7.24	8.75						
1.47	2.69	3.15	2.76	3.64	4.97	4.62	5.13						
2.78	4.17	4.57	3.94	4.41	7.15	7.56	8.00						
6.34	8.98	4.72	3.65	4.48	4.48	5.10	5.86						
7.36	8.29	7.88	8.93	10.55	12.09	4.59	12.53						
9.94	11.66	11.39	10.95	10.70	12.93	8.21	8.76						
5.63	7.96	5.45	6.71	5.12	9.24	5.59	6.51						
4.80	13.17	6.37	7.52	5.10	9.01	6.79	5.84						
6.93	5.68	6.99	7.03	5.54	8.49	10.60	5.94						
2.59	5.81	4.83	5.91	4.32	9.30	8.15	10.00						
3.37	4.99	8.95	5.34	34.19	13.57	9.27	8.42						
6.37	4.63	7.31	5.91	4.06	6.55	4.51	6.52						
0.44	0.38	0.77	0.63	1.03	4.05	1.89	2.16						
6.31	6.93	5.66	4.50	3 70	7.89	6.72	10.38						
3.74	7.27	8.09	5.64	5.31	6.88	2.93	4.57						
5.52	6.12	5.46	6.79	5.32	8.13	7.90	6.83						
8.99	13.50	13.60	6.91	7.17	22.65	8.58	11.01						
0.97	1.89	2.09	1.02	0.67	0.90	1.30	0.80						
6.48	8.66	7.12	6.45	8.23	8.33	4.87	7.87						
6.13	6.78	8.52	4.56	2.76	6.45	6.17	7.03						
2.17	3.10	3.67	2.61	1.89	3.72	8.60	3.84						
2.41	5.79	6.41	3.08	2.95	9.67	3.07	2.07						
4.03	4.05	2.93	1.87	0.75	2.27	1.70	1.95						
1.11	0.74	1.23	0.56	1.13	1.68	1.73	0.64						
6.01	6.52	7.07	6.05	6.61	8.70	7.26	8.25						

第三十六表 (其一) 總死亡千ニ對スル

Table No. XXXVI. (No. 1) Deaths of Para-Typhoid per

	明治四十四年 1911.	大正一年 1912.	同二年 1913.	同三年 1914.	同四年 1915.	同五年 1916.	同六年 1917.
北海道 Hokkaido.	0.29	0.82	0.69	3.25	2.15	1.65	1.40
青森縣 Aomori Ken.	0.06	0.24	0.33	1.06	0.50	0.65	0.10
岩手縣 Iwate ,,	—	—	0.43	1.05	0.67	0.69	1.09
宮城縣 Miyagi ,,	0.43	0.45	0.62	0.39	0.81	0.56	0.59
秋田縣 Akita ,,	0.10	0.16	0.40	1.76	0.43	0.51	1.30
山形縣 Yamagata ,,	0.09	0.31	0.21	0.23	0.20	—	0.25
福島縣 Fukushima ,,	0.21	0.08	0.33	0.61	0.38	0.77	0.49
茨城縣 Ibaraki ,,	0.04	0.27	0.27	0.57	0.43	0.29	0.23
栃木縣 Tochigi ,,	0.22	0.38	0.68	1.52	0.40	0.75	0.73
群馬縣 Gumma ,,	0.79	1.30	1.44	0.47	0.38	0.71	0.64
埼玉縣 Saitama ,,	0.70	1.62	1.00	1.05	1.18	0.73	0.77
千葉縣 Chiba ,,	0.17	0.24	0.10	0.34	0.07	0.23	0.15
東京府 Tokyo Fu.	0.58	0.46	0.44	0.64	0.80	0.87	0.70
神奈川縣 Kanagawa Ken.	0.18	0.29	0.60	0.89	0.36	0.67	0.55
新潟縣 Niigata ,,	0.33	0.62	0.85	0.89	1.50	0.78	1.08
富山縣 Toyama ,,	0.11	0.23	0.71	0.37	0.27	0.39	0.71
石川縣 Ishikawa ,,	0.11	0.11	0.11	1.08	0.78	0.88	0.39
福井縣 Fukui ,,	0.13	0.13	0.74	1.27	0.68	1.34	0.24
長野縣 Nagano ,,	0.18	0.33	0.39	0.77	0.35	0.27	0.67
岐阜縣 Gifu ,,	—	—	—	0.13	0.48	0.15	0.24
滋賀縣 Shiga ,,	—	—	0.07	0.19	0.06	0.06	0.06
山梨縣 Yamanashi ,,	1.22	0.95	0.88	1.60	0.36	0.75	0.94
靜岡縣 Shizuoka ,,	0.30	0.61	0.14	0.45	0.24	0.43	0.52
愛知縣 Aichi ,,	0.05	0.15	0.57	0.47	0.35	0.51	0.42
三重縣 Mie ,,	—	0.18	0.10	0.13	0.18	0.37	0.20
奈良縣 Nara ,,	0.09	0.53	0.17	0.84	1.39	1.47	0.87
和歌山縣 Wakayama ,,	—	0.50	0.15	1.16	0.43	0.54	0.32
京都府 Kyoto Fu.	0.47	0.41	0.40	0.43	0.81	0.49	0.74
大阪府 Ōsaka ,,	0.37	0.84	1.23	1.07	1.29	1.49	1.58
兵庫縣 Hyogo Ken.	0.08	0.53	0.53	0.56	0.78	0.66	0.55
鳥取縣 Tottori ,,	0.25	0.12	0.24	0.12	0.13	—	—
島根縣 Shimane ,,	0.21	1.39	0.69	0.89	0.58	0.96	1.08
岡山縣 Okayama ,,	0.13	0.17	0.13	0.12	0.21	0.08	0.28
廣島縣 Hiroshima ,,	0.10	0.03	—	0.33	0.13	0.46	0.09
山口縣 Yamaguchi ,,	0.16	0.99	0.48	0.51	0.50	0.40	0.47
德島縣 Tokushima ,,	0.19	0.19	0.07	0.06	0.13	0.26	0.40
香川縣 Kagawa ,,	—	0.26	0.60	0.43	0.34	0.06	0.37
愛媛縣 Ehime ,,	0.15	0.89	0.24	0.23	0.60	0.41	0.09
高知縣 Kōchi ,,	—	0.32	—	0.44	0.31	0.42	0.21
福岡縣 Fukuoka ,,	0.18	0.15	0.48	0.65	0.43	0.41	0.56
佐賀縣 Saga ,,	—	—	—	0.07	0.07	0.36	0.14
長崎縣 Nagasaki ,,	0.11	0.33	0.43	0.39	0.58	0.44	1.13
熊本縣 Kumamoto ,,	0.08	0.30	0.91	0.85	0.58	0.65	0.32
大分縣 Ōita ,,	0.36	0.48	0.36	0.64	1.60	0.92	1.02
宮崎縣 Miyazaki ,,	0.92	0.73	—	0.19	—	0.38	0.36
鹿兒島縣 Kagoshima ,,	—	0.65	0.18	0.40	0.09	0.82	0.17
沖繩縣 Okinawa ,,	0.27	0.13	—	0.56	0.21	—	—
合計 Total.	0.23	0.44	0.46	0.71	0.61	0.62	0.59

「パラチフス」死亡地方別

1,000 Deaths in General.

同 七年 1918.	同 八年 1919.	同 九年 1920.	同 十年 1921.	同 十一年 1922.	同 十二年 1923.	同 十三年 1924.	同 十四年 1925.	同 十五年 1926.	同 十六年 1927.
1.22	0.98	1.55	0.73						
0.67	0.88	0.32	0.46						
0.47	0.86	1.30	0.56						
0.58	0.17	0.36	0.32						
0.45	0.72	0.43	0.69						
0.19	0.16	0.45	0.35						
0.70	0.78	0.59	1.22						
0.37	0.36	0.25	0.50						
0.45	0.77	0.28	0.62						
0.53	1.09	1.82	1.16						
0.52	0.57	1.03	0.94						
0.22	0.37	0.21	0.40						
0.57	0.67	0.63	1.01						
0.68	0.59	0.86	0.66						
0.86	1.53	0.98	1.42						
0.04	0.10	0.43	0.05						
0.04	0.50	0.46	0.15						
0.19	0.40	0.11	0.42						
0.35	0.15	0.16	0.22						
0.16	0.19	0.58	0.20						
0.10	0.18	0.43	0.38						
0.40	0.66	0.78	0.80						
0.60	0.83	1.00	1.19						
0.33	0.47	0.66	0.40						
0.58	0.35	0.32	0.52						
1.76	2.69	1.48	2.23						
0.30	0.58	0.85	0.31						
0.70	0.43	0.42	0.59						
1.61	1.86	1.26	1.26						
0.58	0.57	0.69	0.76						
0.08	0.86	0.19	0.42						
0.72	1.11	0.56	0.89						
0.13	0.48	0.35	0.40						
0.26	0.43	0.05	0.20						
0.34	0.27	0.20	0.25						
0.58	0.56	0.30	1.23						
0.14	0.52	0.11	0.32						
0.14	0.46	0.15	0.08						
—	0.71	0.30	0.27						
0.31	0.55	0.25	0.43						
0.26	0.07	0.18	0.06						
0.34	0.23	0.23	0.21						
0.28	0.56	0.45	0.39						
0.19	1.09	0.09	0.27						
—	0.09	0.15	0.32						
0.10	0.20	0.07	0.18						
0.09	0.40	0.47	0.11						
0.50	0.65	0.64	0.62						

第三十七表 (其一) 總死亡千ニ對スル

Table No. XXXVII. (No. 1) Deaths of Small-Pox per

	明治十三年 1880.	同十四年 1881.	同十五年 1882.	同十六年 1883.	同十七年 1884.	同十八年 1885.	同十九年 1886.	同二十年 1887.	同二十一年 1888.	同二十二年 1889.
北海道 Hokkaidō.	—	—	—	—	—	—	85.12	19.00	1.31	0.21
青森縣 Aomori Ken.	—	—	—	—	—	—	22.08	91.40	17.16	2.59
岩手縣 Iwate ,,	—	—	—	—	—	0.09	2.88	39.47	15.23	9.08
宮城縣 Miyagi ,,	—	—	—	—	—	1.32	0.59	11.40	0.65	0.26
秋田縣 Akita ,,	—	—	—	—	—	0.09	44.58	53.00	7.32	—
山形縣 Yamagata ,,	—	—	—	—	—	0.08	5.35	30.14	1.77	—
福島縣 Fukushima ,,	—	—	—	—	—	—	2.64	12.49	2.85	—
茨城縣 Ibaraki ,,	—	—	—	—	—	0.26	1.24	0.82	—	0.17
栃木縣 Tochigi ,,	—	—	—	—	—	0.08	1.80	0.24	—	1.07
群馬縣 Gumma ,,	—	—	—	0.08	0.15	5.06	1.31	—	—	0.38
埼玉縣 Saitama ,,	—	—	—	—	—	3.35	7.07	0.20	—	—
千葉縣 Chiba ,,	—	—	—	—	0.36	2.76	1.51	0.24	0.05	0.04
東京府 Tōkyō Fu.	—	—	—	—	0.14	4.79	3.90	0.60	0.03	0.08
神奈川縣 Kanagawa Ken.	—	—	—	—	6.09	12.70	5.04	2.11	0.92	—
新潟縣 Niigata ,,	—	—	—	—	—	0.03	5.74	16.85	0.19	—
富山縣 Toyama ,,				—	—	0.06	8.48	68.91	0.30	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	1.80	8.44	5.16	—
福井縣 Fukui ,,	—	—	—	—	—	0.14	8.48	36.95	2.41	0.57
長野縣 Nagano ,,	—	—	—	—	—	0.14	0.93	6.13	1.69	—
岐阜縣 Gifu ,,	0.18	—	—	—	—	1.12	3.47	1.74	0.37	0.05
滋賀縣 Shiga ,,	—	—	—	—	—	—	1.22	0.07	—	0.14
山梨縣 Yamanashi ,,	—	—	—	—	—	—	14.15	32.80	0.36	0.37
靜岡縣 Shizuoka ,,	—	—	—	—	—	1.38	26.79	1.14	0.94	5.86
愛知縣 Aichi ,,	0.42	—	—	—	—	0.16	2.82	0.65	1.06	0.12
三重縣 Mie ,,	0.07	—	—	—	—	0.15	1.40	0.63	—	—
奈良縣 Nara ,,								—	0.10	—
和歌山縣 Wakayama ,,	—	—	—	—	—	0.15	23.72	—	—	—
京都府 Kyōto Fu.	—	—	—	—	—	0.35	1.33	—	—	—
大阪府 Ōsaka ,,	—	—	0.14	—	—	3.46	28.32	0.46	0.13	—
兵庫縣 Hyōgo Ken.	—	—	—	—	—	22.79	60.83	0.38	0.34	—
鳥取縣 Tottori ,,		—	—	—	—	—	2.19	—	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	0.45	0.15	—	—
岡山縣 Okayama ,,	—	—	—	—	—	0.42	18.70	1.73	0.29	—
廣島縣 Hiroshima ,,	6.96	4.39	—	—	—	0.20	18.17	26.33	2.85	0.04
山口縣 Yamaguchi ,,	0.05	—	—	0.19	—	0.05	2.61	0.57	0.31	0.23
德島縣 Tokushima ,,	11.27	2.72	—	—	—	0.26	8.52	4.56	—	—
香川縣 Kagawa ,,									—	—
愛媛縣 Ehime ,,	9.26	5.50	6.89	—	—	0.19	6.66	1.28	—	0.19
高知縣 Kōchi ,,	23.88	14.96	0.10	—	0.10	0.07	13.54	45.11	0.29	0.09
福岡縣 Fukuoka ,,	1.26	1.02	—	7.21	0.35	5.78	39.89	0.99	—	0.04
佐賀縣 Saga ,,				—	—	0.72	43.06	—	—	—
長崎縣 Nagasaki ,,	0.48	—	—	10.51	19.47	63.99	71.83	0.08	0.07	0.06
熊本縣 Kumamoto ,,	0.15	0.11	—	1.06	3.16	1.33	13.11	0.64	—	0.06
大分縣 Ōita ,,	0.63	0.07	—	0.13	—	—	6.92	4.04	0.27	—
宮崎縣 Miyazaki ,,				—	—	0.86	8.62	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	0.89	0.15	13.70	165.64	42.76	0.35	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	204.56	88.41	—	—
合計 Total.	1.21	0.68	0.30	0.44	0.59	3.85	19.71	13.22	1.13	0.40

痘瘡死亡地方別

1,000 Deaths in General.

同二十三年 1890.	同二十四年 1891.	同二十五年 1892.	同二十六年 1893.	同二十七年 1894.	同二十八年 1895.	同二十九年 1896.	同三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.
—	2.97	126.66	87.00	0.32	0.09	2.96	20.00	5.95	1.22	—	—	—	—
—	—	25.15	34.12	—	—	0.54	0.66	9.92	10.59	0.07	—	0.14	—
—	—	3.46	10.10	0.65	—	0.22	1.92	0.97	1.33	—	—	—	—
—	—	1.80	6.35	0.17	0.11	11.33	11.11	2.03	0.28	—	—	—	—
—	—	1.29	6.15	2.46	—	—	0.07	0.60	0.78	—	—	—	—
—	—	8.11	1.72	1.43	—	0.12	0.65	0.66	0.10	—	—	—	—
—	0.05	3.23	2.46	1.01	0.05	0.75	5.10	1.64	—	—	—	—	—
—	2.11	35.26	4.37	2.78	—	2.17	14.00	—	—	—	—	—	—
0.53	6.95	16.10	1.91	0.78	—	0.53	6.63	—	0.06	—	—	—	—
—	0.19	12.77	19.92	0.12	0.06	0.21	3.38	—	—	—	—	—	—
0.05	0.42	6.85	7.38	0.68	—	2.21	23.35	—	—	—	—	—	—
—	0.74	11.29	0.26	2.57	3.17	1.43	21.82	0.03	—	—	—	0.04	—
0.24	7.03	37.55	1.76	2.66	0.07	17.66	44.66	0.02	—	—	0.05	—	—
—	10.97	35.43	1.67	1.56	—	1.11	15.30	—	—	—	—	—	—
—	0.03	11.62	18.43	5.14	0.08	0.16	5.99	0.11	—	—	—	—	—
—	0.39	21.75	55.37	—	—	—	6.01	—	—	—	—	—	—
—	0.07	6.59	14.02	0.06	—	0.06	0.82	—	—	—	—	—	—
0.08	—	1.88	2.25	1.62	0.08	0.65	2.79	—	—	—	—	—	—
—	0.05	1.02	29.01	10.13	0.14	0.09	1.56	0.27	—	—	—	—	—
—	—	0.61	1.73	0.42	—	—	1.12	—	—	—	—	—	—
—	—	0.12	0.50	0.14	0.07	0.93	2.41	—	—	—	—	—	—
—	—	0.39	8.86	75.82	13.67	0.67	3.10	0.08	—	—	—	—	—
0.10	0.09	3.84	2.10	8.76	0.04	0.52	8.15	0.04	—	—	—	—	—
—	—	1.97	1.18	0.07	0.03	—	2.97	0.10	—	—	—	—	—
—	—	1.15	2.21	0.06	—	0.32	16.33	—	—	—	—	—	—
—	—	0.39	34.37	2.12	0.09	0.51	12.16	—	—	—	—	—	—
—	—	3.40	19.83	0.86	—	1.98	11.20	—	—	—	—	—	—
—	—	1.02	1.96	0.16	0.42	2.12	6.47	—	—	—	—	—	—
—	0.03	15.03	47.92	4.60	0.10	5.44	74.59	0.03	0.03	0.09	—	0.03	0.03
—	—	8.49	27.55	0.61	0.06	32.03	18.31	—	—	—	0.03	—	—
—	—	—	11.11	0.88	—	0.14	7.00	—	—	—	—	—	—
—	—	—	0.13	—	—	0.06	0.81	—	—	—	—	—	—
—	—	0.24	22.67	1.06	0.05	1.74	5.52	0.10	—	—	—	—	—
—	0.04	0.33	10.30	14.72	0.04	2.85	7.37	—	—	—	—	—	0.07
—	—	1.73	17.17	0.06	—	1.22	2.81	—	—	—	—	0.11	0.11
—	—	0.71	14.74	0.16	—	5.10	43.68	—	—	—	—	—	—
—	—	0.41	1.24	0.24	—	0.52	4.34	—	—	—	—	0.06	—
—	—	0.06	2.41	0.23	—	0.58	5.11	0.85	—	—	—	—	—
—	—	0.24	3.51	0.08	—	0.62	5.01	—	—	—	—	—	—
—	—	0.34	6.61	1.39	0.04	4.55	21.92	—	—	—	—	—	0.03
—	—	—	1.63	10.17	—	0.37	1.76	—	—	—	—	—	—
0.11	—	0.20	20.96	40.98	1.38	0.41	25.88	—	0.07	—	0.06	—	—
—	0.05	0.15	1.22	3.66	0.16	0.16	1.17	—	0.09	—	—	—	—
—	—	0.17	3.87	0.18	—	0.26	6.27	—	—	—	—	—	—
—	—	—	0.86	0.12	0.26	—	5.34	—	—	—	—	—	—
0.19	—	—	2.05	13.52	1.27	1.80	5.73	—	—	—	—	—	—
—	—	—	—	—	—	22.17	37.56	—	—	—	—	—	—
0.03	0.84	9.36	12.80	3.94	0.31	3.75	14.03	0.41	0.26	0.00	0.00	0.01	0.01

第三十七表 (其二) 總死亡千ニ對スル

Table No. XXXVII. (No. 2) Deaths of Small-Pox per

	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.	大正元年 1912.	同二年 1913.
北海道 Hokkaidō.	—	0.36	0.59	—	0.45	—	0.25	—	—	—
青森縣 Aomori Ken.	—	—	0.15	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	0.13	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	0.06	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	0.22	—	—	—	—	—
福島縣 Fukushima ,,	—	—	0.54	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	—	—	—	—	0.69	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	0.17	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	0.10	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	—	—	0.18	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	0.39	0.03	—	—	—	—
東京府 Tōkyo Fu.	—	—	—	—	8.55	0.02	—	—	—	0.72
神奈川縣 Kanagawa Ken.	—	—	0.48	0.15	9.81	0.04	—	—	—	—
新潟縣 Niigata ,,	—	—	—	—	0.28	—	—	—	—	0.16
富山縣 Toyama ,,	—	—	—	—	0.06	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	0.34	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	0.67	—	—	—	—	—
長野縣 Nagano ,,	—	—	0.04	—	0.18	—	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	0.49	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	0.45	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	1.37	—	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	0.77	—	—	—	—	—
愛知縣 Aichi ,,	—	0.05	—	0.07	4.19	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	1.35	—	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	3.04	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	0.59	3.35	—	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	1.52	—	—	—	—	—
大阪府 Ōsaka ,,	—	0.30	—	0.02	37.29	0.02	—	—	—	—
兵庫縣 Hyogo Ken.	—	0.03	—	20.24	102.25	0.09	—	—	—	—
鳥取縣 Tottori ,,	—	—	—	—	0.51	—	—	—	—	—
島根縣 Shimane ,,	—	—	1.54	—	0.32	—	—	—	—	—
岡山縣 Okayama ,,	—	0.04	—	—	2.06	—	—	0.21	—	—
廣島縣 Hiroshima ,,	—	—	0.32	0.03	3.44	—	—	—	—	—
山口縣 Yamaguchi ,,	0.49	0.30	1.58	0.05	3.41	—	—	—	—	—
德島縣 Tokushima ,,	0.07	—	—	—	10.61	—	—	—	—	—
香川縣 Kagawa ,,	0.07	—	—	—	7.05	—	0.06	—	—	—
愛媛縣 Ehime ,,	0.05	0.68	—	—	0.86	—	—	—	—	—
高知縣 Kōchi ,,	—	0.16	—	—	0.78	—	—	—	—	—
福岡縣 Fukuoka ,,	0.31	0.25	—	—	6.39	0.03	0.03	—	—	—
佐賀縣 Saga ,,	0.16	—	—	0.08	0.81	—	—	0.46	—	—
長崎縣 Nagasaki ,,	10.73	—	0.03	0.07	0.21	0.02	0.02	0.58	—	0.53
熊本縣 Kumamoto ,,	0.96	0.22	0.04	—	0.22	0.04	0.04	—	0.04	—
大分縣 Ōita ,,	—	0.12	0.36	—	0.90	0.60	0.05	—	—	—
宮崎縣 Miyazaki ,,	0.89	—	0.21	—	1.66	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	0.32	—	—	—	0.04	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	0.47	0.08	—	—	—	—
合計 Total.	0.25	0.06	0.11	0.43	5.67	0.02	0.01	0.03	0.00	0.04

痘瘡死亡地方別

1,000 Deaths in General.

同 三 1914. 年	同 四 1915. 年	同 五 1916. 年	同 六 1917. 前	同 七 1918. 年	同 八 1919. 年	同 九 1920. 年	同 十 1921. 年	同 十一 1922. 年	同 十二 1923. 年	同 十三 1924. 年	同 十四 1925. 年	同 十五 1926. 年	同 十六 1927. 年
—	0.03	0.03	0.02	—	0.41	0.17	—						
—	—	—	—	0.08	0.31	—	—						
—	—	—	0.10	0.90	—	—	—						
—	—	—	—	0.08	0.04	—	—						
—	—	—	—	—	0.13	1.07	—						
—	—	—	—	0.04	—	0.08	—						
—	—	—	0.04	—	0.12	0.31	—						
—	—	—	—	—	0.63	0.03	0.11						
—	—	—	—	0.16	0.09	—	0.04						
0.05	—	—	—	0.04	—	—	0.09						
—	—	—	—	—	—	0.05	—						
—	—	—	0.03	0.03	—	0.03	—						
0.22	—	—	0.06	0.42	0.01	0.42	—						
0.09	—	0.16	0.08	0.03	—	—	0.02						
—	—	—	0.02	0.02	0.13	0.06	—						
—	—	—	0.05	—	—	—	—						
—	—	—	0.05	—	0.30	0.05	—						
—	—	—	—	—	—	0.11	—						
—	—	—	—	—	0.06	0.03	—						
—	—	—	—	—	0.04	—	—						
—	—	—	0.06	—	—	0.64	—						
—	—	—	—	—	—	—	—						
—	—	—	0.06	0.09	0.15	0.24	—						
—	—	—	—	0.02	0.15	0.04	0.04						
—	—	—	0.20	—	0.08	0.14	—						
—	—	—	1.57	—	0.62	2.09	—						
—	—	—	0.88	—	1.56	2.18	—						
—	—	—	0.78	—	0.33	0.13	0.01						
—	—	0.13	12.77	0.05	2.31	5.77	0.81						
—	—	0.72	2.49	1.12	8.69	0.27	1.26						
—	—	0.24	0.11	—	0.11	0.19	—						
—	—	—	—	—	0.12	0.33	—						
—	—	—	1.42	—	0.15	0.24	—						
—	—	—	0.63	—	0.09	0.18	0.03						
—	—	—	0.05	0.07	1.13	0.31	0.34						
—	—	—	0.69	0.22	3.30	0.80	0.25						
—	—	—	0.81	1.48	—	0.06	1.02						
—	—	—	0.71	—	0.46	0.39	—						
—	—	—	1.21	—	0.13	1.15	0.13						
0.38	—	—	0.98	0.84	1.27	1.15	0.75						
—	—	—	0.48	0.05	0.21	—	0.06						
1.69	0.05	0.05	0.14	0.90	0.46	0.08	0.51						
0.04	—	—	2.46	0.47	—	0.07	1.31						
—	—	—	—	0.26	0.08	2.85	0.18						
—	—	—	2.89	—	—	0.31	—						
0.16	—	—	0.08	0.10	1.98	0.50	—						
—	—	—	—	—	9.19	—	—						
0.10	0.00	0.04	0.97	0.19	0.87	0.59	0.16						

第三十八表 (其一) 總死亡千ニ對スル

Table No. XXXVIII. (No. 1) Deaths of Typhus per

	明治十三年 1880.	同 十四年 1881.	同 十五年 1882.	同 十六年 1883.	同 十七年 1884	同 十八年 1885.	同 十九年 1886.	同 二十年 1887.	同二十一年 1888.	同二十二年 1889.
北海道 Hokkaidō.	—	—	—	0.30	0.46	—	0.27	—	0.13	0.46
青森縣 Aomori Ken.	—	—	0.32	—	0.23	—	0.28	0.18	—	—
岩手縣 Iwate ,,	0.70	0.75	0.22	—	0.29	—	0.29	0.14	0.08	0.16
宮城縣 Miyagi ,,	0.56	1.20	0.38	0.19	0.10	—	0.12	—	0.14	—
秋田縣 Akita ,,	—	—	—	0.41	0.35	0.09	0.62	0.27	0.09	0.16
山形縣 Yamagata ,,	1.32	1.10	0.23	0.16	0.07	0.08	0.56	0.07	—	—
福島縣 Fukushima ,,	0.49	0.22	0.40	0.16	0.07	—	0.12	—	0.06	—
茨城縣 Ibaraki ,,	0.16	0.08	0.16	—	0.15	0.58	0.95	0.06	0.55	0.06
栃木縣 Tochigi ,,	0.11	0.11	0.28	—	0.27	—	0.09	0.08	—	0.14
群馬縣 Gumma ,,	1.36	1.28	1.16	—	0.30	0.21	0.42	1.15	0.36	0.08
埼玉縣 Saitama ,,	0.80	0.91	0.71	0.40	—	0.14	0.25	0.69	0.10	0.14
千葉縣 Chiba ,,	0.32	0.51	—	0.25	0.15	0.18	0.25	0.37	—	—
東京府 Tōkyō Fu.	3.35	3.08	0.39	0.23	0.10	0.18	0.19	0.05	0.12	—
神奈川縣 Kanagawa Ken.	2.25	2.69	0.79	0.20	0.13	0.10	0.22	0.22	0.27	0.20
新潟縣 Niigata ,,	0.08	—	0.12	0.04	—	0.09	0.05	0.03	0.25	0.06
富山縣 Toyama ,,				—	0.08	0.24	0.28	2.35	0.15	0.07
石川縣 Ishikawa ,,	0.22	0.23	0.20	0.15	0.22	0.26	0.83	0.26	0.20	0.13
福井縣 Fukui ,,	—	—	0.30	0.10	0.10	—	1.62	0.16	0.09	0.25
長野縣 Nagano ,,	—	0.34	0.11	0.11	0.16	0.09	0.35	0.16	—	—
岐阜縣 Gifu ,,	0.42	0.17	0.13	0.06	0.17	0.04	0.32	—	—	0.10
滋賀縣 Shiga ,,	—	—	—	0.07	0.07	0.06	0.45	0.45	—	—
山梨縣 Yamanashi ,,	1.47	1.20	0.55	0.32	—	0.10	0.21	0.52	0.14	0.12
靜岡縣 Shizuoka ,,	0.32	0.17	0.30	—	0.12	—	—	—	0.10	—
愛知縣 Aichi ,,	0.25	0.17	0.43	0.32	0.06	0.05	1.28	—	—	—
三重縣 Mie ,,	0.60	0.27	0.69	0.24	0.11	0.10	0.25	0.17	0.11	—
奈良縣 Nara ,,									—	0.08
和歌山縣 Wakayama ,,	0.93	0.57	—	0.09	—	0.07	0.44	0.18	0.18	—
京都府 Kyōto Fu.	0.12	0.14	0.05	—	0.06	0.09	14.54	0.12	0.05	—
大阪府 Ōsaka ,,	0.81	0.28	0.26	0.10	0.25	0.08	5.58	0.32	0.06	0.19
兵庫縣 Hyogo Ken.	1.60	0.98	0.98	0.41	10.68	2.10	9.24	5.78	1.54	0.53
鳥取縣 Tottori ,,		—	0.16	0.35	0.47	—	0.24	0.30	0.15	—
島根縣 Shimane ,,	0.28	0.11	—	—	—	—	0.13	0.99	0.08	—
岡山縣 Okayama ,,	—	—	—	0.12	0.96	4.08	0.79	1.62	0.06	—
廣島縣 Hiroshima ,,	0.10	0.05	—	—	0.34	0.46	0.62	0.73	0.20	0.08
山口縣 Yamaguchi ,,	0.33	0.16	0.17	0.58	0.30	0.15	0.70	0.36	—	0.11
德島縣 Tokushima ,,	—	—	—	—	—	0.11	3.62	5.00	4.70	0.44
香川縣 Kagawa ,,									—	0.07
愛媛縣 Ehime ,,	1.92	1.00	0.82	0.48	0.52	0.33	0.51	0.29	0.82	0.19
高知縣 Kōchi ,,	0.36	0.72	0.31	0.22	0.10	0.15	0.48	0.18	0.28	0.09
福岡縣 Fukuoka ,,	0.58	—	—	0.05	0.10	0.25	—	—	—	—
佐賀縣 Saga ,,				1.19	0.43	0.09	0.09	0.09	0.18	—
長崎縣 Nagasaki ,,	0.06	0.05	0.06	0.46	0.25	0.17	0.07	—	0.07	0.17
熊本縣 Kumamoto ,,	0.44	0.39	0.13	0.17	1.55	4.33	3.59	0.17	0.06	0.12
大分縣 Ōita ,,	—	—	—	—	—	—	0.75	0.07	—	0.13
宮崎縣 Miyazaki ,,				—	—	—	0.12	—	0.27	—
鹿兒島縣 Kagoshima ,,	0.11	0.19	0.19	—	—	—	0.05	0.06	0.17	0.41
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	1.18	—
合計 Total.	0.60	0.50	0.29	0.18	0.64	0.42	1.66	0.59	0.27	0.11

發疹「チフス」死亡地方別

1,000 Deaths in General.

同二十三年 1890.	同二十四年 1891.	同二十五年 1892.	同二十六年 1893.	同二十七年 1894.	同二十八年 1895.	同二十九年 1896.	同三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.
—	0.19	—	—	—	—	—	0.07	—	—	—	—	—	—
0.09	—	—	—	—	—	—	—	0.23	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	0.06
0.06	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	0.08	—	—	—	—	—	0.07	—	—	—	—	—
0.14	—	0.06	0.05	0.12	0.23	0.06	0.30	0.06	0.26	0.27	0.22	0.11	—
—	—	0.05	—	0.05	0.05	—	—	—	—	0.14	—	—	—
0.29	0.16	0.05	0.14	—	0.25	—	—	—	—	—	—	—	—
0.08	0.07	0.06	—	—	0.07	—	—	—	—	—	—	—	—
—	0.06	0.11	—	—	—	—	0.06	—	—	—	—	—	—
0.10	0.05	0.04	—	—	—	0.04	0.04	—	0.04	—	—	—	—
—	0.12	0.24	0.09	0.09	0.04	—	0.12	—	—	—	—	—	0.04
0.05	0.13	0.05	0.08	0.09	0.15	0.05	0.02	0.02	0.02	0.02	—	—	—
0.29	0.28	0.17	0.11	—	0.13	—	0.11	—	0.05	—	—	—	—
—	—	0.14	—	0.03	0.06	0.03	—	—	—	—	—	—	—
—	0.06	—	0.17	0.06	0.10	0.12	—	—	—	—	—	—	—
0.35	0.13	0.12	0.06	—	—	—	—	—	—	0.06	—	—	—
0.15	—	—	—	—	—	—	—	—	—	—	—	—	—
0.05	0.05	—	—	—	—	—	—	—	—	—	—	—	0.04
—	—	—	—	—	—	0.04	0.12	—	—	—	—	—	—
—	—	0.06	—	—	—	0.13	—	—	—	—	—	—	—
—	0.23	0.10	—	0.12	0.12	—	—	0.08	—	—	—	—	—
—	0.13	0.04	—	—	—	0.04	—	—	—	0.04	—	—	—
—	—	0.06	0.03	—	0.03	—	0.03	—	—	0.03	—	—	—
—	0.05	0.09	0.05	—	—	—	—	—	—	—	—	—	—
0.09	—	0.16	0.16	0.09	0.09	—	—	—	—	—	—	—	0.09
—	0.08	0.31	—	0.17	—	—	—	0.08	—	0.07	—	—	—
—	0.26	—	—	—	0.19	0.05	—	—	—	—	—	—	—
0.11	0.89	0.10	0.26	0.06	—	0.06	—	—	—	—	0.03	0.03	—
0.71	3.51	0.19	0.49	0.26	0.38	0.22	—	0.03	0.03	—	0.06	—	—
—	0.26	—	—	—	—	—	—	0.15	—	—	—	—	—
—	—	—	—	0.07	—	—	—	—	—	0.07	—	—	—
—	0.11	0.34	0.04	0.04	—	—	—	0.05	—	—	—	—	—
0.12	0.17	—	0.07	0.12	0.04	0.14	—	0.15	0.04	—	—	—	—
—	0.17	—	—	—	0.06	—	—	—	—	—	—	—	—
0.08	0.22	0.21	—	0.06	0.24	—	—	—	—	—	—	—	—
0.07	0.27	—	—	0.06	—	—	—	—	0.07	—	—	—	—
—	0.06	0.06	—	0.06	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	0.17	—	—	—	—	—	—
—	—	—	0.04	—	—	0.04	—	—	—	—	—	—	0.03
—	—	—	—	—	—	—	—	—	—	—	—	—	—
0.06	—	—	—	—	—	—	0.26	—	—	—	—	—	—
—	—	—	0.09	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	0.13	—	—	—	—	—	—	—
0.19	—	—	—	—	—	—	—	—	0.05	—	—	—	—
0.27	—	—	—	—	—	—	—	—	—	—	—	—	—
0.08	0.33	0.07	0.06	0.04	0.06	0.03	0.03	0.02	0.01	0.01	0.01	0.00	0.01

第三十八表 (其二) 總死亡千ニ對スル

Table No. XXXVIII. (No. 2) Deaths of Typhus per

	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.	大正元年 1912.	同二年 1913.
北海道 Hokkaidō.	—	—	—	—	—	—	0.06	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	0.06	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	0.06	—	—	—	—
山形縣 Yamagata ,,	0.21	—	—	—	0.05	—	—	—	—	—
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	—	—
東京府 Tōkyō Fu.	—	—	0.02	—	—	—	—	—	—	—
神奈川縣 Kanagawa Ken.	—	—	—	—	—	—	—	—	—	—
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	—	0.09	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—
京都府 Kyōto Fu.	—	—	—	—	—	—	—	—	0.02	—
大阪府 Ōsaka ,,	—	—	—	—	—	—	—	—	—	—
兵庫縣 Hyōgo Ken.	—	—	—	—	—	—	—	0.13	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	0.07	—	—	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	—	—	—	—	—	0.05	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	—	0.07	—	—	—	—
高知縣 Kōchi ,,	—	—	—	—	—	—	—	0.03	—	—
福岡縣 Fukuoka ,,	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	0.05	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—

發疹「チフス」死亡地方別

1,000 Deaths in General.

同 三年 1914.	同 四年 1915.	同 五年 1916.	同 六年 1917.	同 七年 1918.	同 八年 1919.	同 九年 1920.	同 十年 1921.	同 十一年 1922.	同 十二年 1923.	同 十三年 1924.	同 十四年 1925.	同 十五年 1926.	同 十六年 1927.
2.46	0.35	—	—	—	—	—	—						
4.93	1.31	0.70	0.88	0.58	0.72	0.05	0.04						
0.41	0.17	—	—	0.12	0.04	—	—						
1.29	0.49	0.09	0.15	—	—	—	0.41						
1.92	—	0.19	0.19	0.04	0.34	—	0.04						
0.05	0.15	—	0.04	0.30	0.25	0.08	0.43						
4.20	0.04	0.07	0.04	0.03	—	—	—						
1.82	0.22	0.07	—	—	—	—	—						
0.54	—	—	—	—	—	—	—						
0.70	—	0.13	—	—	—	—	—						
1.19	—	—	—	—	—	—	—						
0.20	—	—	—	—	—	—	—						
12.36	0.12	0.16	—	0.01	—	—	—						
0.85	—	—	—	—	—	—	—						
0.12	—	0.02	—	—	—	—	—						
0.06	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
0.52	0.03	0.33	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
0.85	—	—	0.17	—	—	—	—						
0.14	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	0.06	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
0.06	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	0.04						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—						
—	—	0.12	—	—	—	—	—						
1.12	0.06	0.10	0.02	0.02	0.02	0.00	0.02						

第三十九表 (其一) 總死亡千ニ對スル

Table No. XXXIX. (No. 1) Deaths of Scarlet Fever per

	明治三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.
北海道 Hokkaidō.	—	—	—	—	—	—	—	—	—	0.09	0.04	0.03	—	0.06
青森縣 Aomori Ken.	—	0.08	—	—	—	—	—	—	—	—	—	—	0.13	—
岩手縣 Iwate ,,	—	—	—	0.07	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	0.11
秋田縣 Akita ,,	0.07	—	0.06	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	0.05	0.05	—	—
福島縣 Fukushima ,,	0.05	—	—	—	—	—	—	—	—	—	—	0.09	—	—
茨城縣 Ibaraki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	0.11
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	0.16	—	0.10	4.76	6.76
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—	—	0.18	2.36	2.59
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	—	0.03	—	0.04	—	0.04
東京府 Tōkyō Fu.	—	0.02	0.02	0.05	0.02	0.07	0.07	0.14	0.15	0.34	0.46	0.33	0.30	1.53
神奈川縣 Kanagawa Ken.	—	—	0.05	—	0.06	0.05	—	—	—	0.16	0.19	0.42	0.04	0.09
新潟縣 Niigata ,,	—	—	—	—	—	—	0.03	—	—	—	—	—	—	0.05
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	0.06	—	—
福井縣 Fukui ,,	—	0.08	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	0.04	—	0.54
岐阜縣 Gifu ,,	—	—	—	—	—	—	0.05	—	—	—	—	—	—	—
滋賀縣 Saga ,,	—	—	0.07	—	—	—	—	—	—	—	0.19	0.19	0.63	0.06
山梨縣 Yamanashi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
靜岡縣 Shizuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.04	—
愛知縣 Aichi ,,	—	—	—	—	—	—	—	—	—	—	0.22	0.05	0.04	0.05
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.34	0.09
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	0.09
和歌山縣 Wakayama ,,	—	—	—	—	—	—	—	—	—	—	—	0.15	—	0.07
京都府 Kyōto Fu.	—	0.14	—	0.14	—	0.13	0.09	0.09	0.09	0·23	0.91	2.65	3.60	1.06
大阪府 Ōsaka ,,	0.03	—	—	0.09	—	0.05	0.08	—	0.07	0.08	0.05	0.22	0.21	0.23
兵庫縣 Hyōgo Ken.	—	—	—	0.03	0.03	—	0.03	—	—	0.05	—	0.02	—	—
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
島根縣 Shimane ,,	—	0.07	—	—	—	0.07	—	—	—	—	—	—	—	0.13
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	0.08
廣島縣 Hiroshima ,,	—	—	0.04	—	—	—	—	—	—	—	0.03	0.03	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	—	—	—	0.05	0.05	0·05
德島縣 Tokushima ,,	—	—	—	—	—	—	—	—	—	—	—	0.06	—	0.05
香川縣 Kagawa ,,	—	—	0.07	—	—	—	—	—	—	0.07	—	—	0.35	5.02
愛媛縣 Ehime ,,	—	—	—	0.05	—	—	—	—	—	—	—	—	—	—
高知縣 Kochi ,,	—	—	—	0.08	—	—	—	—	—	—	—	—	—	—
福岡縣 Fukuoka ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	0.05
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	0.01	0.01	0.01	0.00	0.01	0.01	0.01	0.01	0.04	0.07	0.12	0.31	0.44

猩紅熱死亡地方別

1,000 Deaths in General.

同 四十四年 1911.	大正元年 1912.	同 二年 1913.	同 三年 1914.	同 四年 1915.	同 五年 1916.	同 六年 1917.	同 七年 1918.	同 八年 1919.	同 九年 1920.	同 十年 1921.	同 十一年 1922.	同 十二年 1923.	同 十三年 1924.	同 十四年 1925.	同 十五年 1926.	同 十六年 1927.
0.06	0.09	0.03	0.06	—	0.08	0.02	0.04	0.12	—	—						
—	—	0.07	0.12	—	—	0.05	—	0.10	—	0.05						
—	—	—	—	—	—	—	—	0.09	0.04	—						
0.05	0.06	—	—	0.04	0.09	0.05	0.04	0.04	0.04	—						
—	0.86	0.46	—	0.05	0.09	—	—	0.13	0.04	.009						
—	0.05	—	—	—	—	—	0.04	—	—	—						
—	—	0.04	0.04	—	—	0.04	0.03	—	—	—						
—	—	0.04	—	—	—	0.03	0.06	—	0.03	—						
0.05	—	0.06	—	—	—	—	0.04	—	—	—						
0.99	0.40	—	0.05	—	—	0.05	—	0.08	—	0.22						
0.74	0.61	0.30	0.07	0.07	—	0.03	0.03	—	0.03	0.03						
—	0.14	0.20	0.17	—	0.03	0.06	0.03	0.03	0.03	0.03						
1.54	0.78	0.67	0.34	0.65	1.16	0.28	0.26	0.38	0.29	0.28						
1.01	0.24	0.18	0.38	0.18	0.08	0.12	0.03	0.17	0.22	0.20						
—	0.05	—	—	—	0.02	0.02	—	0.02	0.06	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	0.05	—	—						
—	—	—	0.05	—	—	—	—	0.06	—	0.12						
0.04	—	—	0.07	0.07	—	0.03	0.07	0.03	—	0.10						
—	—	—	—	—	—	—	—	—	—	—						
—	0.13	—	0.25	0.13	—	—	—	—	0.21	0.24						
—	—	—	—	0.09	—	—	0.16	0.15	—	0.03						
0.04	—	0.04	0.07	0.03	—	—	—	0.03	0.05	0.03						
0.03	0.08	—	—	0.02	0.04	—	0.02	0.02	0.02	0.19						
—	0.04	0.05	0.04	0.04	—	0.04	0.03	—	0.07	0.11						
—	—	0.09	—	—	0.08	—	—	—	0.07	—						
—	—	0.08	0.14	0.07	—	—	0.05	—	0.06	0.06						
0.55	0.45	0.28	0.39	0.26	0.32	0.32	0.29	0.50	0.14	0.50						
0.09	0.07	0.16	0.14	0.08	0.10	0.22	0.03	0.10	0.25	0.08						
0.03	0.10	0.12	0.07	0.02	0.04	0.04	0.08	0.23	0.03	0.04						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	0.06	0.06	—	—	—	—	—	—						
0.04	—	—	0.04	—	0.04	0.04	0.03	0.04	0.03	—						
—	0.03	—	—	—	0.03	0.03	—	0.14	0.03	0.03						
0.05	0.05	0.43	—	—	—	—	—	0.18	0.04	—						
—	—	—	—	—	—	—	—	—	—	—						
1.34	1.09	0.15	0.12	0.07	0.26	0.12	0.14	0.12	0.06	—						
—	0.10	—	0.02	0.05	0.09	—	0.03	0.04	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	0.03	—	—	—	0.07	—	—	0.02	0.02						
—	—	—	—	—	—	—	—	0.07	—	—						
—	—	0.11	—	—	0.10	—	0.07	—	—	—						
—	—	—	—	—	0.04	—	—	—	—	0.04						
—	—	—	—	—	—	—	—	—	—	0.05						
—	—	—	—	—	—	—	—	—	—	—						
0.05	0.05	—	0.04	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
0.19	0.14	0.10	0.07	0.07	0.04	0.05	0.04	0.09	0.06	0.06						

第四十表 (其一) 滿十五歳マデノ總死亡千ニ對スル

Table No. XL. (No. 1) Deaths of Diphtheria per

	明治三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.	同四十四年 1911.
北海道 Hokkaidō.	33.29	23.53	17.67	13.39	14.31	14.88	15.31	12.83	14.24	16.35	15.73	15.19	17.61
青森縣 Aomori Ken.	24.41	16.67	15.19	12.27	13.00	8.90	6.80	10.27	9.24	7.20	11.27	7.57	8.30
岩手縣 Iwate ,,	13.55	17.49	13.75	15.93	12.79	9.60	7.89	6.53	4.14	5.13	7.28	10.51	8.73
宮城縣 Miyagi ,,	24.13	23.43	16.08	13.80	17.52	12.82	11.62	11.48	11.99	11.87	11.08	13.23	15.76
秋田縣 Akita ,,	35.84	30.78	22.01	15.56	11.62	8.93	9.78	7.97	7.16	13.45	12.61	15.27	10.51
山形縣 Yamagata ,,	20.09	17.83	15.72	9.81	7.82	8.98	7.71	7.53	8.66	9.59	7.44	8.10	8.17
福島縣 Fukushima ,,	17.57	17.09	11.98	13.21	9.42	9.06	10.64	17.03	12.84	13.04	10.41	13.64	16.13
茨城縣 Ibaraki ,,	12.31	11.55	6.38	3.99	4.76	4.18	5.15	7.21	6.32	9.64	9.93	10.83	13.50
栃木縣 Tochigi ,,	25.26	29.05	17.40	8.96	11.63	12.98	9.58	12.19	18.95	14.24	15.00	18.16	15.18
群馬縣 Gumma ,,	29.00	22.44	18.20	11.82	16.59	13.63	10.72	12.98	9.82	14.78	11.28	14.36	17.75
埼玉縣 Saitama ,,	19.25	18.28	12.18	13.79	14.33	11.13	9.40	10.04	11.61	13.22	11.72	14.13	13.13
千葉縣 Chiba ,,	12.05	10.13	12.14	8.60	10.34	8.13	13.87	11.54	8.17	11.94	10.14	8.09	12.47
東京府 Tokyo Fu.	19.07	19.82	18.21	15.44	14.86	13.10	15.20	17.86	19.17	14.69	14.28	12.18	14.99
神奈川縣 Kanagawa Ken.	16.42	19.44	16.65	15.64	20.77	20.41	15.74	18.02	17.92	14.36	11.00	14.75	11.38
新潟縣 Niigata ,,	16.42	12.18	12.50	17.20	14.23	10.96	7.70	11.12	8.34	13.45	14.55	12.99	11.64
富山縣 Toyama ,,	4.19	1.75	2.40	4.11	3.85	2.60	2.21	2.46	2.65	3.35	2.33	0.82	3.77
石川縣 Ishikawa ,,	12.73	9.38	6.53	8.50	8.70	10.48	11.78	11.86	8.49	11.29	10.28	12.07	7.91
福井縣 Fukui ,,	14.67	6.01	8.00	8.93	6.89	5.03	6.90	10.23	6.50	8.57	5.46	4.99	4.58
長野縣 Nagano ,,	23.34	17.24	18.23	15.76	14.08	14.07	14.15	10.44	11.31	10.54	14.17	15.42	14.84
岐阜縣 Gifu ,,	16.33	16.40	9.88	7.69	7.37	6.85	5.45	8.32	7.94	11.43	7.42	9.81	10.03
滋賀縣 Shiga ,,	8.00	8.14	7.99	7.36	5.72	5.89	4.51	8.25	5.71	7.13	5.07	2.88	5.56
山梨縣 Yamanashi ,,	21.02	16.76	13.58	17.95	19.62	19.52	14.92	11.27	14.92	19.64	13.58	10.09	20.84
靜岡縣 Shizuoka ,,	22.91	17.32	15.03	14.03	18.14	18.09	16.17	16.43	11.01	12.47	13.04	12.43	11.72
愛知縣 Aichi ,,	14.98	17.57	10.81	11.44	11.78	8.89	8.29	12.08	8.72	11.55	11.66	9.80	9.57
三重縣 Mie ,,	17.21	14.74	10.35	12.79	9.54	6.72	5.93	6.90	7.95	11.16	10.90	11.27	13.74
奈良縣 Nara ,,	18.71	16.43	9.99	9.22	10.52	8.74	6.06	8.37	11.74	12.35	6.64	10.95	9.38
和歌山縣 Wakayama ,,	22.02	17.24	10.88	8.32	8.01	11.55	5.89	10.15	9.69	14.23	14.91	14.51	17.04
京都府 Kyoto Fu.	20.52	22.68	13.00	13.20	11.50	10.24	10.54	14.25	11.68	15.95	13.00	14.48	12.79
大阪府 Ōsaka ,,	8.57	15.48	13.32	11.38	9.43	11.21	10.67	15.44	15.20	13.76	14.45	15.66	15.19
兵庫縣 Hyogo Ken.	18.80	16.62	11.78	10.04	9.33	8.83	8.04	10.89	11.64	8.83	7.64	8.63	9.33
鳥取縣 Tottori ,,	17.67	21.34	16.80	16.02	18.11	16.42	28.07	22.43	21.13	16.29	14.13	16.79	15.78
島根縣 Shimane ,,	13.39	7.40	10.20	7.65	6.70	5.53	8.87	10.92	11.78	10.53	11.84	13.24	12.37
岡山縣 Okayama ,,	10.33	15.68	12.91	11.21	9.96	8.65	6.71	6.12	5.92	8.88	10.18	11.66	12.77
廣島縣 Hiroshima ,,	7.07	9.21	6.52	3.06	6.75	4.58	6.96	7.19	5.46	6.21	5.00	5.29	5.51
山口縣 Yamaguchi ,,	16.34	13.02	10.45	8.97	12.16	11.94	9.89	17.63	13.51	12.11	12.38	11.23	15.81
德島縣 Tokushima ,,	10.30	14.18	9.26	4.64	3.50	5.06	5.88	6.45	4.45	6.21	6.72	3.53	6.40
香川縣 Kagawa ,,	15.70	14.50	8.47	7.85	6.23	6.67	5.05	6.08	5.44	6.97	7.78	10.97	9.00
愛媛縣 Ehime ,,	22.60	19.30	18.26	11.08	10.51	12.43	12.93	15.12	14.74	10.24	10.51	6.67	10.35
高知縣 Kochi ,,	12.91	15.40	13.49	9.04	7.92	3.41	7.01	7.63	5.20	7.25	7.97	9.64	8.71
福岡縣 Fukuoka ,,	22.51	13.82	10.56	11.63	12.75	9.52	9.86	10.90	10.16	10.20	7.48	6.36	7.32
佐賀縣 Saga ,,	16.78	8.53	6.44	4.96	7.00	6.71	4.26	5.36	3.60	3.07	2.29	3.67	2.32
長崎縣 Nagasaki ,,	34.77	17.51	13.44	8.19	22.10	16.93	18.02	16.93	18.15	13.98	17.13	15.25	14.54
熊本縣 Kumamoto ,,	19.50	12.29	9.28	8.88	9.17	10.66	10.73	6.96	8.25	5.60	5.64	7.11	4.66
大分縣 Ōita ,,	17.02	14.82	9.77	8.89	9.80	7.19	8.53	5.88	3.84	5.67	5.38	5.19	2.63
宮崎縣 Miyazaki ,,	25.70	9.97	10.59	9.72	11.78	7.63	12.10	13.08	10.46	11.37	9.77	10.92	12.08
鹿兒島縣 Kagoshima ,,	12.04	7.49	6.83	8.19	6.34	5.56	5.90	3.85	3.52	5.15	4.64	6.34	6.02
沖繩縣 Okinawa ,,	0.33	0.69	1.73	1.84	3.53	4.15	11.94	17.63	4.74	9.63	12.85	9.59	6.14
合計 Total.	17.71	15.65	12.33	10.93	11.14	9.99	9.72	11.11	10.36	11.19	10.70	10.81	11.30

「ヂフテリア」死亡地方別

1,000 Deaths in General under 15 years.

大正元年 1912.	同二年 1913.	同三年 1914.	同四年 1915.	同五年 1916.	同六年 1917.	同七年 1918.	同八年 1919.	同九年 1920.	同十年 1921.	同十一年 1922.	同十二年 1923.	同十三年 1924.	同十四年 1925.	同十五年 1926.	同十六年 1927.
17.66	14.19	17.42	15.51	12.64	12.70	9.82	10.20	14.50	14.11						
10.44	6.98	8.67	9.01	5.25	8.06	6.56	6.06	6.56	6.13						
11.74	11.07	8.46	7.51	6.88	8.96	5.60	6.01	8.60	6.66						
14.27	10.06	9.74	12.27	11.05	11.10	9.43	7.06	8.22	6.84						
10.27	11.05	13.75	11.66	7.12	7.04	6.10	5.82	6.99	10.22						
10.78	6.98	7.41	8.58	10.24	7.10	5.25	4.57	4.64	7.13						
12.60	18.58	18.98	15.87	13.41	12.88	9.05	9.84	8.35	9.01						
9.38	11.07	9.14	9.88	5.87	6.52	4.49	6.44	4.82	4.86						
18.38	17.13	15.08	12.61	12.66	15.12	9.25	7.34	7.22	7.96						
13.99	14.43	11.12	15.65	14.50	15.95	11.95	9.37	6.46	9.73						
11.40	11.55	10.67	12.18	8.84	7.83	6.64	3.85	4.06	6.67						
11.59	12.58	9.99	8.43	5.09	7.52	5.10	5.51	6.29	6.34						
12.57	16.47	14.36	16.37	10.73	11.90	9.38	9.92	8.44	10.39						
11.90	17.00	13.02	13.82	9.48	10.14	7.06	6.68	9.99	7.84						
11.91	10.05	8.48	6.85	5.96	6.97	5.88	5.91	5.41	5.55						
2.95	2.34	1.84	2.56	1.62	2.02	0.92	1.19	0.82	1.05						
10.21	5.41	5.87	5.22	4.58	4.59	3.61	3.05	3.95	3.02						
4.67	7.23	2.93	3.75	2.28	1.98	2.86	2.66	4.28	2.88						
11.42	13.85	12.17	15.37	10.28	14.44	10.00	9.01	8.45	10.27						
10.29	7.37	7.36	7.29	7.77	4.98	3.66	3.64	3.39	3.95						
5.87	6.92	6.39	5.47	2.58	4.19	4.25	4.59	5.25	4.50						
14.62	14.99	8.70	16.10	7.06	7.68	7.57	8.35	7.31	8.06						
11.84	11.95	8.24	8.57	7.98	6.16	5.47	4.77	5.91	7.97						
9.19	9.29	9.51	9.00	4.69	5.64	5.37	3.59	3.61	4.33						
7.85	11.18	9.42	6.86	6.60	4.79	5.19	6.55	6.14	5.71						
6.99	8.12	9.20	7.62	6.40	5.62	4.28	4.36	5.06	4.55						
11.70	14.17	8.40	10.34	10.02	10.23	7.03	7.19	7.51	4.16						
14.44	15.79	11.86	7.62	7.16	8.44	7.44	7.22	8.14	8.04						
13.79	15.60	9.67	10.51	9.26	12.58	9.30	7.74	7.63	6.66						
7.68	10.11	8.89	8.26	6.02	8.33	4.48	5.74	1.62	3.10						
11.92	16.30	10.38	9.36	8.13	8.99	3.73	9.05	3.59	8.32						
12.04	9.60	9.08	6.87	8.29	6.90	5.55	9.87	5.92	6.45						
10.92	9.73	7.66	8.13	6.19	6.26	5.24	4.04	3.91	4.31						
7.19	6.51	5.91	5.10	6.46	6.44	6.30	5.95	1.93	4.44						
10.57	16.07	9.42	12.76	8.29	11.49	9.27	7.40	5.10	5.07						
6.25	4.98	4.85	8.95	3.13	3.06	1.67	2.33	2.17	2.96						
8.34	7.46	7.08	8.08	7.31	8.15	3.47	5.76	4.46	5.91						
13.14	9.81	8.84	11.20	7.22	8.74	7.46	5.89	5.32	4.60						
11.23	8.70	4.20	4.87	4.10	4.11	3.36	3.03	4.31	4.08						
4.99	9.76	7.18	5.44	5.32	7.82	4.90	4.32	3.06	2.83						
2.83	3.80	1.58	1.30	0.86	1.25	1.30	1.36	0.36	0.43						
10.64	15.11	10.81	10.49	10.11	11.29	10.13	9.11	5.96	3.69						
6.27	5.08	5.65	5.70	4.24	7.82	2.64	3.62	2.66	2.25						
4.06	3.56	5.22	4.54	6.48	3.72	1.80	2.03	3.04	1.61						
8.41	8.82	5.81	8.11	4.96	5.47	2.35	5.32	3.48	3.86						
6.01	5.94	6.04	6.18	6.28	4.52	2.19	3.27	3.41	2.07						
7.52	8.94	7.16	5.51	6.18	4.13	3.53	2.76	4.77	6.15						
10.55	11.06	9.37	9.64	7.60	8.32	6.65	6.77	5.79	6.18						

第四十一表 (其一) 總死亡千ニ對スル流行性

Table No. XLI. (No. 1) Deaths of Cerebro-Spinal Meningitis

	大正 七年 1918.	同 八 年 1919.	同 九 年 1920.	同 十 年 1921.
北海道 Hokkaidō.	0.04	0.02	0.12	—
青森縣 Aomori Ken.	—	—	0.05	0.05
岩手縣 Iwate ,, ...	—	0.39	0.04	0.05
宮城縣 Miyagi ,, ...	—	0.13	0.12	0.72
秋田縣 Akita ,, ...	0.04	0.34	0.43	0.09
山形縣 Yamagata ,, ...	—	099	—	0.18
福島縣 Fukushima ,, ...	—	0.81	0.14	0.17
茨城縣 Ibaraki ,, ...	0.03	0.03	0.08	—
栃木縣 Tochigi ,, ...	—	—	0.04	0.04
群馬縣 Gumma ,, ...	0.04	—	—	—
埼玉縣 Saitama ,, ...	—	0.12	—	—
千葉縣 Chiba ,, ...	—	—	0.10	0.03
東京府 Tōkyō Fu.	0.27	0.81	0.53	0.57
神奈川縣 Kanagawa Ken.	—	0.69	0.03	0.33
新潟縣 Niigata ,, ...	0.08	0.29	0.04	0.05
富山縣 Toyama ,, ...	0.08	—	—	—
石川縣 Ishikawa ,, ...	0.04	—	—	0.05
福井縣 Fukui ,, ...	—	0.06	—	—
長野縣 Nagano ,, ...	—	—	0.13	0.06
岐阜縣 Gifu ,, ...	—	—	0.11	—
滋賀縣 Shiga ,, ...	—	—	—	—
山梨縣 Yamanashi ,, ...	0.08	0.96	0.20	0.24
靜岡縣 Shizuoka ,, ...	0.03	0.09	—	0.12
愛知縣 Aichi ,, ...	—	0.11	0.05	0.06
三重縣 Mie ,, ...	0.16	0.23	0.13	—
奈良縣 Nara ,, ...	0.13	0.31	0.13	0.31
和歌山縣 Wakayama ,, ...	0.80	0.45	0.24	0.18
京都府 Kyōto Fu.	0.24	0.83	0.32	0.94
大阪府 Ōsaka ,, ...	6.08	6.97	2.48	1.75
兵庫縣 Hyōgo Ken.	1.02	1.74	0.29	0.61
鳥取縣 Tottori ,, ...	0.34	3.00	0.74	1.04
島根縣 Shimane ,, ...	—	1.78	0.17	1.37
岡山縣 Okayama ,, ...	0.03	1.34	0.24	0.18
廣島縣 Hiroshima ,, ...	—	0.51	0.33	0.29
山口縣 Yamaguchi ,, ...	—	1.17	0.20	0.38
德島縣 Tokushima ,, ...	0.09	—	0.20	—
香川縣 Kagawa ,, ...	0.09	1.67	0.28	0.51
愛媛縣 Ehime ,, ...	0.24	0.79	0.31	0.21
高知縣 Kochi ,, ...	—	3.39	0.42	0.54
福岡縣 Fukuoka ,, ...	1.14	4.89	1.51	0.57
佐賀縣 Saga ,, ...	—	0.28	—	0.06
長崎縣 Nagasaki ,, ...	1.16	1.29	0.58	0.45
熊本縣 Kumamoto ,, ...	0.06	0.24	0.21	0.42
大分縣 Ōita ,, ...	0.04	—	—	—
宮崎縣 Miyazaki ,, ...	—	—	—	—
鹿兒島縣 Kagoshima ,, ...	—	0.27	0.04	0.11
沖縄縣 Okinawa ,, ...	—	—	0.08	—
合計 Total.	0.43	0.93	0.35	0.32

腦脊髓膜炎死亡地方別

per 1,000 Deaths in General.

同 十一年 1922.	同 十二年 1923.	同 十三年 1924.	同 十四年 1925.	同 十五年 1926.	同 十六年 1927.

第四十二表 (其一) 總死亡千ニ對スル

Table No. XLII. (No. 1) Deaths of Plague per

	明治三十年 1897.	同三十一年 1898.	同三十二年 1899.	同三十三年 1900.	同三十四年 1901.	同三十五年 1902.	同三十六年 1903.	同三十七年 1904.	同三十八年 1905.	同三十九年 1906.	同四十年 1907.	同四十一年 1908.	同四十二年 1909.	同四十三年 1910.
北海道 Hokkaido.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
青森縣 Aomori Ken.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岩手縣 Iwate ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮城縣 Miyagi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
秋田縣 Akita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
山形縣 Yamagata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福島縣 Fukushima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
茨城縣 Ibaraki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
栃木縣 Tochigi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
群馬縣 Gumma ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
埼玉縣 Saitama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
千葉縣 Chiba ,,	—	—	—	—	—	—	—	—	0.17	—	—	—	—	—
東京府 Tokyo Fu.	—	—	—	—	—	0.05	0.16	—	0.25	—	—	—	0.07	—
神奈川縣 Kanagawa Ken.	0.05	—	—	—	—	0.27	2.33	—	—	—	0.88	—	0.95	—
新潟縣 Niigata ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
富山縣 Toyama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
石川縣 Ishikawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
福井縣 Fukui ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長野縣 Nagano ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岐阜縣 Gifu ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
滋賀縣 Shiga ,,	—	—	—	—	—	—	—	—	—	—	0.06	—	—	—
山梨縣 Yamanashi ,,	—	—	—	—	0.11	—	0.11	—	—	—	—	—	—	—
靜岡縣 Shizuok ,,	—	—	0.04	0.79	—	—	—	—	—	—	—	—	—	—
愛知縣 Aichi ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
三重縣 Mie ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
奈良縣 Nara ,,	—	—	—	—	—	—	—	—	0.16	—	0.17	0.58	—	—
和歌山縣 Wakayama ,,	—	—	0.08	—	0.15	—	—	—	—	10.00	0.36	—	—	—
京都府 Kyoto Fu.	—	—	—	—	—	—	—	—	—	—	—	—	0.11	—
大阪府 Ōsaka ,,	—	—	0.58	3.40	—	—	—	—	2.47	2.73	11.47	1.66	0.58	0.28
兵庫縣 Hyōgo Ken.	—	—	0.56	0.08	—	—	—	0.03	1.71	1.58	0.40	4.71	4.80	0.16
鳥取縣 Tottori ,,	—	—	—	—	—	—	—	—	—	—	—	—	0.12	—
島根縣 Shimane ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
岡山縣 Okayama ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
廣島縣 Hiroshima ,,	—	—	0.04	—	—	—	—	—	—	0.32	—	—	—	—
山口縣 Yamaguchi ,,	—	—	—	—	—	—	—	—	0.20	1.53	—	—	—	—
德島縣 Tokushima ,,	—	—	—	0.81	—	—	—	—	—	0.27	—	0.06	—	—
香川縣 Kagawa ,,	—	—	—	—	—	—	—	—	1.33	0.07	—	—	—	—
愛媛縣 Ehime ,,	—	—	—	—	—	—	—	—	—	0.20	—	—	1.02	0.82
高知縣 Kōchi ,,	—	—	—	—	—	—	—	—	—	—	—	—	1.29	0.29
福岡縣 Fukuoka ,,	—	—	0.04	—	—	—	—	—	—	0.27	0.12	—	—	—
佐賀縣 Saga ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
長崎縣 Nagasaki ,,	—	—	0.07	0.06	—	0.10	0.06	—	—	0.11	1.57	—	—	—
熊本縣 Kumamoto ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
大分縣 Ōita ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
宮崎縣 Miyazaki ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
鹿兒島縣 Kagoshima ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
沖繩縣 Okinawa ,,	—	—	—	—	—	—	—	—	—	—	—	—	—	—
合計 Total.	0.00	—	0.05	0.17	0.00	0.01	0.05	0.00	0.22	0.40	0.56	0.27	0.29	0.04

「ペスト」死亡地方別

1,000 Deaths in General.

同四十四年 1911.	大正元年 1912.	同二年 1913.	同三年 1914.	同四年 1915.	同五年 1916.	同六年 1917.	同七年 1918.	同八年 1919.	同九年 1920.	同十年 1921.	同十一年 1922.	同十二年 1923.	同十三年 1924.	同十四年 1925.	同十五年 1926.	同十六年 1927.
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	0.04	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	0.34	—	—	—	—	—	—	—						
—	—	—	0.66	0.26	—	—	0.01	—	—	—						
—	—	0.78	0.85	—	—	—	—	0.03	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	0.35	0.44	—	—	—	—						
—	—	—	—	—	2.03	0.12	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	0.97	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	0.07	—	—	—	—	—	0.02	—	0.04						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	—	—	—	—	—	—	—	—	—						
—	—	0.02	0.06	0.02	0.00	0.00	0.00	0.00	0.01	0.00						

第四十三表 (其一) 累年各市ニ於ケル

Table No. XLIII. (No. 1) Cases and Deaths of

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	343	70	384	84	333	90	514	109
八王子市 Hachiōji ,,								
京都市 Kyōto ,,	149	29	131	20	121	23	174	28
大阪市 Ōsaka ,,	248	89	175	64	210	55	214	63
堺市 Sakai ,,	60	20	23	8	9	1	7	1
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	158	10	119	14	100	19	70	8
横須賀市 Yokosuka ,,	10	2	5	—	1	1	4	1
神戸市 Kōbe ,,	135	34	131	19	122	32	128	35
姫路市 Himeji ,,	3	—	19	1	7	4	96	21
尼ケ崎市 Amagasaki ,,								
明石市 Akashi ,,								
長崎市 Nagasaki ,,	14	1	19	4	112	47	78	14
佐世保市 Saseho ,,	3	—	—	—	5	1	22	10
新潟市 Niigata ,,	86	27	13	3	13	5	10	2
長岡市 Nagaoka ,,	—	—	2	—	—	—	—	—
高田市 Takada ,,								
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	145	42	96	16	30	4	93	6
高崎市 Takasaki ,,	43	11	31	5	10	—	3	—
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	7	1	4	2	—	—	9	—
宇都宮市 Utsunomiya,,	—	—	26	1	13	2	7	2
足利市 Ashikaga ,,								
奈良市 Nara ,,	2	1	—	—	2	—	1	—
津市 Tsu ,,	27	5	6	—	1	1	15	2
四日市市 Yokkaichi ,,	6	2	11	3	3	1	5	—
宇治山田市 Uji-yamada,,	7	2	7	—	2	—	27	1
名古屋市 Nagoya ,,	102	15	89	12	104	14	61	2
豐橋市 Toyohashi ,,	204	37	114	16	100	24	102	12
岡崎市 Okazaki ,,								
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	77	10	100	17	32	2	108	16
濱松市 Hamamatsu,,								
沼津市 Numazu ,,								
甲府市 Kōfu ,,	3	—	93	8	31	1	46	4
大津市 Ōtsu ,,	4	1	1	—	5	1	1	—
岐阜市 Gifu ,,	29	7	45	7	36	3	57	5
大垣市 Ōgaki ,,								
長野市 Nagano ,,	—	—	6	1	—	—	11	4
松本市 Matsumoto ,,	10	2	3	—	66	21	4	—
上田市 Uyeda ,,								
仙臺市 Sendai ,,	16	2	13	—	9	—	16	—
福島市 Fukushima ,,	11	2	6	1	6	1	1	—
若松市 Wakamatsu,,	1	1	4	—	—	—	—	—
盛岡市 Morioka ,,	5	—	11	—	2	—	1	—
青森市 Awomori ,,	15	5	11	1	26	8	55	4
弘前市 Hirosaki ,,	4	1	10	4	—	—	1	—
山形市 Yamagata ,,	2	1	—	—	24	5	13	3

赤痢患者及死亡

Dysentery in Each City.

同 四十四年 1911.		大 正 元 年 1912.		同 二 年 1913.		同 三 年 1914.		同 四 年 1915.		同 五 年 1916.	
患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.	患 者 Cases.	死 亡 Deaths.
599	170	670	234	525	187	489	162	565	214	894	398
261	51	204	33	252	94	242	70	382	49	346	52
365	86	351	80	182	42	264	50	506	94	556	118
18	6	27	4	5	1	39	12	80	34	37	7
61	10	80	13	54	4	45	11	80	13	131	49
9	2	6	—	1	—	1	1	10	4	20	5
313	65	323	70	421	102	910	259	1,234	319	612	104
42	10	48	10	19	9	42	9	37	12	31	11
										12	3
80	20	58	10	88	26	162	43	68	9	87	20
16	9	23	9	23	9	35	14	70	16	54	12
12	1	9	2	5	—	4	1	1	1	2	—
12	1	1	—	6	—	6	—	2	1	2	2
2	1	1	1	—	—	6	5	2	—	1	—
28	4	23	1	33	6	23	2	24	1	27	3
4	1	5	—	3	—	—	—	—	—	—	—
7	—	4	1	—	—	—	—	9	5	8	2
3	—	8	1	—	—	—	—	15	4	1	—
3	1	—	—	—	—	2	—	2	—	5	1
11	3	15	1	5	1	1	—	9	1	11	1
21	3	1	—	1	—	7	—	3	—	2	—
24	2	24	2	4	1	10	—	6	—	13	—
107	16	82	20	38	6	77	9	82	11	154	16
84	10	28	2	28	7	27	4	41	10	31	4
										6	3
74	7	79	19	33	4	45	5	76	6	58	8
42	1	15	3	20	3	36	5	36	1	50	7
54	6	14	1	32	3	8	1	7	3	19	2
4	1	2	1	1	—	—	—	25	3	4	—
59	10	34	6	14	2	14	3	29	8	38	5
1	—	—	—	2	—	19	6	5	—	93	85
10	2	142	29	6	1	5	—	3	1	12	2
19	1	10	1	59	8	20	3	11	1	76	4
27	7	5	—	6	—	4	—	12	1	4	1
9	2	—	—	—	—	—	—	—	—	—	—
7	5	8	1	2	—	—	—	2	1	9	1
7	—	7	3	2	1	5	1	8	2	4	—
—	—	2	—	1	—	3	—	3	1	—	—
1	—	—	—	4	1	—	—	2	—	4	—

第四十三表 (其二) 累年各市ニ於ケル

Table No. XLIII. (No. 2) Cases and Deaths of

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	786	232	853	251	569	222	515	201
八王子市 Hachiōji ,,	1	1	26	2	18	3	18	2
京都市 Kyōto ,,	432	45	556	59	269	27	316	27
大阪市 Ōsaka ,,	657	125	712	135	327	57	347	76
堺市 Sakai ,,	103	31	115	20	19	9	15	5
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	93	25	117	42	96	24	109	49
横須賀市 Yokosuka ,,	19	4	26	6	10	1	25	2
神戸市 Kobe ,,	551	77	108	9	7	—	11	4
姫路市 Himeji ,,	23	6	23	4	45	9	38	12
尼ケ崎市 Amagasaki ,,	11	3	13	2	12	3	1	1
明石市 Akashi ,,					—	—	18	4
長崎市 Nagasaki ,,	35	7	24	9	28	6	39	15
佐世保市 Saseho ,,	36	7	50	6	22	3	11	2
新潟市 Niigata ,,	—	—	7	1	6	2	4	—
長岡市 Nagaoka ,,	—	—	—	—	—	—	—	—
高田市 Takada ,,	4	1	6	—	1	—	—	—
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	31	3	28	6	18	1	8	1
高崎市 Takasaki ,,	4	—	1	—	3	—	5	—
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	40	5	14	2	4	—	19	12
宇都宮市 Utsunomiya,,	1	—	1	—	—	—	—	—
足利市 Ashikaga ,,								
奈良市 Nara ,,	10	2	4	1	1	—	3	2
津市 Tsu ,,	23	5	48	10	18	1	18	2
四日市市 Yokkaichi ,,	8	1	3	—	1	1	3	2
宇治山田市 Uji-yamada,,	11	—	7	—	29	2	5	—
名古屋市 Nagoya ,,	78	12	92	11	31	8	78	15
豐橋市 Toyohashi ,,	78	9	50	7	85	23	35	8
岡崎市 Okazaki ,,	22	6	9	3	10	1	9	1
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	75	5	98	7	47	5	174	69
濱松市 Hamamatsu,,	41	9	34	7	19	3	76	60
沼津市 Numazu ,,								
甲府市 Kōfu ,,	17	2	22	7	3	1	30	4
大津市 Ōtsu ,,	1	—	4	—	2	—	20	6
岐阜市 Gifu ,,	29	6	42	8	9	2	45	24
大垣市 Ōgaki ,,	—	—	16	2	3	—	11	2
長野市 Nagano ,,	8	1	4	—	1	—	—	—
松本市 Matsumoto ,,	7	—	3	1	2	—	1	—
上田市 Uyeda ,,					—	—	—	—
仙臺市 Sendai ,,	25	6	26	1	13	3	27	4
福島市 Fukushima ,,	18	3	2	1	13	4	23	5
若松市 Wakamatsu,,	2	2	—	—	1	—	1	1
盛岡市 Morioka ,,	16	2	70	12	122	28	66	5
青森市 Awomori ,,	3	—	4	2	6	3	48	26
弘前市 Hirosaki ,,	—	—	—	—	—	—	2	—
山形市 Yamagata ,,	9	1	—	—	1	—	1	—

赤痢患者及死亡

Dysentery in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患死 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
512	129	779	284	2,393	775								
20	—	25	6	66	34								
357	41	357	48	667	234								
281	47	446	90	513	132								
26	6	21	7	44	20								
		—	—	4	1								
107	42	110	42	250	37								
15	6	38	9	72	13								
267	65	495	190	528	137								
21	3	36	8	29	7								
10	5	2	—	6	1								
8	4	14	8	4	2								
71	10	39	15	57	40								
30	2	55	36	102	71								
2	—	15	5	3	1								
—	—	—	—	—	—								
—	—	1	—	4	1								
		—	—	14	11								
10	1	13	4	27	5								
1	1	1	—	1	—								
—	—	1	1	5	4								
29	5	28	14	96	38								
13	5	24	10	63	30								
2	—	3	2	4	—								
2	—	3	1	1	—								
3	1	1	1	2	—								
11	2	19	4	59	40								
—	—	2	1	6	3								
10	4	12	3	70	34								
38	12	21	4	64	29								
43	14	20	7	62	33								
12	1	3	2	3	2								
—	—	2	—	2	2								
105	44	124	66	152	85								
82	48	128	59	100	53								
				5	2								
11	3	22	8	42	5								
13	3	5	4	12	5								
66	29	33	8	54	11								
1	1	10	2	17	3								
4	—	4	2	1	1								
1	—	10	—	6	1								
—	—	1	—	—	—								
9	—	42	8	35	8								
13	2	13	5	1	1								
2	—	—	—	2	2								
64	14	50	14	41	8								
120	25	164	37	95	11								
11	2	18	2	15	1								
—	—	—	—	1	—								

第四十三表 (其三) 累年各市ニ於ケル

Table No. XLIII. (No. 3) Cases and Deaths of

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Daeths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	1	—	5	—	1	—	2	—
秋田市 Akita ,,	10	1	27	8	7	1	2	—
福井市 Fukui ,,	27	9	13	6	1	—	4	1
金澤市 Kanazawa ,,	63	20	75	16	99	19	72	20
富山市 Toyama ,,	18	1	6	3	4	—	2	—
高岡市 Takaoka ,,	—	—	13	7	—	—	1	—
鳥取市 Tottori ,,	5	3	2	1	2	1	—	—
松江市 Matsue ,,	2	—	1	—	4	1	29	2
岡山市 Okayama ,,	202	47	37	22	53	13	90	11
廣島市 Hiroshima ,,	15	4	45	18	5	4	6	2
呉市 Kure ,,	9	4	17	5	19	2	2	—
尾道市 Onomichi ,,	11	6	49	3	2	—	1	—
福山市 Fukuyama ,,	—	—	—	—	—	—	—	—
下關市 Shimonoseki,,	14	8	6	2	6	3	3	1
宇部市 Ube ,,								
和歌山市 Wakayama ,,	4	—	40	13	12	5	46	8
德島市 Tokushima ,,	10	5	37	10	223	84	263	85
高松市 Takamatsu ,,	24	5	137	46	83	29	79	22
丸龜市 Marugame ,,	3	1	76	20	29	5	2	1
松山市 Matsuyama ,,	4	2	3	—	11	3	30	8
今治市 Imaharu ,,								
宇和島市 Uwazima ,,								
高知市 Kōchi ,,	17	—	10	1	22	5	11	2
福岡市 Fukuoka ,,	—	—	1	—	20	5	17	—
八幡市 Yawata ,,	—	—	—	—	—	—	—	—
若松市 Wakamatsu,,	—	—	—	—	—	—	—	—
久留米市 Kurume ,,	—	—	3	1	—	—	2	1
大牟田市 Ōmuda ,,	—	—	—	—	—	—	—	—
小倉市 Ogura ,,	1	—	—	—	—	—	1	—
門司市 Moji ,,	32	6	9	1	10	6	2	—
大分市 Ōita ,,	—	—	—	—	—	—	—	—
佐賀市 Saga ,,	—	—	—	—	51	13	31	7
熊本市 Kumamoto ,,	19	8	21	2	63	10	43	8
鹿兒島市 Kagoshima ,,	45	23	—	—	19	6	22	2
那覇市 Nawa ,,	—	—	—	—	1	—	1	—
首里市 Shuri ,,	—	—	—	—	—	—	—	—
札幌市 Sapporo ,,	—	—	10	1	6	—	17	4
旭川市 Asahigawa ,,	—	—	—	—	—	—	—	—
小樽市 Otaru ,,	6	1	12	1	3	—	—	—
函館市 Hakodate ,,	172	32	32	7	2	—	5	—
室蘭市 Muroran ,,								
釧路市 Kushiro ,,								
合計 Total	2,643	616	2,395	505	2,293	581	2,740	538

赤痢患者及死亡

Dysentery in Each City.

同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	1	1	—	—	—	—	—	—	3	—
4	2	—	—	2	1	—	—	5	1	3	—
3	—	2	—	—	—	13	5	4	—	1	1
120	24	51	14	41	6	79	14	58	10	75	17
2	—	9	—	1	1	1	—	4	1	1	1
3	1	—	—	1	—	2	—	1	—	1	1
8	2	5	—	9	2	9	2	20	—	9	3
36	2	23	2	5	1	5	1	15	10	13	2
72	15	53	5	30	5	38	4	59	7	167	24
4	3	6	—	6	—	39	—	55	5	47	8
					—						
3	1	10	2	3	1	9	1	17	2	13	1
1	1	3	1	—	—	3	1	—	—	3	—
—	—	—	—	—	—	—	—	—	—	21	1
5	3	3	1	1	—	24	7	6	3	3	—
19	3	6	1	8	2	24	7	9	4	10	2
199	59	120	37	127	30	89	23	138	34	27	6
44	6	86	12	16	6	97	17	43	11	52	6
11	5	31	9	8	1	13	2	—	—	18	3
30	4	13	1	3	—	23	5	24	10	10	6
12	1	13	—	15	4	20	8	94	23	32	8
17	2	2	2	29	13	10	4	32	7	143	7
—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	37	7	26	5
2	1	—	—	1	—	—	—	—	—	25	—
—	—	—	—	—	—	—	—	—	—	—	—
—	—	1	1	—	—	6	—	49	—	20	2
7	3	9	—	3	1	15	1	17	1	25	5
13	2	27	4	42	1	43	5	89	12	35	16
21	3	5	—	9	1	—	—	2	1	—	—
47	12	113	34	36	12	148	22	93	7	81	11
11	3	11	4	67	15	170	47	63	17	71	19
—	—	—	—	1	—	2	—	1	1	2	—
—	—	—	—	—	—	3	—	—	—	1	1
9	1	3	—	1	1	6	—	13	3	10	—
—	—	—	—	—	—	—	—	2	1	1	—
—	—	3	—	—	—	24	14	71	8	30	6
14	4	4	—	3	—	2	—	1	—	1	—
3,113	677	2,922	689	2,343	622	3,468	866	4,469	1,012	4,394	1,088

第四十三表 (其四) 累年各市ニ於ケル

Table No. XLIII. (No. 4) Cases and Deaths of

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	—	—	—	—	3	1	4	1
秋田市 Akita ,,	10	—	1	—	1	—	3	1
福井市 Fukui ,,	9	3	6	1	—	—	—	—
金澤市 Kanazawa ,,	44	5	31	8	19	6	21	5
富山市 Toyama ,,	2	—	1	—	2	—	—	—
高岡市 Takaoka ,,	—	—	—	—	—	—	1	1
鳥取市 Tottori ,,	7	2	17	2	4	1	1	—
松江市 Matsue ,,	9	2	18	2	7	1	—	—
岡山市 Okayama ,,	127	15	116	24	45	7	47	10
廣島市 Hiroshima ,,	57	14	34	11	56	17	105	61
呉市 Kure ,,	15	2	—	—	49	10	112	43
尾道市 Onomichi ,,	10	2	37	15	9	4	2	2
福山市 Fukuyama ,,	13	3	6	2	3	3	7	3
下關市 Shimonoseki,,	5	3	3	1	6	—	5	1
宇部市 Ube ,,								
和歌山市 Wakayama ,,	9	3	3	1	11	2	4	1
德島市 Tokushima ,,	61	20	41	5	113	21	80	52
高松市 Takamatsu ,,	43	4	80	9	33	1	28	8
丸龜市 Marugome ,,	23	2	15	4	8	—	7	—
松山市 Matsuyama,,	5	—	16	5	13	5	2	1
今治市 Imaharu ,,							1	—
宇和島市 Uwazima ,,							—	—
高知市 Kōchi ,,	36	18	108	58	7	1	41	22
福岡市 Fukuoka ,,	40	7	37	14	28	10	33	6
八幡市 Yawata ,,	5	3	6	1	14	4	52	7
若松市 Wakamatsu,,	19	2	7	2	5	3	4	—
久留米市 Kurume ,,	—	—	—	—	3	—	3	2
大牟田市 Ōmuda ,,	6	1	34	5	4	—	4	1
小倉市 Ogura ,,	3	—	7	1	2	—	1	—
門司市 Moji ,,	12	5	10	3	17	5	8	2
大分市 Ōita ,,	52	13	40	5	5	—	32	16
佐賀市 Saga ,,	2	—	1	—	—	—	—	—
熊本市 Kumamoto ,,	38	5	71	14	43	6	23	4
鹿兒島市 Kagoshima ,,	29	6	53	14	73	25	12	—
那覇市 Nawa ,,	2	1	—	—	1	—	3	2
首里市 Shuri ,,	—	—	—	—	1	1	—	—
札幌市 Sapporo ,,	—	—	2	—	—	—	—	—
旭川市 Asahigawa ,,	—	—	1	—	—	—	1	—
小樽市 Otaru ,,	—	—	3	—	—	—	17	6
函館市 Hakodate ,,	—	—	1	—	1	—	1	—
室蘭市 Muroran ,,			—	—	2	2	2	2
釧路市 Kushiro ,,								
合計 Total	4,001	785	4,024	841	2,459	588	2,843	909

赤痢患者及死亡

Dysentery in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1	—	—	—	—	—								
9	4	9	1	3	1								
1	—	4	1	—	—								
37	15	12	3	12	5								
2	1	—	—	—	—								
1	—	2	2	1	1								
3	1	3	1	3	3								
—	—	5	—	3	3								
102	20	31	7	71	30								
303	52	82	33	62	28								
128	38	184	81	71	31								
1	1	2	2	2	—								
15	4	15	7	5	3								
3	2	3	2	15	6								
—	—	6	1	8	1								
9	1	5	1	4	3								
53	36	50	19	120	39								
33	5	28	2	43	29								
5	1	6	2	8	7								
1	—	2	1	27	16								
1	—	5	4	12	9								
2	1	6	1	14	9								
36	23	53	36	53	30								
59	16	45	9	107	40								
63	9	36	4	72	17								
1	—	8	—	7	2								
—	—	5	—	33	22								
7	3	28	—	28	7								
1	1	—	—	29	23								
8	2	8	3	38	23								
39	15	17	8	22	12								
—	—	—	—	10	6								
101	20	98	19	95	27								
14	3	19	3	18	6								
—	—	3	—	—	—								
1	—	—	—	—	—								
1	1	3	—	10	1								
7	1	—	—	2	—								
—	—	3	—	10	2								
10	4	4	2	4	1								
1	—	—	—	1	—								
—	—	—	—	—	—								
3,462	857	4,000	1,272	6,823	2,377								

第四十四表 (其一) 累年各市ニ於ケル

Table No. XLIV. (No. 1) Cases and Deaths of

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	1,318	333	1,289	310	1,694	369	5,128	1,159
八王子市 Hachiōji ,,								
京都市 Kyōto ,,	456	115	624	143	637	159	575	183
大阪市 Ōsaka ,,	330	134	291	108	383	132	567	205
堺市 Sakai ,,	18	6	20	5	7	1	8	5
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	318	67	321	85	174	48	293	79
横須賀市 Yokosuka ,,	153	29	231	51	53	10	39	10
神戸市 Kōbe ,,	245	52	177	38	127	41	173	49
姫路市 Himeji ,,	7	1	11	3	20	6	34	7
尼ヶ崎市 Amagasaki ,,								
明石市 Akashi ,,								
長崎市 Nagasaki ,,	87	30	73	19	46	6	64	14
佐世保市 Saseho ,,	106	19	22	7	12	5	16	4
新潟市 Niigata ,,	31	12	56	17	60	8	51	12
長岡市 Nagaoka ,,	12	2	27	5	7	2	26	8
高田市 Takada ,,								
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	55	7	65	6	53	15	112	20
高崎市 Takasaki ,,	33	7	63	12	115	21	39	8
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	62	19	26	5	20	7	40	14
宇都宮市 Utsunomiya,,	168	31	207	39	49	13	103	18
足利市 Ashikaga ,,								
奈良市 Nara ,,	4	2	3	1	2	—	6	3
津市 Tsu ,,	17	5	13	4	5	—	29	4
四日市市 Yokkaichi ,,	5	2	3	1	2	1	9	—
宇治山田市 Ujiyamada ,,	5	1	6	2	8	2	18	5
名古屋市 Nagoya ,,	166	36	141	36	106	25	241	54
豐橋市 Toyohashi ,,	72	11	41	10	69	12	56	9
岡崎市 Okazaki ,,								
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	35	11	26	10	39	7	118	18
濱松市 Hamamatsu,,								
沼津市 Numazu ,,								
甲府市 Kōfu ,,	23	2	28	5	59	12	133	23
大津市 Ōtsu ,,	16	4	4	—	16	3	16	3
岐阜市 Gifu ,,	35	6	21	4	22	8	29	7
大垣市 Ōgaki ,,								
長野市 Nagano ,,	246	58	126	35	58	20	48	
松本市 Matsumoto ,,	17	6	44	13	26	10	13	15
上田市 Uyeda ,,								5
仙臺市 Sendai ,,	127	20	175	30	246	37	176	34
福島市 Fukushima ,,	68	8	76	15	37	6	203	24
若松市 Wakamatsu,,	67	18	37	14	10	4	11	4
盛岡市 Morioka ,,	24	8	23	4	13	7	37	8
青森市 Awomori ,,	78	17	81	15	95	14	235	21
弘前市 Hirosaki ,,	112	21	68	17	30	5	56	14
山形市 Yamagata ,,	45	17	51	13	90	22	127	35

腸チフス患者及死亡

Typhoid Fever in Each City.

同 四十四年 1911.		大正元年 1312.		同 二 年 1913.		同 三 年 1914.		同 四 年 1915.		同 五 年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
2,318	489	1,893	347	2,012	403	2,246	472	2,376	498	1,996	439
518	139	422	86	519	101	665	123	488	98	494	124
995	314	967	297	985	277	979	297	1,367	329	1,256	320
16	2	20	7	17	3	30	14	41	11	22	7
264	59	269	54	243	64	197	57	197	55	335	90
36	6	106	22	75	17	117	30	55	12	288	74
148	33	370	71	333	79	417	103	433	111	425	62
39	9	44	9	30	5	27	8	20	4	35	7
										24	4
65	8	63	16	53	9	37	10	123	34	94	27
9	2	17	3	13	4	15	4	32	6	37	9
23	5	13	2	14	2	16	2	17	3	17	4
32	8	28	8	39	12	33	7	41	7	30	9
41	3	58	10	19	6	15	2	30	6	69	20
175	31	170	27	49	13	61	8	126	8	38	3
22	3	42	3	17	4	23	4	27	2	14	2
16	2	22	6	26	6	47	15	12	4	47	12
53	13	41	9	32	9	111	14	41	10	32	4
2	—	6	1	47	7	26	7	44	8	27	9
11	3	7	2	20	1	14	4	12	1	26	7
5	3	12	5	13	2	14	2	11	3	10	3
13	5	8	3	4		17	3	13	3	21	2
286	52	143	29	105	19	134	24	376	90	645	126
163	23	72	13	50	2	57	12	27	4	37	9
										26	3
51	9	147	41	77	10	65	4	106	10	129	18
13	1	20	2	18	2	18	3	17	2	28	4
101	13	96	14	47	6	57	12	20	4	44	5
50	11	21	6	9	3	14	1	15	4	10	2
27	7	23	2	29	4	15	5	33	6	90	22
85	17	29	6	63	12	94	21	47	11	20	5
40	12	5	—	9	1	38	8	41	13	34	10
141	21	162	27	197	33	187	26	200	37	252	41
109	46	63	16	118	19	39	7	44	5	150	26
17	3	17	3	65	11	30	6	2	1	43	10
127	30	114	26	58	14	51	7	131	15	80	19
106	23	69	14	91	15	105	15	55	9	30	5
46	14	62	14	67	10	438	39	36	8	38	8
182	33	98	24	47	7	76	16	108	24	100	17

第四十四表 (其二) 累年各市ニ於ケル

Table No. XLIV. (No. 2) Cases and Deaths of

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	3,126	656	2,816	690	3,153	757	2,826	689
八王子市 Hachiōji ,,	22	3	102	25	143	32	163	26
京都市 Kyoto ,,	620	134	1,210	290	1,215	250	989	218
大阪市 Ōsaka ,,	1,385	350	1,505	490	1,585	432	1,122	302
堺市 Sakai ,,	50	22	59	18	100	23	55	15
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	278	75	377	91	415	107	573	122
横須賀市 Yokosuka ,,	66	16	123	31	130	24	226	43
神戸市 Kōbe ,,	371	91	447	117	561	113	316	60
姫路市 Himeji ,,	51	11	31	7	62	8	50	6
尼ヶ崎市 Amagasaki ,,	18	—	23	5	47	9	14	1
明石市 Akashi ,,					—	—	20	5
長崎市 Nagasaki ,,	91	26	77	26	79	18	65	15
佐世保市 Saseho ,,	18	7	48	13	90	18	42	14
新潟市 Niigata ,,	16	3	20	6	24	2	66	11
長岡市 Nagaoka ,,	29	4	65	18	55	6	41	11
高田市 Takada ,,	30	5	46	8	63	10	66	16
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	43	7	42	7	50	8	148	22
高崎市 Takasaki ,,	19	1	14	4	35	5	17	—
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	15	3	29	6	48	6	54	6
宇都宮市 Utsunomiya,,	36	9	16	6	143	30	38	6
足利市 Ashikaga ,,								
奈良市 Nara ,,	21	6	32	10	30	14	12	4
津市 Tsu ,,	15	6	32	9	78	15	49	8
四日市市 Yokkaichi ,,	20	2	28	8	26	4	22	5
宇治山田市 Uji-yamada ,,	9	1	11	—	23	4	36	5
名古屋市 Nagoya ,,	407	78	438	112	479	96	419	66
豐橋市 Toyohashi ,,	46	8	39	11	103	20	149	38
岡崎市 Okazaki ,,	65	15	39	11	28	9	95	25
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	69	5	85	10	95	13	151	36
濱松市 Hamamatsu,,	24	2	15	2	36	4	50	16
沼津市 Numazu ,,								
甲府市 Kōfu ,,	29	5	34	3	51	3	78	6
大津市 Ōtsu ,,	29	10	21	3	34	5	30	10
岐阜市 Gifu ,,	29	5	22	6	51	11	38	5
大垣市 Ōgaki ,,			5	2	14	2	35	8
長野市 Nagano ,,	21	10	43	9	65	20	42	10
松本市 Matsumoto ,,	23	5	38	12	31	12	110	27
上田市 Uyeda ,,					27	6	37	10
仙臺市 Sendai ,,	212	37	203	38	439	78	627	80
福島市 Fukushima ,,	133	29	206	50	57	15	212	36
若松市 Wakamatsu,,	25	6	22	8	47	11	162	24
盛岡市 Morioka ,,	70	19	71	11	96	14	155	21
青森市 Awomori ,,	31	4	102	21	113	26	86	13
弘前市 Hirosaki ,,	58	11	176	30	325	55	121	23
山形市 Yamagata ,,	71	16	51	13	155	24	110	27

腸チフス患者及死亡

Typhoid Fever in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
2,845	690	2,995	722	4,106	764								
155	19	113	24	69	13								
1,495	287	1,404	279	1,874	406								
1,111	279	1,653	405	1,209	321								
41	10	79	27	54	10								
		3	—	28	13								
517	126	422	114	1,221	136								
217	74	129	33	216	39								
399	90	576	179	615	155								
73	7	168	37	104	26								
21	2	10	—	13	2								
18	4	107	35	36	9								
200	54	104	30	122	41								
74	21	103	22	58	11								
58	14	199	43	72	14								
77	17	76	16	27	5								
68	10	99	23	72	7								
		5	—	45	11								
157	19	83	14	82	9								
11	1	21	4	7	1								
127	18	60	6	55	12								
36	6	46	12	51	11								
123	22	107	23	121	23								
25	4	63	15	60	15								
75	27	48	6	63	19								
136	33	17	7	17	8								
39	14	27	2	36	7								
24	5	33	8	42	12								
35	6	41	8	52	13								
567	126	572	103	693	159								
204	54	88	31	147	37								
22	10	40	10	29	7								
20	6	46	20	33	11								
163	29	502	70	160	32								
89	22	48	7	53	10								
				95	18								
71	11	143	28	99	15								
30	10	27	6	42	14								
32	8	65	22	40	13								
27	3	23	3	15	3								
63	11	36	5	111	30								
55	11	53	12	27	6								
22	4	27	2	90	19								
403	65	383	57	319	49								
231	24	78	14	121	25								
123	31	215	42	60	23								
148	33	242	47	111	29								
110	23	188	39	101	29								
125	30	200	49	176	31								
96	26	107	20	65	10								

第四十四表 (其三) 累年各市ニ於ケル

Table No. XLIV. (No. 3) Cases and Deaths of

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	亡死 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	67	9	51	10	48	8	130	18
秋田市 Akita ,,	44	9	18	4	48	12	68	10
福井市 Fukui ,,	16	2	8	2	7	5	5	1
金澤市 Kanazawa ,,	13	5	30	7	31	11	66	13
富山市 Toyama ,,	12	2	10	2	16	3	19	3
高岡市 Takaoka ,,	14	6	24	6	11	4	20	2
鳥取市 Tottori ,,	66	11	50	5	33	5	38	3
松江市 Matsue ,,	51	5	121	20	156	32	15	7
岡山市 Okayama ,,	50	20	109	22	75	15	51	9
廣島市 Hiroshima ,,	39	19	16	8	3	3	30	14
吳市 Kure ,,	40	14	37	12	16	6	59	18
尾道市 Onomichi ,,	—	—	10	2	12	4	10	5
福山市 Fukuyama ,,								
下關市 Shimonoseki ,,	29	11	19	9	11	5	27	7
宇部市 Ube ,,								
和歌山市 Wakayama ,,	40	14	49	14	60	15	74	18
德島市 Tokushima ,,	—	—	—	—	2	2	1	1
高松市 Takamatsu ,,	15	4	14	5	10	1	12	2
丸龜市 Marugame ,,	1	—	—	—	—	—	3	1
松山市 Matsuyama ,,	50	11	49	21	9	2	145	29
今治市 Imaharu ,,								
宇和島市 Uwazima ,,								
高知市 Kōchi ,,	117	28	45	10	58	7	49	7
福岡市 Fukuoka ,,	37	8	39	17	68	15	60	10
八幡市 Yawata ,,								
若松市 Wakamatsu ,,								
久留米市 Kurume ,,	50	12	41	11	15	6	13	—
大牟田市 Ōmuda ,,								
小倉市 Ogura ,,	10	1	8	3	7	—	26	11
門司市 Moji ,,	82	18	81	34	28	11	41	9
大分市 Ōita ,,								
佐賀市 Saga ,,	6	1	43	9	124	20	17	4
熊本市 Kumamoto ,,	66	29	8	1	27	14	37	13
鹿兒島市 Kagoshima ,,	6	—	4	—	3	1	8	1
那覇市 Nawa ,,			2	—	3	2	3	2
首里市 Shuri ,,			—	—	—	—	3	3
札幌市 Sapporo ,,	70	11	212	35	229	21	233	26
旭川市 Asahigawa ,,								
小樽市 Otaru ,,	64	15	68	31	82	19	31	8
函館市 Hakodate ,,	93	24	74	21	52	15	49	11
室蘭市 Muroran ,,								
釧路市 Kushiro ,,								
合計 Total	5,769	1,424	5,710	1,403	5,634	1,302	10,172	2,347

腸「チフス」患者及死亡

Typhoid Fever in Each City.

同 四十四年 1911.		大正元年 1912.		同 二 年 1913.		同 三 年 1914.		同 四 年 1915.		同 五 年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
130	13	76	13	42	7	115	10	103	11	57	10
38	5	20	5	20	3	54	5	17	4	29	8
24	—	46	8	80	18	70	13	44	13	69	21
91	21	66	15	85	18	102	27	146	32	175	44
96	31	50	15	37	9	27	5	39	7	39	7
31	10	122	28	73	9	37	4	45	7	81	18
235	37	82	11	64	12	30	4	39	7	11	3
17	2	21	6	8	4	10	1	25	8	38	10
55	8	64	12	80	14	82	10	93	14	112	23
33	7	29	10	42	19	37	16	92	15	342	58
39	15	120	29	126	31	83	14	82	20	263	47
7	—	8	5	3	3	—	—	—	—	20	3
										26	4
20	4	24	4	4	1	27	8	16	5	31	13
99	28	71	15	41	12	77	19	139	31	89	14
—	—	—	—	—	—	—	—	2	1	2	1
39	8	13	4	15	7	64	18	50	19	85	35
—	—	—	—	14	2	5	1	3	3	1	1
166	22	117	16	52	9	25	4	38	2	28	8
70	14	90	29	95	21	75	20	80	34	106	24
56	13	159	27	74	14	38	9	101	12	107	13
						16	3	76	20	35	6
6	2	33	4	15	4	22	1	40	10	44	4
5	2	9	3	5	3	20	5	59	11	152	29
42	11	44	18	33	8	56	19	101	31	83	13
18	1	47	4	23	3	14	1	19	3	17	3
17	3	6	1	7	1	10	—	59	9	20	3
34	6	82	14	112	16	65	13	101	23	97	19
13	3	86	11	88	16	197	41	187	41	134	22
7	2	1	—	11	1	9	—	37	6	32	7
3	3	—	—	—	—	—	—	1	—	—	—
252	32	136	18	116	20	125	23	75	4	105	14
						39	5	99	12	68	16
72	13	50	9	67	14	81	13	169	26	92	20
46	9	45	7	39	5	56	8	39	8	50	8
8,106	1,777	7,436	1,566	7,081	1,496	8,193	1,712	8,980	1,905	9,733	2,097

第四十四表 (其四) 累年各市ニ於ケル

Table No. XLIV. (No. 4) Cases and Deaths of

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	62	6	48	4	67	14	51	9
秋田市 Akita ,,	26	8	46	8	57	13	58	15
福井市 Fukui ,,	29	8	20	6	25	8	7	2
金澤市 Kanazawa ,,	85	17	63	18	112	26	182	40
富山市 Toyama ,,	50	21	27	9	19	3	17	9
高岡市 Takaoka ,,	42	8	15	4	35	7	38	5
鳥取市 Tottori ,,	20	3	37	5	44	9	78	14
松江市 Matsue ,,	8	4	20	6	5	3	11	6
岡山市 Okayama ,,	96	14	66	16	138	29	84	15
廣島市 Hiroshima ,,	99	26	984	315	130	30	211	63
吳市 Kure ,,	98	22	239	61	167	26	184	41
尾道市 Onomichi ,,	2	1	27	10	9	2	10	2
福山市 Fukuyama ,,	15	3	46	14	464	85	170	29
下關市 Shimonoseki ,,	8	4	8	2	37	9	16	1
宇部市 Ube ,,								
和歌山市 Wakayama ,,	54	15	68	26	89	21	87	24
德島市 Tokushima ,,	5	1	11	2	56	10	14	5
高松市 Takamatsu ,,	105	33	41	10	59	13	75	19
丸龜市 Marugame ,,	1	1	15	4	9	2	17	8
松山市 Matsuyama ,,	31	9	23	3	50	18	20	4
今治市 Imaharu ,,							25	5
宇和島市 Uwajima ,,								
高知市 Kochi ,,	93	18	148	39	142	22	110	35
福岡市 Fukuoka ,,	57	6	69	13	236	45	124	19
八幡市 Yawata ,,	34	13	51	19	137	50	49	19
若松市 Wakamatsu ,,	45	14	42	13	69	23	22	4
久留米市 Kurume ,,	32	4	8	4	96	20	19	3
大牟田市 Ōmuda ,,	74	12	54	11	121	25	69	9
小倉市 Ogura ,,	38	6	29	9	120	26	56	13
門司市 Moji ,,	71	15	64	22	154	53	33	14
大分市 Ōita ,,	19	1	27	6	22	5	15	3
佐賀市 Saga ,,	28	12	23	5	5	—	28	10
熊本市 Kumamoto ,,	63	18	44	6	83	16	58	9
鹿兒島市 Kagoshima ,,	71	19	28	7	125	28	75	11
那覇市 Nawa ,,	14	2	48	6	84	12	129	28
首里市 Shuri ,,	2	—	16	4	4	1	3	—
札幌市 Sapporo ,,	116	20	286	27	304	47	214	38
旭川市 Asahigawa ,,	65	7	193	25	98	10	198	22
小樽市 Otaru ,,	57	7	158	37	128	19	153	33
函館市 Hakodate ,,	56	13	165	18	278	58	309	58
室蘭市 Muroran ,,			—	—	86	23	62	12
釧路市 Kushiro ,,							—	—
合計 Total	9,462	2,094	12,020	3,031	14,265	3,130	12,798	2,747

腸「チフス」患者及死亡

Typhoid Fever in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
57	9	40	10	80	12								
69	20	80	16	65	14								
25	3	4	—	82	19								
217	47	265	75	182	32								
32	10	40	12	45	15								
50	11	64	15	63	13								
27	8	72	19	90	27								
12	4	11	4	11	2								
158	42	239	49	229	62								
275	87	217	61	280	80								
200	45	174	46	385	113								
15	7	6	4	35	15								
21	6	45	12	23	13								
64	20	40	8	250	49								
10	3	134	29	221	37								
95	24	89	24	53	15								
20	6	40	15	64	25								
255	49	169	41	112	21								
14	2	26	9	35	9								
17	—	22	—	19	1								
36	8	19	5	12	3								
10	2	34	13	59	8								
71	13	114	26	78	19								
380	51	302	56	193	37								
71	15	82	24	82	24								
45	10	38	13	48	11								
30	8	50	5	27	6								
217	47	68	14	74	15								
58	12	61	12	70	15								
75	25	89	19	232	59								
144	22	99	17	99	10								
22	3	10	3	21	6								
247	87	148	37	231	64								
81	4	58	10	50	2								
33	20	53	11	32	8								
1	—	5	1	2	—								
86	13	196	19	228	35								
102	16	87	12	122	17								
129	22	157	26	190	41								
141	38	112	14	81	18								
65	15	44	8	62	14								
16	4	22	4	28	8								
14,451	3,234	15,499	3,479	17,459	3,674								

第四十五表 (其一) 累年各市ニ於ケルパ

Table No. XLV. (No. 1) Cases and Deaths of

	明治四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi.....	216	25	234	19	249	27	238	24	288	38	322	44	353	38
八王子市 Hachiōji ,, ...													4	—
京都市 Kyōto ,, ...	43	7	114	9	60	5	167	6	289	11	100	4	270	11
大阪市 Ōsaka ,, ...	36	10	121	26	151	27	159	37	302	38	283	49	203	48
堺市 Sakai ,, ...	4	—	7	2	15	4	10	1	7	3	12	2	16	2
岸和田市 Kishiwada ,, ...														
横濱市 Yokohama ,, ...	21	2	23	4	48	6	34	6	50	3	25	4	39	4
横須賀市 Yokosuka ,, ...	5	—	7	2	26	1	25	1	10	1	13	2	10	1
神戸市 Kōbe ,, ...	9	2	63	6	109	12	103	10	130	15	151	14	81	12
姫路市 Himeji ,, ...	—	—	1	—	2	—	4	—	5	1	—	—	—	—
尼ケ崎市 Amagasaki ,, ...											—	—	3	—
明石市 Akashi ,, ...														
長崎市 Nagasaki ,, ...	—	—	3	—	3	—	—	—	2	1	9	2	1	—
佐世保市 Saseho ,, ...	1	1	2	—	—	—	1	—	6	—	1	—	5	—
新潟市 Niigata ,, ...	—	—	4	2	2	—	1	—	7	—	1	—	3	—
長岡市 Nagaoka ,, ...	—	—	5	1	15	1	10	1	12	—	8	1	4	—
高田市 Takada ,, ...	—	—	3	—	—	—	5	—	1	—	1	—	4	1
川越市 Kawagoe ,, ...														
前橋市 Maebashi ,, ...	—	—	28	1	8	—	12	—	12	—	29	2	65	4
高崎市 Takasaki ,, ...	—	—	15	2	8	3	8	2	7	—	5	1	6	—
桐生市 Kiriu ,, ...														
千葉市 Chiba ,, ...														
水戸市 Mito ,, ...	3	—	7	1	59	2	23	1	30	4	10	—	8	2
宇都宮市 Utsunomiya ,, ...	4	1	5	1	10	—	33	2	6	—	13	1	16	2
足利市 Ashikaga ,, ...														
奈良市 Nara ,, ...	—	—	1	—	5	1	8	2	10	—	18	2	4	—
津市 Tsu ,, ...	6	—	1	1	2	—	20	1	4	1	3	—	—	—
四日市市 Yokkaichi ,, ...	1	1	2	—	—	—	1	—	4	—	1	1	1	—
宇治山田市 Uji-yamada ,, ...	—	—	14	—	—	—	3	—	9	—	4	—	—	—
名古屋市 Nagoya ,, ...	—	—	21	2	59	11	24	4	27	—	44	11	47	3
豐橋市 Toyohashi ,, ...	—	—	—	—	—	—	4	—	4	—	4	—	7	—
岡崎市 Okazaki ,, ...											2	—	5	1
一宮市 Ichinomiya ,, ...														
靜岡市 Sizuoka ,, ...	—	—	6	1	4	—	15	1	26	—	15	—	24	—
濱松市 Hamamatsu ,, ...	1	—	11	—	8	—	2	—	13	—	4	—	5	1
沼津市 Numazu ,, ...														
甲府市 Kōfu ,, ...	38	—	44	3	16	—	28	3	14	1	45	2	20	3
大津市 Ōtsu ,, ...	—	—	1	—	9	—	4	—	1	—	3	—	8	—
岐阜市 Gifu ,, ...	—	—	—	—	—	—	6	—	2	—	9	—	2	1
大垣市 Ōgaki ,, ...														
長野市 Nagano ,, ...	7	—	3	2	2	—	7	1	4	—	11	1	5	—
松本市 Matsumoto ,, ...	—	—	—	—	—	—	2	—	1	—	1	—	5	—
上田市 Uyeda ,, ...														
仙臺市 Sendai ,, ...	10	—	7	—	11	3	9	—	21	2	21	3	21	—
福島市 Fukushima ,, ...	—	—	—	—	1	—	51	3	21	—	16	—	12	—
若松市 Wakamatsu ,, ...	2	—	1	—	12	1	17	5	3	1	25	7	5	1
盛岡市 Morioka, ,, ...	—	—	—	—	16	—	19	2	38	3	11	1	13	—
青森市 Awomori ,, ...	—	—	1	—	1	1	24	2	25	3	22	3	8	—
弘前市 Hirosaki ,, ...	—	—	3	—	1	1	4	2	—	—	4	1	7	—
山形市 Yamagata ,, ...	4	—	3	—	—	—	4	—	4	1	—	—	4	2

ラチフス患者及死亡

Para-Typhoid in Each City.

同七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
225	35	280	30	235	31	257	53	238	25	293	39								
—	—	—	—	13	1	8	1	7	—	7	—								
151	23	197	8	216	28	185	10	326	15	137	19								
284	69	360	68	220	45	227	41	315	60	194	34								
26	6	20	4	13	1	22	2	17	3	12	—								
								—	—	1	—								
41	7	56	2	64	8	39	8	52	9	52	4								
14	1	17	1	29	—	24	1	22	3	17	—								
111	21	86	13	70	12	102	15	141	17	98	12								
2	—	10	1	7	1	7	—	20	4	—	—								
—	—	—	—	—	—	2	—	—	—	2	—								
				—	—	4	1	2	1	3	—								
2	—	2	1	2	—	5	—	6	2	3	—								
6	—	4	—	4	—	4	—	5	1	10	—								
3	—	14	—	8	4	10	1	23	2	26	—								
3	—	13	1	12	1	27	4	20	2	4	—								
10	1	14	2	13	3	5	1	15	2	5	1								
								6	1	7	—								
52	4	15	—	190	4	61	5	45	6	67	6								
7	—	3	—	6	—	8	1	12	1	4	—								
						55	5	8	—	—	—								
						8	1	8	—	4	—								
4	1	10	—	5	1	20	5	32	5	17	—								
8	3	19	3	9	1	7	1	8	3	6	2								
						8	—	8	3	2	—								
9	2	14	3	15	2	48	4	10	2	5	1								
5	2	4	—	10	—	22	5	10	2	6	—								
2	—	—	—	1	—	5	1	2	—	1	—								
—	—	3	1	8	—	9	1	25	—	6	1								
34	2	41	4	37	3	43	10	32	6	29	7								
16	5	16	1	14	3	4	2	11	1	3	1								
2	1	7	1	23	4	7	—	5	1	6	2								
						—	—	1	1	1	—								
12	1	14	2	24	1	24	2	36	2	13	3								
5	1	95	3	17	2	45	3	8	1	24	2								
										4	—								
22	1	20	1	10	—	14	1	25	3	6	1								
4	1	3	1	7	1	11	2	17	—	2	—								
—	—	8	2	1	—	1	—	2	—	2	—								
—	—	—	—	4	1	—	—	1	—	—	—								
9	3	5	—	20	3	27	1	6	—	13	—								
2	1	5	1	5	—	1	—	4	—	—	—								
		3	—	—	—	3	—	6	—	9	4								
25	3	24	2	35	3	43	2	28	—	38	1								
12	4	3	—	36	4	12	1	6	1	—	—								
5	—	7	1	22	1	8	2	12	—	4	—								
7	—	16	—	11	3	19	—	21	1	25	—								
21	3	26	3	17	1	14	—	57	7	21	—								
8	1	5	—	10	—	2	—	7	—	10	—								
12	1	6	1	4	—	1	—	—	—	—	—								

第四十五表（其二）　累年各市ニ於ケルパ

Table No. XLV. (No. 2)　Cases and Deaths of

	明治四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi.....	—	—	1	—	—	—	—	—	1	—	2	—	15	1
秋田市 Akita ,, ...	—	—	—	—	—	—	5	1	3	—	29	1	1	—
福井市 Fukui ,, ...	2	1	5	1	53	6	58	11	30	4	45	7	17	2
金澤市 Kanazawa ,, ...	3	—	1	1	5	—	11	—	28	3	36	4	10	3
富山市 Toyama ,, ...	1	—	9	1	3	1	10	—	4	1	8	2	4	1
高岡市 Takaoka ,, ...	—	—	5	2	2	1	1	—	3	—	5	1	2	—
鳥取市 Tottori ,, ...	—	—	—	—	1	—	—	—	—	—	9	—	1	—
松江市 Matsue ,, ...	1	—	10	—	—	—	—	—	6	1	10	4	1	—
岡山市 Okayama ,, ...	3	—	8	1	6	1	37	—	31	—	33	—	24	4
廣島市 Hiroshima ,, ...	—	—	2	1	7	—	1	—	8	—	4	—	4	—
呉市 Kure ,, ...	—	—	9	—	7	—	12	2	14	1	14	1	29	2
尾道市 Onomichi ,, ...	—	—	—	—	—	—	—	—	—	—	1	—	—	—
福山市 Fukuyama ,, ...											1	—	—	—
下關市 Shimonoseki ,, ...	—	—	8	1	—	—	4	—	6	3	8	—	1	—
宇部市 Ube ,, ...														
和歌山市 Wakayama ,, ...	5	1	1	—	5	1	6	1	9	1	3	1	3	2
德島市 Tokushima ,, ...	—	—	—	—	—	—	—	—	—	—	1	—	7	1
高松市 Takamatsu ,, ...	—	—	4	1	1	—	16	1	—	—	—	—	1	—
丸龜市 Marugame ,, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
松山市 Matsuyama ,, ...	—	—	—	—	—	—	1	—	—	—	2	—	—	—
今治市 Imaharu ,, ...														
宇和島市 Uwazima ,, ...														
高知市 Kōchi ,, ...	—	—	—	—	—	—	2	—	3	—	12	2	5	—
福岡市 Fukuoka ,, ...	1	—	14	—	3	—	1	—	9	1	3	2	4	1
八幡市 Yawata ,, ...													8	2
若松市 Wakamatsu ,, ...							—	—	2	—	2	—	2	—
久留米市 Kurume ,, ...	—	—	—	—	—	—	—	—	—	—	3	—	—	—
大牟田市 Ōmuda ,, ...													5	1
小倉市 Oguro ,, ...	—	—	—	—	2	—	5	1	3	—	10	1	7	2
門司市 Moji ,, ...	—	—	2	—	—	—	1	—	5	—	12	—	13	—
大分市 Ōita ,, ...	15	—	20	1	14	—	13	1	18	1	6	—	12	2
佐賀市 Saga ,, ...	3	—	—	—	—	—	6	—	11	—	6	—	1	1
熊本市 Kumamoto ,, ...	3	1	10	—	25	—	5	1	15	4	18	3	7	—
鹿兒島市 Kagoshima ,, ...	—	—	15	2	7	1	4	1	11	1	15	3	—	—
那覇市 Nawa ,, ...			2	—	1	—	4	1	5	1	—	—	1	—
首里市 Shuri ,, ...			—	—	—	—	—	—	1	—	—	—	—	—
札幌市 Sapporo ,, ...	68	3	61	4	72	9	113	4	89	3	106	8	98	2
旭川市 Asahigawa ,, ...							9	—	15	1	15	1	3	—
小樽市 Otaru ,, ...	10	1	8	3	6	2	105	8	144	7	51	4	63	10
函館市 Hakodate ,, ...	6	—	11	1	34	1	169	32	17	1	14	—	21	2
室蘭市 Muroran ,, ...														
釧路市 Kushiro ,, ...														
合計 Total	532	56	967	105	1,166	129	1,681	182	1,886	161	1,730	203	1,669	176

ラチフス患者及死亡

Para-Typhoid in Each City

同七年 1917.		同八年 1918.		同九年 1919.		同十年 1920.		同十一年 1921.		同十二年 1922.		同十三年 1923.		同十四年 1924.		同十五年 1925.		同十六年 1926.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
54	2	43	—	16	2	48	2	18	4	27	4								
10	1	15	—	14	—	17	—	19	1	15	2								
12	1	11	1	5	1	6	2	3	—	32	4								
18	1	33	1	45	8	20	2	48	10	13	—								
4	—	1	—	1	—	—	—	20	1	5	1								
—	—	—	—	—	—	2	—	3	—	2	—								
2	—	5	—	3	—	8	1	5	—	6	3								
—	—	3	—	1	—	—	—	2	—	1	1								
18	—	119	4	21	2	7	4	9	—	11	3								
15	2	4	1	5	—	3	3	5	1	3	1								
17	1	28	2	32	3	19	2	17	2	6	2								
—	—	—	—	—	—	—	—	—	—	—	—								
—	—	—	—	1	—	—	—	—	—	6	—								
1	1	4	1	3	—	—	—	1	—	6	—								
					—	—	—	2	—	—	—								
3	1	12	2	3	1	12	3	11	1	3	—								
2	—	9	1	6	3	5	2	5	1	18	5								
9	1	11	—	1	—	4	—	5	1	16	1								
—	—	—	—	—	—	3	1	—	—	—	—								
—	—	—	—	3	—	1	—	3	—	1	—								
				2	—	1	—	—	—	1	—								
						—	—	—	—	1	1								
1	—	—	—	1	—	2	1	2	—	—	—								
1	—	5	—	9	—	18	3	11	2	7	1								
7	1	7	—	—	7	2	1	3	—	4	—								
2	1	1	—	1	2	—	—	2	—	—	—								
—	—	4	—	1	2	—	—	2	—	5	—								
1	1	21	5	12	—	22	2	10	4	5	1								
8	2	12	—	—	—	3	1	2	—	7	3								
7	—	4	1	3	1	7	—	4	—	6	1								
6	3	5	—	2	—	6	2	15	2	16	1								
3	—	4	—	—	—	1	—	4	—	2	—								
9	3	1	—	4	2	31	—	17	2	19	3								
6	1	6	—	16	1	6	2	5	1	3	—								
1	—	1	—	3	—	—	—	6	—	5	1								
—	—	—	—	—	—	1	1	1	—	1	—								
50	6	151	5	120	10	44	6	106	2	81	3								
25	2	8	—	19	—	8	1	22	—	12	1								
42	6	134	3	33	3	23	3	58	7	62	3								
35	1	25	1	23	1	19	1	3	—	1	—								
—	—	26	1	13	3	7	1	15	1	16	2								
				—	—	—	—	3	—	3	1								
1,530	241	2,158	190	1,869	225	1,814	240	2,125	236	1,627	189								

第四十六表（其一）　累年各市ニ於ケル

Table No. XLVI. (No. 1)　Cases and Deaths of

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	1,031	290	1,179	266	1,020	216	1,006	187
八王子市 Hachiōji ,,								
京都市 Kyōto ,,	310	66	323	75	297	81	269	76
大阪市 Ōsaka ,,	543	207	500	161	560	190	519	172
堺市 Sakai ,,	19	2	41	13	47	21	26	10
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	250	64	197	36	132	36	168	45
横須賀市 Yokosuka ,,	14	4	14	3	10	6	28	10
神戸市 Kōbe ,,	273	94	143	40	106	47	138	49
姫路市 Himeji ,,	5	—	16	5	47	11	11	7
尼ヶ崎市 Amagasaki ,,								
明石市 Akashi ,,								
長崎市 Nagasaki ,,	66	22	44	16	63	19	26	12
佐世保市 Saseho ,,	20	9	24	12	25	12	32	15
新潟市 Niigata ,,	62	13	75	18	41	10	40	10
長岡市 Nagaoka ,,	27	8	37	8	22	5	19	6
高田市 Takada ,,								
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	23	4	56	8	29	6	27	5
高崎市 Takasaki ,,	20	4	29	10	25	7	23	6
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	19	4	17	8	23	9	19	2
宇都宮市 Utsunomiya,,	84	15	41	7	32	8	38	7
足利市 Ashikaga ,,								
奈良市 Nara ,,	15	7	14	5	15	3	13	6
津市 Tsu ,,	26	6	48	4	55	8	76	14
四日市市 Yokkaichi ,,	5	1	15	3	26	7	23	2
宇治山田市 Uji-yamada,,	9	2	31	8	44	9	13	2
名古屋市 Nagoya ,,	208	45	368	84	244	55	301	55
豐橋市 Toyohashi ,,	40	11	28	6	41	11	39	11
岡崎市 Okazaki ,,								
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	28	6	29	4	20	9	61	10
濱松市 Hamamatsu,,								
沼津市 Numazu ,,								
甲府市 Kōfu ,,	27	8	38	9	33	6	32	6
大津市 Ōtsu ,,	24	7	25	7	33	10	46	3
岐阜市 Gifu ,,	39	6	55	12	49	8	66	10
大垣市 Ōgaki ,,								
長野市 Nagano ,,	23	8	18	2	32	8	28	7
松本市 Matsumoto ,,	1	—	5	—	15	6	20	5
上田市 Uyeda ,,								
仙臺市 Sendai ,,	65	7	98	10	80	10	54	8
福島市 Fukushima ,,	16	5	78	5	52	6	63	7
若松市 Wakamatsu,,	4	1	16	6	33	4	48	5
盛岡市 Morioka ,,	35	5	17	5	8	1	16	1
青森市 Aomori ,,	64	8	68	9	17	3	40	4
弘前市 Hirosaki ,,	26	3	22	3	42	4	36	5
山形市 Yamagata ,,	15	3	25	2	18	4	40	9

ヂフテリア患者及死亡

Diphtheria in Each City.

同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
975	241	861	181	1,168	306	883	236	1,064	312	672	179
254	72	289	77	270	75	197	69	203	36	166	48
545	184	512	135	513	165	410	89	511	142	419	105
33	11	34	8	31	12	17	7	33	11	18	6
154	45	126	27	228	74	240	50	218	46	164	31
16	7	13	5	19	7	31	13	26	5	23	3
145	57	164	54	233	81	237	81	330	89	216	42
13	8	9	4	12	5	8	4	15	3	8	2
										5	2
42	12	31	7	34	15	42	15	32	12	44	15
14	7	10	4	15	8	31	11	34	8	16	3
57	18	58	10	37	8	60	9	40	4	26	4
19	4	29	7	18	3	8	2	17	4	10	2
4	—	27	8	27	3	34	4	28	3	12	—
28	9	23	7	39	5	42	7	30	4	35	4
32	14	15	2	33	9	21	4	29	8	28	8
24	2	20	4	27	9	35	10	32	9	11	1
36	9	31	6	25	10	24	9	39	14	35	14
17	7	8	1	12	5	9	4	14	4	10	5
53	5	47	8	42	4	42	8	43	1	38	7
25	3	16	2	17	3	24	6	22	2	13	2
17	1	22	4	18	3	15	5	16	4	11	3
240	46	232	51	204	30	231	40	155	27	134	25
57	9	21	5	26	5	39	8	23	6	15	6
										10	2
30	5	23	5	58	18	50	11	57	10	66	13
2	—	18	1	48	4	15	—	11	5	7	1
49	15	62	11	38	7	25	5	57	16	25	2
20	6	27	1	52	2	91	1	64	6	18	3
41	10	19	4	29	1	48	9	41	4	38	12
28	5	24	8	7	—	11	—	43	9	27	2
19	2	19	4	19	10	29	7	8	2	12	1
65	8	52	13	60	14	57	7	79	14	80	11
80	8	52	5	49	7	24	6	23	3	33	3
27	4	20	3	26	7	12	2	19	—	11	3
29	10	17	4	12	4	21	6	27	6	24	6
66	8	66	11	26	4	46	5	66	10	40	4
40	5	44	4	27	6	43	5	43	11	20	1
22	3	17	8	15	6	24	7	34	7	23	8

第四十六表（其二）　累年各市ニ於ケル

Table No. XLVI. (No. 2)　Cases and Deaths of

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	785	224	717	188	745	257	595	161
八王子市 Hachiōji ,,	3	1	13	4	16	4	19	5
京都市 Kyōto ,,	156	46	208	58	178	50	242	64
大阪市 Ōsaka ,,	583	182	481	133	492	104	531	126
堺市 Sakai ,,	43	11	30	9	18	9	25	5
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	195	46	102	32	185	33	245	47
横須賀市 Yokosuka ,,	16	2	20	5	18	8	16	4
神戸市 Kōbe ,,	247	89	166	54	147	47	84	17
姫路市 Himeji ,,	13	4	18	4	15	5	11	2
尼ヶ崎市 Amagasaki ,,	14	4	6	2	3	2	3	—
明石市 Akashi ,,							2	1
長崎市 Nagasaki ,,	54	22	64	19	35	11	27	14
佐世保市 Saseho ,,	28	10	58	17	22	7	12	2
新潟市 Niigata ,,	59	9	40	6	31	5	29	8
長岡市 Nagaoka ,,	11	4	8	1	11	1	2	—
高田市 Takada ,,	17	2	17	7	11	3	9	2
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	42	2	46	12	38	6	47	5
高崎市 Takasaki ,,	47	8	34	7	24	3	20	4
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	14	6	14	1	8	4	14	3
宇都宮市 Utsunomiya,,	38	14	15	3	20	5	16	3
足利市 Ashikaga ,,								
奈良市 Nara ,,	4	3	6	1	9	3	9	2
津市 Tsu ,,	27	3	35	4	19	10	28	9
四日市市 Yokkaichi ,,	22	2	18	3	14	2	15	3
宇治山田市 Uji-yamada,,	12	1	9	3	17	2	16	8
名古屋市 Nagoya ,,	134	30	152	44	75	15	98	23
豐橋市 Toyohashi ,,	9	1	10	4	10	6	3	1
岡崎市 Okazaki ,,	16	2	9	3	5	—	10	4
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	69	5	65	7	43	7	36	6
濱松市 Hamamatsu,,	11	3	8	5	9	2	10	4
沼津市 Numazu ,,								
甲府市 Kōfu ,,	29	7	37	9	42	13	23	6
大津市 Ōtsu ,,	8	4	10	2	8	—	13	7
岐阜市 Gifu ,,	12	3	24	4	10	3	20	5
大垣市 Ōgaki ,,			—	—	7	2	9	1
長野市 Nagano ,,	32	4	43	9	31	6	19	7
松本市 Matsumoto ,,	10	1	13	3	12	3	26	5
上田市 Uyeda ,,					4	1	12	2
仙臺市 Sendai ,,	72	15	65	16	66	9	100	21
福島市 Fukushima ,,	30	6	32	3	21	2	15	2
若松市 Wakamatsu,,	12	5	8	1	11	2	5	1
盛岡市 Morioka ,,	15	6	17	3	62	14	64	10
青森市 Awomori ,,	50	10	47	15	34	7	60	10
弘前市 Hirosaki ,,	17	3	24	8	19	4	15	2
山形市 Yamagata ,,	17	3	12	2	5	—	8	1

ヂフテリア患者及死亡

Diphtheria in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
697	200	595	160	564	141								
26	4	13	1	10	2								
214	55	161	34	150	50								
372	116	313	85	407	102								
23	5	14	4	22	10								
		1	1	2	—								
157	35	155	33	63	42								
16	1	10	3	11	3								
78	30	152	60	136	38								
2	1	9	2	12	4								
2	1	7	3	2	—								
1	1	5	4	—	—								
28	5	22	3	34	10								
8	4	5	1	9	3								
34	6	20	3	26	3								
9	1	6	1	8	1								
13	2	9	1	4	—								
		—	—	2	—								
45	9	48	9	55	17								
33	4	22	1	17	3								
1	—	1	—	4	2								
21	7	18	4	13	2								
12	1	17	5	17	6								
13	3	7	2	13	1								
4	3	2	—	—	—								
7	3	9	5	5	1								
14	6	15	2	11	2								
32	5	15	2	15	3								
27	8	31	6	24	4								
94	22	80	17	66	14								
13	6	9	3	17	8								
15	5	9	2	5	2								
—	—	1	1	1	1								
46	9	50	11	31	9								
5	2	10	3	8	4								
				2	1								
25	9	33	4	30	5								
11	—	7	1	9	2								
21	4	23	7	12	2								
3	1	6	2	4	1								
24	6	19	1	19	2								
31	5	41	13	38	6								
15	6	21	7	18	5								
85	7	94	10	69	11								
21	2	17	—	29	3								
4	1	6	1	11	6								
30	6	33	9	32	6								
42	5	59	7	48	4								
12	3	11	3	11	3								
5	1	10	4	15	5								

第四十六表（其三）　累年各市ニ於ケル

Table No. XLVI. (No. 3)　Cases and Deaths of

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	5	2	14	4	7	2	4	3
秋田市 Akita ,,	41	5	20	4	33	2	52	9
福井市 Fukui ,,	21	9	15	6	15	5	6	3
金澤市 Kanazawa ,,	47	11	64	16	73	22	67	23
富山市 Toyama ,,	31	6	20	4	22	5	12	4
高岡市 Takaoka ,,	1	—	12	5	2	1	3	—
鳥取市 Tottori ,,	27	7	17	4	12	6	24	6
松江市 Matsue ,,	17	7	42	7	21	4	15	6
岡山市 Okayama ,,	42	11	70	16	78	11	126	26
廣島市 Hiroshima ,,	34	18	22	10	13	9	7	4
呉市 Kure ,,	24	10	25	9	40	11	49	17
尾道市 Onomichi ,,	12	2	5	3	5	2	8	—
福山市 Fukuyama ,,								
下關市 Shimonoseki,,	21	8	20	6	10	8	9	5
宇部市 Ube ,,								
和歌山市 Wakayama ,,	79	15	98	15	110	31	102	19
德島市 Tokushima ,,	20	1	45	9	38	13	12	1
高松市 Takamatsu ,,	14	4	31	10	13	3	46	7
丸龜市 Marugame ,,	—	—	1	—	1	1	2	1
松山市 Matsuyama ,,	24	6	30	6	13	6	5	2
今治市 Imaharu ,,								
宇和島市 Uwajima ,,								
高知市 Kōchi ,,	9	1	17	5	22	2	62	13
福岡市 Fukuoka ,,	7	3	7	3	—	—	2	—
八幡市 Yawata ,,								
若松市 Wakamatsu,,								
久留米市 Kurume ,,	31	4	18	4	11	1	7	2
大牟田市 Ōmuda ,,								
小倉市 Ogura ,,	33	8	13	1	10	2	4	1
門司市 Moji ,,	25	10	15	3	17	7	12	7
大分市 Ōita ,,								
佐賀市 Saga ,,	22	5	10	5	5	1	3	—
熊本市 Kumamoto ,,	7	4	5	3	11	—	9	2
鹿兒島市 Kagoshima ,,	16	4	25	11	18	5	25	4
那覇市 Nawa ,,			14	6	12	4	11	3
首里市 Shuri ,,			13	3	16	4	8	1
札幌市 Sapporo ,,	127	15	148	18	242	20	151	10
旭川市 Asahigawa ,,								
小樽市 Otaru ,,	79	17	93	18	53	12	89	18
函館市 Hakodate ,,	92	25	109	28	91	23	81	19
室蘭市 Muroran ,,								
釧路市 Kushiro ,,								
合計 Total	4,353	1 165	4,772	1,112	4,350	1,079	4,420	1,005

ヂフテリア患者及死亡

Diphtheria in Each City.

同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
10	3	22	6	11	1	11	3	3	1	8	1
49	4	31	5	57	14	47	7	35	3	23	3
18	4	18	5	26	11	27	6	19	8	2	—
77	12	57	15	42	10	44	9	31	9	23	4
22	7	19	2	14	4	18	3	20	5	18	6
8	1	12	—	10	1	16	1	16	4	23	4
19	3	12	2	11	4	8	1	10	3	10	3
24	8	17	2	12	2	10	6	11	2	6	2
111	24	88	17	89	18	57	14	53	19	60	14
14	8	13	7	19	10	4	4	14	10	6	4
43	14	56	12	57	11	40	10	45	12	65	16
5	1	5	1	2	1	—	—	5	—	4	2
										—	—
10	3	9	2	13	6	4	4	5	4	7	4
83	27	69	13	76	22	31	8	76	15	49	9
10	3	16	4	19	2	21	9	38	8	8	4
25	6	17	3	6	2	26	4	11	1	7	6
3	1	3	—	5	1	3	—	—	—	1	1
28	7	12	5	12	2	11	5	6	4	8	—
40	5	48	14	39	5	38	8	19	2	28	7
2	1	7	2	17	4	16	4	4	—	13	3
						2	—	14	3	6	4
12	5	5	2	14	6	4	1	15	4	10	2
—	—	—	—	4	3	8	2	5	2	1	1
22	4	19	8	15	2	27	11	9	2	15	8
3	—	6	2	19	1	9	5	12	3	4	2
2	1	6	—	1	—	1	—	1	1	1	—
4	2	14	2	13	6	5	3	7	2	11	2
17	5	17	7	6	2	31	7	22	6	9	6
3	1	10	2	14	1	17	5	11	—	8	2
6	3	9	2	13	1	8	1	3	—	—	—
179	13	143	17	120	14	181	23	202	21	23	12
						35	7	38	7	43	4
66	12	57	12	67	11	77	10	86	34	51	8
64	16	78	19	74	9	68	15	63	12	49	10
4,297	1,064	3 953	889	4,411	1,119	4,081	958	4,435	1,064	3,163	743

第四十六表 (其四)　累年各市ニ於ケル

Table No. XLVI. (No. 4)　Cases and Deaths of

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	—	—	11	1	2	—	5	2
秋田市 Akita ,,	19	1	21	3	16	2	35	7
福井市 Fukui ,,	8	2	8	3	6	6	6	3
金澤市 Kanazawa ,,	30	11	20	6	6	2	14	5
富山市 Toyama ,,	16	5	4	—	4	—	2	—
高岡市 Takaoka ,,	5	1	5	1	10	3	19	2
鳥取市 Tottori ,,	9	2	5	3	18	—	8	2
松江市 Matsue ,,	12	2	7	1	2	—	—	—
岡山市 Okayama ,,	63	15	73	22	28	6	36	7
廣島市 Hiroshima ,,	15	9	23	13	19	9	6	3
呉市 Kure ,,	91	25	96	32	82	15	30	7
尾道市 Onomichi ,,	3	1	—	—	5	4	3	1
福山市 Fukuyama ,,	1	1	6	5	3	—	1	1
下關市 Shimonoseki ,,	21	9	14	6	7	1	5	2
宇部市 Ube ,,								
和歌山市 Wakayama ,,	93	19	47	12	51	5	43	14
德島市 Tokushima ,,	13	6	20	4	7	2	7	1
高松市 Takamatsu ,,	8	5	4	—	3	—	8	3
丸龜市 Marugame ,,	1	1	1	—	1	—	1	1
松山市 Matsuyama ,,	4	—	4	2	5	3	5	2
今治市 Imaharu ,,							—	—
宇和島市 Uwazima ,,								
高知市 Kōchi ,,	13	4	5	1	9	2	6	2
福岡市 Fukuoka ,,	10	3	19	5	15	3	13	2
八幡市 Yawata ,,	11	2	12	3	9	2	3	—
若松市 Wakamatsu ,,	3	1	5	3	5	3	1	—
久留米市 Kurume ,,	13	4	7	1	4	—	2	—
大牟田市 Ōmuda ,,	16	5	13	5	18	4	—	—
小倉市 Ogura ,,	7	1	14	3	6	1	3	1
門司市 Moji ,,	—	—	21	9	20	2	5	2
大分市 Ōita ,,	15	6	11	2	8	2	5	3
佐賀市 Saga ,,	5	2	6	1	1	1	—	—
熊本市 Kumamoto ,,	4	1	4	1	—	—	—	—
鹿兒島市 Kagoshima ,,	4	1	5	3	7	2	22	5
那覇市 Nawa ,,	4	2	2	—	8	6	21	7
首里市 Shuri ,,	2	—	4	—	—	—	3	2
札幌市 Sapporo ,,	131	16	109	16	134	12	177	19
旭川市 Asahigawa ,,	57	10	55	12	56	9	63	11
小樽市 Otaru ,,	69	10	93	11	118	18	109	16
函館市 Hakodate ,,	54	12	66	11	69	11	81	16
室蘭市 Muroran ,,			—	—	55	9	50	9
釧路市 Kushiro ,,							—	—
合計 Total	3,803	998	3,521	912	3,367	822	3,361	771

ヂフテリア患者及死亡

Diphtheria in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1	—	8	4	12	2								
42	15	43	5	21	3								
6	4	2	2	7	1								
8	3	10	1	3	1								
4	—	3	1	—	—								
24	4	15	2	17	3								
13	6	11	3	17	4								
1	—	7	4	—	—								
47	11	27	7	15	2								
16	8	16	8	9	6								
68	11	45	11	74	17								
—	—	1	1	1	1								
2	1	3	2	1	1								
3	1	4	2	7	—								
3	2	4	2	6	1								
34	6	31	8	27	9								
9	2	5	2	5	2								
4	3	6	2	8	3								
3	1	4	1	—	—								
1	—	1	—	1	1								
—	—	1	1	4	2								
2	1	2	1	4	1								
4	—	4	2	2	1								
6	1	4	—	6	2								
5	1	7	1	16	5								
1	—	4	4	5	—								
3	—	9	4	1	—								
9	4	4	1	13	8								
4	2	1	—	9	2								
10	4	10	3	27	4								
4	—	1	—	4	2								
1	1	—	—	2	—								
10	2	7	4	7	1								
5	1	1	1	1	1								
7	1	10	3	10	3								
2	1	—	—	1	—								
95	10	69	5	90	11								
69	8	29	5	77	14								
102	17	57	5	84	13								
119	24	108	19	154	25								
36	13	25	7	25	6								
48	7	41	3	26	8								
3,222	792	2,861	678	2,910	716								

第四十七表 (其一) 人口壹萬ニ對スル赤

Table No. XLVII. (No. 1) Cases and Deaths of Dysentery

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyo Shi	1.82	0.37	2.05	0.45	1.72	0.46	2.56	0.54
八王子市 Hachiōji ,,								
京都市 Kyoto ,,	3.91	0.76	3.20	0.49	2.87	0.55	4.01	0.65
大阪市 Ōsaka ,,	2.43	0.87	1.64	0.60	1.89	0.49	1.85	0.54
堺市 Sakai ,,	11.47	3.82	4.11	1.43	1.57	0.17	1.20	0.17
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	3.62	0.33	3.50	0.41	2.83	0.54	1.90	0.22
横須賀市 Yokosuka ,,	1.57	0.31	0.78	—	0.15	0.15	0.56	0.14
神戸市 Kobe ,,	4.17	1.05	3.83	0.55	3.37	0.88	3.34	0.91
姫路市 Himeji ,,	0.30	—	5.28	0.28	1.91	1.09	25.67	5.61
尼ヶ崎市 Amagasaki ,,								
明石市 Akashi ,,								
長崎市 Nagasaki ,,	0.81	0.06	1.23	0.26	7.01	2.94	4.73	0.85
佐世保市 Saseho ,,	0.30	—	—	—	0.59	0.12	2.41	1.10
新潟市 Niigata ,,	14.03	4.40	2.24	0.52	2.23	0.86	1.71	0.34
長岡市 Nagaoka ,,	—	—	0.61	—	—	—	—	—
高田市 Takada ,,								
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	33.18	9.61	23.65	3.94	7.28	0.97	22.14	1.43
高崎市 Takasaki ,,	12.04	3.08	8.73	1.41	2.75	—	0.81	—
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	2.11	0.30	1.23	0.62	—	—	2.74	—
宇都宮市 Utsunomiya ,,	—	—	6.37	0.25	3.04	0.47	1.56	0.45
足利市 Ashikaga ,,								
奈良市 Nara ,,	0.60	0.30	—	—	0.67	—	0.33	—
津市 Tsu ,,	7.03	1.30	1.67	—	0.28	0.28	4.17	0.56
四日市市 Yokkaich ,,	1.94	0.65	4.06	1.11	1.35	0.45	1.83	—
宇治山田市 Uji-yamada ,,	1.88	0.54	1.97	—	0.54	—	7.24	0.27
名古屋市 Nagoya ,,	3.03	0.45	2.64	0.36	2.97	0.40	1.67	0.05
豐橋市 Toyohashi ,,	66.45	12.05	29.16	4.09	24.21	5.81	23.34	2.75
岡崎市 Okazakio ,,								
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	14.53	1.89	19.92	3.39	6.30	0.39	21.01	3.11
濱松市 Hamamatsu ,,								
沼津市 Numazu ,,								
甲府市 Kofu ,,	0.67	—	21.28	1.83	6.95	0.22	10.09	0.88
大津市 Ōtsu ,,	1.01	0.25	0.26	—	1.30	0.26	0.26	—
岐阜市 Gifu ,,	7.30	1.76	11.87	1.85	9.68	0.81	15.20	1.33
大垣市 Ōgaki ,,								
長野市 Nagano ,,	—	—	1.71	0.28	—	—	3.06	1.11
松本市 Matsumoto ,,	3.14	0.63	0.94	—	20.37	6.48	1.21	—
上田市 Uyeda ,,								
仙臺市 Sendai ,,	1.45	0.18	1.45	—	1.01	—	1.82	—
福島市 Fukushima ,,	3.67	0.67	2.00	0.33	1.95	0.32	0.32	—
若松市 Wakamatsu ,,	0.31	0.31	1.11	—	—	—	—	—
盛岡市 Morioka ,,	1.92	—	3.16	—	0.55	—	0.26	—
青森市 Awomori ,,	4.05	1.35	2.57	0.23	5.74	1.77	11.48	0.84
弘前市 Hirosaki ,,	1.15	0.29	2.98	1.19	—	—	0.29	—
山形市 Yamagata ,,	0.47	0.27	—	—	6.11	1.27	3.28	0.76

痢患者及死亡都市別

per 10,000 Population in Each City.

同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3.20	0.91	3.58	1.25	2.81	2.00	2.61	0.87	3.02	1.14	4.78	2.13
5.88	1.15	4.48	0.72	5.30	1.98	4.94	1.43	7.57	0.97	6.65	1.00
3.11	0.73	2.90	0.66	1.43	0.33	2.01	0.38	3.72	0.69	3.95	0.84
2.99	1.00	4.37	0.65	0.78	0.16	5.90	1.82	11.75	4.99	5.32	1.01
1.77	0.29	2.32	0.38	1.50	0.11	1.24	0.30	2.18	0.35	3.53	1.32
1.27	0.28	0.81	—	0.13	—	0.12	0.12	1.17	0.47	2.23	0.56
8.40	1.74	8.43	1.83	10.36	2.51	21.65	6.16	28.37	7.33	13.60	2.31
11.51	2.74	13.08	2.72	5.04	2.39	11.02	2.36	9.64	3.12	7.99	2.84
										4.32	1.08
5.42	1.36	3.99	0.69	5.95	1.76	11.07	2.94	4.92	0.65	6.65	1.53
2.00	1.12	2.86	1.12	2.74	1.07	4.13	1.65	8.18	1.87	6.71	1.49
1.99	0.17	1.47	0.33	0.79	—	0.63	0.16	0.15	0.15	0.30	—
3.44	0.29	0.28	—	1.62	—	1.58	—	0.52	0.26	0.56	0.50
0.71	0.36	0.36	0.36	—	—	1.97	1.64	0.63	—	0.31	—
6.47	0.92	5.19	0.23	7.13	1.30	4.84	0.42	4.92	0.20	5.39	0.60
1.08	0.27	1.32	—	0.76	—	—	—	—	—	—	—
2.04	—	1.14	0.29	—	—	—	—	2.27	1.26	1.95	0.49
0.68	—	1.75	0.22	—	—	—	—	2.87	0.76	0.19	—
									—		
0.88	0.29	—	—	—	—	0.50	—	0.48	—	1.14	0.23
2.78	0.76	3.68	0.25	1.15	0.23	0.22	—	1.93	0.21	2.27	0.21
7.34	1.05	0.34	—	0.33	—	2.23	—	0.93	—	0.61	—
6.52	0.54	6.45	0.54	1.05	0.26	2.58	—	1.53	—	3.27	—
2.85	0.43	2.11	0.51	0.92	0.15	1.80	0.21	1.84	0.25	3.32	0.34
18.83	2.24	6.00	0.43	5.59	1.40	5.13	0.76	7.43	1.81	5.34	0.69
										1.76	0.88
13.30	1.28	13.93	3.35	5.52	0.67	7.27	0.81	11.84	0.93	8.72	1.20
11.38	0.27	4.07	0.81	5.04	0.76	8.53	1.18	8.00	0.22	10.44	1.46
11.97	1.33	3.07	0.22	6.68	0.68	1.64	0.21	1.42	0.60	3.75	0.40
1.05	0.26	0.52	0.26	0.25	—	—	—	6.17	0.74	0.98	—
13.92	2.36	7.66	1.35	2.94	0.42	2.78	0.60	5.48	1.51	6.82	0.90
0.27	—	—	—	0.53	—	4.96	1.57	1.29	—	23.54	21.52
2.92	0.58	40.69	8.31	1.63	0.27	1.32	—	0.77	0.26	3.00	0.50
2.02	0.11	1.05	0.10	5.98	0.82	1.99	0.30	1.07	0.10	7.26	0.38
8.97	2.33	1.66	—	1.94	—	1.28	—	3.80	0.32	1.26	0.32
2.45	0.54	—	—	—	—	—	—	—	—	—	—
1.82	1.30	2.01	0.25	0.48	—	—	—	0.45	0.22	1.94	0.22
1.64	—	1.64	0.70	0.46	0.23	1.14	0.23	1.82	0.46	0.91	—
—	—	0.60	—	0.29	—	0.87	—	0.86	0.29	—	—
0.24	—	—	—	0.93	0.23	—	—	0.44	—	0.88	—

第四十七表 (其二) 人口壹萬ニ對スル赤

Table No. XLVII. (No. 2) Cases and Deaths of Dysentery

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	4.20	1.24	3.96	1.16	2.56	1.00	2.37	0.92
八王子市 Hachiōji ,,	0.25	0.25	3.45	0.27	4.28	0.71	4.62	0.51
京都市 Kyōto ,,	8.06	0.84	8.85	0.94	4.05	0.41	5.34	0.46
大阪市 Ōsaka ,,	4.51	0.86	4.74	0.90	2.11	0.37	2.77	0.61
堺市 Sakai ,,	14.31	4.31	16.29	2.83	2.68	1.27	1.76	0.59
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	2.48	0.67	2.85	1.02	2.28	0.57	2.58	1.16
横須賀市 Yokosuka ,,	2.03	0.43	3.13	0.72	1.19	0.12	2.78	0.22
神戸市 Kōbe ,,	11.83	1.65	2.00	0.17	0.12	—	0.18	0.07
姫路市 Himeji ,,	5.87	1.53	5.45	0.95	10.42	2.08	8.31	2.62
尼ケ崎市 Amagasaki ,,	3.96	1.08	3.94	0.11	3.39	0.85	0.26	0.26
明石市 Akashi ,,					—	—	5.44	1.21
長崎市 Nagasaki ,,	2.58	0.52	1.32	0.50	1.48	0.32	2.21	0.85
佐世保市 Saseho ,,	4.12	0.80	4.46	0.54	1.85	0.25	1.26	0.23
新潟市 Niigata ,,	—	—	0.75	0.11	0.59	0.20	0.43	—
長岡市 Nagaoka ,,	—	—	—	—	—	—	—	—
高田市 Takada ,,	1.19	0.30	1.86	—	0.31	—	—	—
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	6.03	0.58	5.18	1.11	3.23	0.18	1.28	0.16
高崎市 Takasaki ,,	0.93	—	0.25	—	0.74	—	1.36	—
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	9.50	1.19	3.04	0.43	0.83	—	4.83	3.05
宇都宮市 Utsunomiya,,	0.18	—	0.19	—	—	—	—	—
足利市 Ashikaga ,,								
奈良市 Nara ,,	2.17	0.43	0.90	0.23	0.22	—	0.74	0.50
津市 Tsu ,,	4.56	0.99	9.58	2.00	3.49	0.19	3.77	0.42
四日市市 Yokkaich i,	2.37	0.30	0.14	—	0.31	0.31	0.85	0.57
宇治山田市 Uji-yamada,,	2.72	—	1.77	—	7.27	0.50	1.27	—
名古屋市 Nagoya ,,	1.61	0.25	2.24	0.27	0.76	0.20	1.81	0.35
豐橋市 Toyohashi ,,	12.81	1.48	8.10	1.13	13.22	3.58	5.37	1.23
岡崎市 Okazaki ,,	6.47	1.76	2.43	0.81	2.55	0.26	2.34	0.26
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	10.89	0.73	13.98	1.00	6.49	0.69	23.48	9.31
濱松市 Hamamatsu,,	8.06	1.77	6.06	1.25	3.17	0.50	11.74	9.27
沼津市 Numazu ,,								
甲府市 Kōfu ,,	3.30	0.39	4.16	1.32	0.56	0.19	5.34	0.71
大津市 Ōtsu ,,	0.24	—	1.03	—	0.51	—	6.36	1.91
岐阜市 Gifu ,,	4.95	1.02	7.72	1.47	1.61	0.36	7.18	3.83
大垣市 Ōgaki ,,			5.08	0.63	0.95	—	3.88	0.71
長野市 Nagano ,,	2.00	0.25	1.03	—	0.26	—	—	—
松本市 Matsumoto ,,	1.70	—	0.64	0.21	0.41	—	0.20	—
上田市 Uyeda ,,					—	—	—	—
仙臺市 Sendai ,,	2.34	0.56	2.24	0.09	1.09	0.25	2.27	0.34
福島市 Fukushima ,,	5.64	0.94	0.60	0.30	3.87	1.19	6.43	1.40
若松市 Wakamatsu,,	0.49	0.49	—	—	0.22	—	0.27	0.27
盛岡市 Morioka ,,	3.32	0.42	15.49	2.65	26.52	6.09	15.56	1.18
青森市 Awomori ,,	0.67	—	0.96	0.48	1.45	0.72	9.81	5.31
弘前市 Hirosaki ,,	—	—	—	—	—	—	0.61	—
山形市 Yamagata ,,	2.23	0.25	—	—	0.22	—	0.21	—

痢患者及死亡都市別

per 10,000 Population in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
2.32	0.59	3.48	1.27	10.56	3.42								
4.93	—	5.88	1.41	14.90	7.67								
5.82	0.67	5.61	0.75	10.14	3.56								
2.17	0.36	3.33	0.67	3.70	0.95								
2.99	0.69	2.36	0.79	4.84	2.20								
		—	—	1.26	0.32								
2.48	0.97	2.51	0.96	5.60	0.83								
1.62	0.65	4.01	0.95	7.41	1.34								
4.19	1.02	7.43	2.85	7.60	1.97								
4.52	0.65	7.63	1.69	6.05	1.46								
2.44	1.22	0.46	—	1.31	0.22								
2.37	1.18	4.05	2.31	1.13	0.57								
3.96	0.56	2.14	0.82	3.08	2.16								
3.33	0.22	5.91	3.87	10.61	7.39								
0.21	—	1.52	0.51	0.29	0.10								
—	—	—	—	—	—								
—	—	0.34	—	1.31	0.33								
		—	—	5.17	4.06								
1.56	0.16	1.97	0.61	3.98	0.74								
0.27	0.27	0.26	—	0.26	—								
—	—	0.25	0.25	1.22	0.97								
8.81	1.52	8.51	4.26	29.36	11.62								
3.19	1.23	5.69	2.37	14.45	6.88								
0.31	—	0.45	0.30	0.58	—								
0.60	—	0.90	0.30	0.30	—								
0.72	0.24	0.23	0.23	0.43	—								
2.23	0.40	3.72	0.78	11.22	7.60								
—	—	0.55	0.28	1.63	0.82								
2.53	1.01	2.99	0.75	17.28	8.40								
0.62	0.19	0.33	0.06	0.98	0.44								
6.30	2.05	0.28	0.10	8.32	4.43								
2.96	0.25	0.70	0.47	0.67	0.44								
—	—	0.68	—	0.66	0.66								
13.71	5.74	15.64	8.32	18.56	10.38								
10.69	6.26	15.63	7.20	11.48	6.08								
				1.52	0.61								
1.92	0.52	3.77	1.37	7.07	0.84								
4.11	0.95	1.58	1.27	3.79	1.58								
10.12	4.45	4.86	1.18	7.67	1.56								
0.34	0.34	3.29	0.66	5.40	0.95								
1.06	—	1.05	0.52	0.17	0.17								
0.19	—	1.85	—	1.07	0.18								
—	—	0.31	—	—	—								
0.74	—	3.35	0.64	2.73	0.62								
3.60	0.55	3.56	1.37	0.27	0.27								
0.52	—	—	—	0.50	0.50								
14.71	3.22	11.19	3.13	8.95	1.75								
24.59	5.12	33.68	7.60	19.51	2.26								
3.34	0.61	5.45	0.61	4.52	0.30								
—	—	—	—	0.20	—								

第四十七表 (其三) 人口壹萬ニ對スル赤

Table No. XLVII. (No. 3) Cases and Deaths of Dysentery

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	0.31	—	1.49	—	0.29	—	0.58	—
秋田市 Akita ,,	2.80	0.28	7.78	2.31	1.98	0.28	0.66	—
福井市 Fukui ,,	5.14	1.71	2.75	1.27	0.21	—	0.85	0.21
金澤市 Kanazawa ,,	5.98	1.90	7.44	1.59	9.71	1.86	6.92	1.92
富山市 Toyama ,,	3.59	0.20	1.15	0.57	0.76	—	0.39	—
高岡市 Takaoka ,,	—	—	4.01	2.16	—	—	0.30	—
鳥取市 Tottori ,,	1.63	0.98	0.67	0.34	0.67	0.33	—	—
松江市 Matsue ,,	0.59	—	0.29	—	1.16	0.29	7.53	0.52
岡山市 Okayama ,,	22.17	5.16	4.57	2.72	6.36	1.56	10.49	1.28
廣島市 Hiroshima ,,	1.35	0.36	3.49	1.40	0.38	0.30	0.44	0.15
吳市 Kure ,,	1.23	0.55	1.93	0.57	1.98	0.21	0.19	—
尾道市 Onomichi ,,	3.10	1.69	17.44	1.07	0.71	—	0.35	—
福山市 Fukuyama ,,								
下關市 Shimonoseki ,,	3.09	1.77	1.15	0.38	1.10	0.55	0.53	0.18
宇部市 Ube ,,								
和歌山市 Wakayama ,,	0.57	—	5.53	1.80	1.62	0.68	6.09	1.06
德島市 Tokushima ,,	1.60	0.80	6.08	1.64	36.50	13.75	43.04	13.91
高松市 Takamatsu ,,	6.37	1.33	34.51	11.59	20.34	7.11	18.85	5.25
丸龜市 Marugame ,,	1.06	0.35	30.52	8.03	11.69	2.02	0.81	0.41
松山市 Matsuyama ,,	1.14	0.57	0.73	—	2.59	0.71	6.82	1.82
今治市 Imaharu ,,								
宇和島市 Uwazima ,,								
高知市 Kochi ,,	5.47	—	2.97	0.30	6.47	1.47	3.20	0.58
福岡市 Fukuoka ,,	—	—	0.13	—	2.62	0.65	2.16	—
八幡市 Yawata ,,								
若松市 Wakamatsu ,,								
久留米市 Kurume ,,	—	—	0.95	0.32	—	—	0.61	0.30
大牟田市 Ōmuda ,,								
小倉市 Ogura ,,	0.25	—	—	—	—	—	0.38	—
門司市 Moji ,,	6.88	1.29	1.91	0.21	1.97	1.18	0.36	—
大分市 Ōita ,,	—	—	—	—	—	—	—	—
佐賀市 Saga ,,	—	—	—	—	15.09	3.85	9.09	2.05
熊本市 Kumamoto ,,	3.47	1.46	3.78	0.36	11.33	1.80	7.73	1.44
鹿兒島市 Kagoshima ,,	8.04	4.11	—	—	3.42	1.08	3.92	0.36
那覇市 Nawa ,,			—	—	0.22	—	0.22	—
首里市 Shuri ,,			—	—	—	—	—	—
札幌市 Sapporo ,,	11.51	1.81	1.81	0.18	1.04	—	2.82	0.66
旭川市 Asahigawa ,,								
小樽市 Otaru ,,	0.81	0.13	1.51	0.13	0.36	—	—	—
函館市 Hakodate ,,	19.33	3.60	4.16	0.91	0.26	—	0.65	—
室蘭市 Muroran ,,								
釧路市 Kushiro ,,								
合計 Total	3.66	0.85	3.27	0.69	3.03	0.77	3.50	0.69

痢患者及死亡都市別

per 10,000 Population in Each City.

同 四十四年 1911.		大正元年 1912.		同 二 年 1913.		同 三 年 1914.		同 四 年 1915.		同 五 年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
—	—	0.28	0.28	—	—	—	—	—	—	0.79	—
1.17	0.58	—	—	0.58	0.29	—	—	1.45	0.29	0.87	—
0.59	—	0.39	—	—	—	2.36	0.91	0.71	—	0.17	0.17
11.11	2.22	4.61	1.26	3.49	0.51	6.52	1.16	4.64	0.80	5.81	1.32
0.36	—	1.57	—	0.17	0.17	0.16	—	0.63	0.16	0.15	0.15
0.86	0.29	—	—	0.27	—	0.53	—	0.26	—	0.13	0.13
2.49	0.62	1.52	—	2.60	0.58	2.52	0.56	5.43	—	2.37	0.79
10.17	0.56	6.41	0.56	1.36	0.27	1.33	0.27	3.95	2.63	3.37	0.52
9.25	1.93	6.90	0.65	3.83	0.64	4.87	0.51	7.60	0.90	21.63	3.11
0.29	0.22	0.42	—	0.39	—	2.49	—	3.39	0.31	4.38	0.74
0.30	0.10	0.94	0.19	0.46	0.15	0.73	0.08	1.32	0.16	0.96	0.07
0.35	0.35	1.06	0.35	—	—	1.02	0.34	—	—	1.01	—
										6.46	0.31
0.86	0.51	0.50	0.17	0.13	—	3.51	1.02	0.84	0.42	0.40	—
2.61	0.41	0.82	0.14	1.22	0.30	3.23	0.94	1.20	0.53	1.33	0.27
29.35	8.70	18.90	5.83	14.11	3.33	13.34	3.45	20.38	5.02	3.92	0.87
17.12	2.33	22.05	3.08	4.05	1.52	24.62	4.31	10.91	2.79	13.23	1.53
2.64	1.20	11.92	3.46	2.99	0.37	4.78	0.74	—	—	6.45	1.08
8.88	1.18	3.12	0.24	0.70	—	5.34	1.16	5.53	2.30	2.28	1.37
3.68	0.31	3.85	—	4.27	1.14	5.66	2.27	26.40	6.46	8.91	2.23
2.08	0.24	0.22	0.22	4.60	2.06	1.07	0.43	3.29	0.72	14.14	0.69
						—	—	9.79	1.85	6.60	1.27
0.65	0.32	—	—	0.29	—	—	—	—	—	6.83	—
—	—	0.31	0.31	—	—	1.67	—	13.10	—	5.13	0.51
1.28	0.55	1.57	—	0.79	0.26	2.24	0.15	2.39	0.14	3.32	0.66
3.90	0.60	8.11	1.20	11.70	0.28	11.38	1.32	22.42	3.02	8.35	3.82
4.33	0.62	1.53	—	2.69	0.30	—	—	0.60	0.30	—	—
8.23	2.10	19.62	5.90	5.37	1.79	22.09	3.28	14.81	1.11	12.68	1.72
1.82	0.50	1.17	0.64	8.33	1.87	27.55	7.62	8.68	2.34	9.40	2.52
—	—	—	—	0.19	—	0.29	—	0.18	0.18	0.35	—
—	—	—	—	—	—	13.04	—	—	—	0.44	0.44
1.36	0.15	—	—	0.12	0.12	1.12	—	1.39	0.32	0.99	—
						—	—	0.29	0.14	0.13	—
—	—	0.36	—	—	—	2.77	1.61	8.04	0.91	3.34	0.67
1.16	0.48	0.46	—	0.33	—	0.23	—	0.10	—	0.10	—
4.04	0.88	3.68	0.87	2.85	0.76	4.06	1.01	5.09	1.15	4.88	1.21

第四十七表 (其四) 人口壹萬ニ對スル赤

Table No. XLVII. (No. 4) Cases and Deaths of Dysentery

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi...	—	—	—	—	0.78	0.26	0.93	0.23
秋田市 Akita ,,	2.90	—	0.26	—	0.25	—	0.83	0.28
福井市 Fukui ,,	2.41	2.14	1.05	0.18	—	—	—	—
金澤市 Kanazawa ,,	3.30	0.33	2.03	0.54	1.21	0.38	1.62	0.39
富山市 Toyama ,,	0.30	—	0.14	—	0.27	—	—	—
高岡市 Takaoka ,,	—	—	—	—	—	—	0.27	0.27
鳥取市 Tottori ,,	1.79	0.51	5.35	0.63	1.28	0.32	0.34	—
松江市 Matsue ,,	2.30	0.51	5.16	0.57	2.03	0.29	—	—
岡山市 Okayama ,,	17.93	2.12	13.18	2.73	5.00	0.78	4.97	1.03
廣島市 Hiroshima ,,	3.30	0.81	2.22	0.72	3.65	1.11	6.54	3.80
吳市 Kure ,,	1.05	0.14	—	—	3.30	6.67	8.59	3.30
尾道市 Onomichi ,,	3.32	0.63	12.29	4.93	2.96	1.32	0.76	0.76
福山市 Fukuyama ,,	4.00	0.92	1.85	0.62	0.87	0.87	2.35	1.01
下關市 Shimonoseki,,	0.64	0.38	0.47	0.16	0.95	—	0.60	0.14
宇部市 Ube ,,								
和歌山市 Wakayama ,,	1.19	0.40	0.37	0.12	1.34	0.24	0.48	0.12
德島市 Tokushima ,,	8.74	2.87	5.80	0.71	15.76	2.93	11.69	7.60
高松市 Takamatsu ,,	10.94	1.02	17.70	1.99	7.11	0.22	6.02	1.72
丸龜市 Marugame ,,	8.13	0.71	6.61	1.76	3.64	—	2.86	—
松山市 Matsuyama,,	1.13	—	2.93	0.92	2.27	0.87	0.39	0.20
今治市 Imaharu ,,							0.33	—
宇和島市 Uwazima ,,								
高知市 Kōchi ,,	9.94	4.97	23.18	12.45	1.42	0.20	8.31	4.46
福岡市 Fukuoka ,,	3.81	0.67	4.02	1.52	3.39	1.21	3.45	0.63
八幡市 Yawata ,,	0.62	0.12	0.75	0.12	1.52	0.43	5.19	0.70
若松市 Wakamatsu,,	4.61	0.49	1.84	0.53	1.26	0.76	0.81	—
久留米市 Kurume ,,	—	—	—	—	0.64	—	0.69	0.46
大牟田市 Ōmuda ,,	0.90	0.15	5.09	0.75	0.55	—	0.62	0.16
小倉市 Ogura ,,	0.74	—	2.23	0.32	0.63	—	0.29	—
門司市 Moji ,,	1.54	0.64	1.51	0.45	2.53	0.75	1.11	0.28
大分市 Ōita ,,	11.79	2.95	9.71	1.21	1.18	—	7.42	3.71
佐賀市 Saga ,,	0.60	—	0.23	—	—	—	—	—
熊本市 Kumamoto ,,	5.84	0.77	10.32	2.03	6.19	0.85	3.27	0.57
鹿兒島市 Kagoshima ,,	3.69	0.76	6.18	1.53	8.11	2.78	1.16	—
那覇市 Nawa ,,	0.34	0.17	—	—	0.17	—	0.55	0.37
首里市 Shuri ,,	—	—	—	—	0.34	0.34	—	—
札幌市 Sapporo ,,	—	—	0.23	—	—	—	—	—
旭川市 Asahigawa ,,	—	—	0.15	—	—	—	0.16	—
小樽市 Otaru ,,	—	—	0.32	—	—	—	1.57	0.55
函館市 Hakodate ,,	—	—	0.03	—	0.07	—	0.07	—
室蘭市 Muroran ,,			—	—	0.34	0.34	0.36	0.36
釧路市 Kushiro ,,							—	—
合計 Total	4.29	0.84	3.01	0.84	2.52	0.60	2.84	0.91

痢患者及死亡都市別

per 10,000 Populatioh in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.23	—	—	—	—	—								
2.45	1.09	2.42	0.27	0.80	0.27								
0.17	—	0.68	0.17	—	—								
2.75	1.12	0.86	0.21	0.83	0.34								
0.31	0.15	—	—	—	—								
0.27	—	0.52	0.52	0.26	0.26								
1.02	0.34	1.01	0.34	0.91	0.91								
—	—	1.33	—	0.80	0.80								
9.35	1.83	2.82	0.64	6.37	2.69								
18.55	3.18	4.94	1.99	3.68	1.66								
9.36	2.78	12.82	5.64	4.73	2.07								
0.34	0.34	0.75	0.75	0.74	—								
4.84	1.29	4.95	2.48	1.49	0.90								
0.38	0.25	0.37	0.25	1.80	0.72								
—	—	1.43	0.24	1.81	0.23								
1.07	0.12	0.59	0.12	0.46	0.35								
7.63	5.18	7.08	2.69	16.76	5.45								
5.99	0.91	4.47	0.32	6.30	4.25								
2.10	0.42	2.60	0.87	3.56	3.11								
0.19	—	0.37	0.18	4.85	2.87								
0.33	—	1.64	1.32	2.75	2.06								
0.56	0.28	1.67	0.28	3.71	2.59								
7.11	4.55	10.23	6.95	10.00	5.66								
6.05	1.64	3.50	0.70	7.91	2.96								
5.45	0.78	2.71	0.30	4.75	1.12								
0.19	—	1.48	—	1.24	0.35								
—	—	1.12	—	6.79	4.53								
1.03	0.44	3.93	—	3.75	0.94								
0.29	0.29	—	—	8.29	6.57								
1.07	0.27	1.04	0.39	3.95	2.39								
8.69	3.34	3.64	1.71	4.54	2.47								
—	—	—	—	2.47	1.48								
9.71	1.92	9.23	1.79	7.19	2.04								
1.30	0.28	1.69	0.27	1.53	0.51								
—	—	0.53	—	—	—								
0.43	—	—	—	—	—								
0.09	0.09	0.27	—	0.85	0.09								
1.08	0.15	—	—	0.28	—								
—	—	0.27	—	0.88	0.18								
0.66	0.26	0.25	0.13	0.24	0.06								
0.16	—	—	—	0.13	—								
—	—	—	—	—	—								
3.73	0.92	3.58	1.14	5.84	2.03								

第四十八表 (其一) 人口壹萬ニ對スル

Table No. XLVIII. (No. 1) Cases and Deaths of Typhoid

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tokyō Shi	6.98	1.76	6.89	1.66	8.74	1.90	25.55	5.78
八王子市 Hachioji ,,								
京都市 Kyōto ,,	11.97	3.02	15.22	3.49	15.10	3.77	13.25	4.22
大阪市 Ōsaka ,,	3.24	1.32	2.72	1.01	3.44	1.19	4.90	1.77
堺市 Sakai ,,	3.44	1.15	3.57	0.89	1.22	0.17	1.37	0.86
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	7.28	1.53	9.43	2.50	4.92	1.36	7.97	2.15
橫須賀市 Yokosuka ,,	24.02	4.55	36.26	8.01	7.89	1.49	5.49	1.41
神戸市 Kobe ,,	7.56	1.60	5.17	1.11	3.50	1.13	4.51	1.28
姫路市 Himeji ,,	2.13	0.30	3.06	0.83	5.46	1.64	9.09	1.87
尼ヶ崎市 Amagasaki ,,								
明石市 Akashi ,,								
長崎市 Nagasaki ,,	5.02	1.73	4.72	1.23	2.88	0.38	3.88	0.85
佐世保市 Saseho ,,	10.45	1.87	2.74	0.87	1.41	0.59	1.76	0.44
新潟市 Niigata ,,	5.06	1.96	9.66	2.93	10.31	1.37	8.73	2.05
長岡市 Nagaoka ,,	3.86	0.64	3.21	1.52	2.08	0.59	7.54	2.32
高田市 Takada ,,								
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	12.59	1.60	16.01	1.48	12.86	3.64	26.67	4.76
高崎市 Takasaki ,,	9.24	1.96	17.75	3.38	31.68	5.79	10.51	2.16
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	18.67	5.72	8.02	1.54	6.25	2.19	12.16	4.26
宇都宮市 Utsunomiya ,,	46.02	8.49	50.74	9.56	11.48	3.04	22.99	4.02
足利市 Ashikaga ,,								
奈良市 Nara ,,	1.19	0.60	1.00	0.33	0.67	—	2.01	1.00
津市 Tsu ,,	4.43	1.30	3.62	1.11	1.39	—	8.06	1.11
四日市市 Yokkaichi ,,	1.61	0.65	1.11	0.37	0.90	0.45	3.30	—
宇治山田市 Uji-yamada ,,	1.34	0.27	1.69	0.56	2.20	0.54	4.83	1.34
名古屋市 Nagoya ,,	4.93	1.07	4.19	1.07	3.02	0.71	6.60	1.48
豐橋市 Toyohashi ,,	23.45	3.58	10.49	2.56	16.71	2.91	12.81	2.06
岡崎市 Okazaki ,,								
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	6.60	2.08	5.18	1.99	7.68	1.38	22.96	3.50
濱松市 Hamamatsu ,,								
沼津市 Numazu ,,								
甲府市 Kzu ,,	5.17	0.45	6.41	1.14	13.23	2.69	29.17	5.04
大津市 Ōtsu ,,	4.04	1.01	1.06	—	4.16	0.78	4.10	0.77
岐阜市 Gifu ,,	8.82	1.51	5.54	1.06	5.91	2.15	7.73	1.87
大垣市 Ōgaki ,,								
長野市 Nagano ,,	64.23	15.14	1.70	0.28	16.29	5.62	13.33	4.17
松本市 Matsumoto ,,	5.35	1.89	13.84	4.09	8.02	3.09	3.93	1.51
上田市 Uyeda ,,								
仙臺市 Sendai ,,	11.49	1.81	19.57	3.36	27.73	4.17	20.00	3.86
福島市 Fukushima ,,	22.67	2.67	25.33	5.00	12.01	1.95	64.24	7.59
若松市 Wakamatsu ,,	21.00	5.64	10.25	3.88	2.66	1.06	2.81	1.02
盛岡市 Morioka ,,	9.20	3.07	6.61	1.15	3.56	1.92	9.71	2.10
青森市 Awomori ,,	21.08	4.59	18.23	3.50	20.97	3.09	49.06	4.38
弘前市 Hirosaki ,,	32.28	6.05	20.24	5.06	8.96	1.49	16.72	4.18
山形市 Yamagata ,,	10.61	4.01	13.04	3.32	22.90	5.60	32.07	8.84

腸「チフス」患者及死亡都市別

Fever per 10,000 Population in Each City.

同 四十四年 1911.		大正元年 1912.		同 二 年 1913.		同 三 年 1914.		同 四 年 1915.		同 五 年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
12.39	2.61	10.11	1.85	10.76	2.15	11.01	2.52	12.70	2.66	10.67	2.35
11.68	3.13	9.27	1.89	10.91	2.12	13.57	2.51	9.67	1.94	9.50	5.38
8.49	2.68	8.00	2.46	7.76	2.18	7.45	2.26	10.06	2.42	8.93	2.27
2.66	0.33	3.24	1.13	2.64	0.47	4.54	2.12	6.02	1.62	3.16	1.01
7.68	1.72	7.79	1.56	6.77	1.78	5.43	1.57	5.37	1.50	9.03	2.43
5.06	0.84	14.38	2.99	9.52	2.16	14.23	3.65	6.41	1.40	32.18	8.27
3.97	0.89	9.66	1.85	8.20	1.94	9.92	2.45	9.95	1.04	9.44	1.38
10.68	2.47	11.95	2.45	7.96	1.33	7.09	2.10	5.21	1.04	9.02	1.80
										8.63	1.44
4.40	0.54	4.34	1.10	3.59	0.61	2.53	0.68	8.91	2.46	7.19	2.06
1.12	0.25	2.12	0.37	1.55	0.48	1.77	0.47	3.74	0.70	4.27	1.04
3.81	0.83	2.13	0.33	2.23	0.32	2.50	0.31	2.62	0.46	2.57	0.60
9.17	2.29	7.87	2.25	10.54	3.24	8.71	1.85	10.57	1.80	7.54	2.26
14.74	1.08	20.86	3.60	6.44	2.03	4.92	0.66	9.49	1.90	21.17	6.13
40.42	7.16	38.37	6.09	10.58	2.81	12.84	1.68	25.82	1.64	7.58	0.60
5.93	0.81	11.17	0.80	4.30	1.01	5.71	0.99	6.54	0.48	3.32	0.47
4.66	0.58	6.29	1.71	6.93	1.60	12.18	3.89	3.02	1.01	11.46	2.93
11.93	2.93	8.97	1.97	6.58	1.85	22.02	2.78	7.87	1.92	5.93	0.74
0.58	—	1.68	0.28	12.34	1.84	6.50	1.75	10.50	1.91	6.14	2.05
2.78	0.76	1.72	0.47	4.62	0.23	3.11	0.89	2.57	0.21	5.36	1.44
1.75	1.05	4.11	1.71	4.25	0.65	4.46	0.64	3.43	0.93	3.03	0.91
3.53	1.36	2.15	0.81	1.05	—	4.39	0.78	3.31	0.76	5.28	0.50
7.63	1.39	3.68	0.75	2.55	0.46	3.13	0.56	8.43	2.02	13.89	2.71
36.55	5.16	15.42	2.78	9.98	0.40	10.84	2.20	4.89	0.72	6.34	1.55
										7.65	0.88
9.29	1.64	25.93	7.23	12.88	1.67	10.50	0.65	16.51	1.56	19.40	2.71
3.52	0.27	5.42	0.54	4.53	0.50	4.27	0.71	3.78	0.44	5.85	0.84
22.39	2.88	21.05	3.07	9.81	1.25	11.70	2.46	4.03	0.81	8.70	0.99
13.12	2.89	5.50	1.57	2.27	0.76	3.48	0.25	3.70	0.99	2.44	0.49
6.37	1.65	5.18	0.45	6.08	0.84	2.98	0.99	6.24	1.13	16.16	3.95
23.55	4.71	7.97	1.65	16.67	3.17	24.54	5.48	12.11	2.84	5.06	1.27
11.70	3.51	1.43	—	2.45	0.27	10.05	2.12	10.57	3.35	8.50	2.50
15.02	2.24	17.00	2.83	19.96	3.35	18.57	2.58	19.47	3.60	24.07	3.92
36.21	15.28	20.93	5.32	38.06	6.13	12.50	2.24	13.97	1.59	47.32	8.20
4.62	0.82	4.59	0.81	16.97	2.87	7.71	1.54	0.51	0.25	10.75	2.50
32.99	7.79	28.57	6.52	13.91	3.36	11.81	1.62	29.18	3.34	17.20	4.09
24.88	5.40	16.20	3.29	20.87	3.44	24.03	3.43	12.53	2.05	6.82	1.14
13.86	4.22	18.73	4.23	19.48	2.91	126.96	11.30	10.37	2.31	10.89	2.29
44.28	8.03	23.44	5.74	10.90	1.62	17.35	3.65	24.22	5.38	21.98	3.74

第四十八表 (其二)　人口壹萬ニ對スル

Table No. XLVIII. (No. 2)　Cases and Deaths of Typhoid

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tokyo Shi	16.70	3.51	13.06	3.20	14.21	3.41	12.00	2.17
八王子市 Hachiōji ,,	5.57	0.76	13.55	3.32	33.97	7.60	41.84	6.67
京都市 Kyōto ,,	11.57	2.50	19.17	4.62	18.30	3.77	16.73	3.69
大阪市 Ōsaka ,,	9.51	2.40	10.02	3.26	10.21	2.78	8.95	2.41
堺市 Sakai ,,	6.94	3.05	8.36	2.55	14.08	3.24	6.47	1.76
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	7.41	2.00	9.18	2.22	9.86	2.54	13.55	2.88
横須賀市 Yokosuka ,,	7.07	1.71	14.82	3.73	15.49	2.86	25.14	4.78
神戸市 Kōbe ,,	7.96	1.95	8.29	2.17	9.83	1.98	5.19	0.99
姫路市 Himeji ,,	13.01	2.81	7.35	1.66	14.35	1.85	10.93	1.31
尼ヶ崎市 Amagasaki ,,	6.47	—	6.97	1.52	13.28	2.54	3.64	0.26
明石市 Akashi ,,					—	—	6.04	1.51
長崎市 Nagasaki ,,	6.71	1.92	4.24	1.43	4.18	0.95	3.68	0.85
佐世保市 Saseho ,,	2.06	0.80	4.28	1.16	7.58	1.52	4.83	1.61
新潟市 Niigata ,,	2.38	0.45	2.14	0.64	2.37	0.20	7.16	1.19
長岡市 Nagaoka ,,	7.11	0.98	16.58	4.59	13.85	1.51	9.85	2.64
高田市 Takada ,,	8.90	1.48	14.24	2.47	19.69	3.13	23.25	5.64
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	8.37	1.36	7.76	1.29	8.96	1.43	23.75	3.53
高崎市 Takasaki ,,	4.41	0.23	3.44	0.98	8.58	1.23	4.62	—
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	3.56	0.71	6.29	1.30	9.90	1.24	13.72	1.52
宇都宮市 Utsunomiya ,,	6.43	1.61	3.00	1.12	26.24	5.50	5.96	0.94
足利市 Ashikaga ,,								
奈良市 Nara ,,	4.56	1.30	7.22	2.26	6.56	3.06	2.98	0.99
津市 Tsu ,,	2.98	1.19	9.39	1.80	15.12	2.91	10.26	1.68
四日市市 Yokkaichi ,,	5.92	0.59	8.81	2.52	8.15	1.25	6.26	1.42
宇治山田市 Uji-yamada ,,	2.23	0.25	2.78	—	5.76	1.00	9.17	1.27
名古屋市 Nagoya ,,	8.42	1.61	10.68	2.73	11.68	2.34	9.74	1.53
豐橋市 Toyohashi ,,	7.55	1.31	6.32	1.78	16.02	3.11	22.87	5.83
岡崎市 Okazaki ,,	19.12	4.41	10.51	2.96	7.14	2.30	24.66	6.49
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	10.01	0.73	12.13	1.43	13.12	1.80	20.38	4.86
濱松市 Hamamatsu ,,	4.72	0.39	2.67	0.36	6.00	0.67	7.72	2.47
沼津市 Numazu ,,								
甲府市 Kōfu ,,	5.63	0.97	6.43	0.57	9.44	0.56	13.88	1.07
大津市 Ōtsu ,,	7.02	2.42	5.40	0.77	8.74	1.29	9.54	3.18
岐阜市 Gifu ,,	4.95	0.85	4.04	1.10	9.12	1.97	6.06	0.80
大垣市 Ōgaki ,,			1.59	0.63	4.44	0.63	12.35	2.82
長野市 Nagano ,,	5.25	2.50	11.03	2.31	16.58	5.10	11.26	2.68
松本市 Matsumoto ,,	5.60	1.22	8.12	2.56	6.30	2.44	22.00	5.40
上田市 Uyeda ,,					10.27	2.28	14.07	3.80
仙臺市 Sendai ,,	19.87	3.47	17.52	3.28	36.68	6.52	52.70	6.72
福島市 Fukushima ,,	41.69	9.09	62.05	15.06	16.96	4.46	59.29	10.07
若松市 Wakamatsu ,,	6.16	1.48	4.95	1.80	10.26	2.40	43.14	6.39
盛岡市 Morioka ,,	14.52	3.94	15.71	2.43	20.87	3.04	36.55	4.95
青森市 Awomori ,,	7.00	0.90	24.40	5.02	27.23	6.27	17.57	2.66
弘前市 Hirosaki ,,	16.52	3.13	47.56	8.60	93.12	15.76	36.93	7.02
山形市 Yamagata ,,	17.57	3.96	11.21	2.86	33.70	5.22	22.73	5.57

腸「チフス」患者及死亡都市別

Fever per 10,000 Population in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases..	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths
12.91	3.13	13.39	3.23	18.13 ~~4.29~~	3.37 ~~6.17~~								
38.18	4.68	26.59	5.65	15.58	2.93								
24.38	4.68	22.07	4.39	28.49	6.17								
8.57	2.15	12.33	3.02	8.73	2.32								
4.71	1.15	8.87	3.03	5.93	1.10								
		0.95	—	8.83	4.10								
12.00	2.92	9.61	2.60	27.34	3.05								
23.51	8.02	13.61	3.48	22.24	3.71								
6.26	1.41	8.64	4.19	8.85	2.23								
15.70	1.57	35.59	7.84	21.71	5.43								
5.13	0.49	2.30	—	2.83	0.44								
5.33	1.18	30.92	10.12	10.20	2.55								
11.15	3.01	5.70	1.65	6.59	2.22								
8.22	2.33	11.06	2.36	6.04	1.14								
6.07	1.46	20.10	4.34	7.03	1.37								
18.16	4.01	17.59	3.70	6.16	1.14								
23.37	0.34	33.22	7.72	23.53	2.29								
		1.84	—	16.61	4.06								
24.45	2.96	12.56	2.12	12.09	1.33								
2.95	0.27	5.54	1.06	1.83	0.26								
31.83	4.51	15.04	1.50	13.38	2.92								
10.94	1.82	13.98	3.65	15.60	3.36								
30.22	5.41	25.36	5.45	27.75	5.28								
3.82	0.61	9.36	2.23	8.70	2.17								
22.46	8.08	14.37	1.80	18.86	5.69								
32.46	7.88	3.91	1.61	3.66	1.72								
7.89	2.83	5.28	0.39	6.84	1.33								
6.70	1.40	9.09	2.20	11.41	3.26								
8.84	1.52	10.22	2.00	12.84	3.21								
9.19	2.04	8.95	1.61	10.58	2.43								
29.87	7.91	1.23	0.43	19.73	4.97								
5.42	2.46	9.30	2.33	6.43	1.55								
6.78	2.03	15.59	6.78	10.82	3.61								
21.28	3.79	63.30	8.83	19.54	3.91								
11.60	2.87	5.86	0.85	6.08	1.15								
				28.88	5.47								
12.39	1.92	24.49	4.79	16.67	2.53								
9.49	0.32	8.54	1.90	13.25	4.42								
4.91	1.22	9.57	3.24	5.68	1.85								
9.22	1.02	7.57	0.99	4.76	0.95								
16.71	2.92	9.45	1.31	18.69	5.05								
10.58	2.12	9.81	2.22	4.83	1.07								
7.19	1.31	8.60	0.64	27.95	5.90								
33.01	5.32	30.57	4.55	24.84	3.82								
63.98	6.65	21.37	3.84	32.79	6.78								
32.03	8.07	54.99	10.74	15.04	5.76								
34.02	7.59	54.14	10.51	24.24	6.33								
22.54	4.71	38.60	8.01	20.74	5.95								
37.99	9.12	60.60	14.85	53.01	9.34								
19.55	5.30	21.44	4.01	12.85	1.98								

第四十八表 (其三) 人口壹萬ニ對スル

Table No. XLVIII.(No. 3) Cases and Deaths of Typhoid

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	20.49	2.75	15.18	2.98	14.12	2.35	37.68	5.22
秋田市 Akita ,,	12.32	2.52	5.19	1.15	13.56	3.39	22.59	3.32
福井市 Fukui ,,	3.05	0.38	1.69	0.42	1.49	1.06	1.06	0.21
金澤市 Kanazawa ,,	1.23	0.47	2.98	0.70	3.04	1.08	6.35	1.25
富山市 Toyama ,,	2.39	0.40	1.91	0.38	3.07	0.57	3.66	0.58
高岡市 Takaoka ,,	4.68	2.01	7.41	1.85	3.35	1.21	6.02	0.60
鳥取市 Tottori ,,	21.50	3.58	16.84	1.68	11.00	1.67	12.58	0.99
松江市 Matsue ,,	15.04	1.47	35.38	5.85	45.35	9.30	3.90	1.82
岡山市 Okayama ,,	5.49	2.20	13.47	2.72	9.00	1.80	5.94	1.05
廣島市 Hiroshima ,,	3.51	1.71	1.24	0.62	0.23	0.23	2.19	1.02
呉市 Kure ,,	5.46	1.91	4.20	1.33	1.67	0.62	5.65	1.72
尾道市 Onomichi ,,	—	—	3.56	0.71	4.26	1.42	3.53	1.77
福山市 Fukuyama ,,								
下關市 Shimonoseki ,,	6.40	2.43	3.64	1.72	2.02	0.92	4.76	1.23
宇部市 Ube ,,								
和歌山市 Wakayama ,,	5.70	1.99	6.78	1.94	8.12	2.03	9.80	2.38
德島市 Tokushima ,,	—	—	—	—	0.33	0.33	0.16	0.16
高松市 Takamatsu ,,	3.98	1.06	3.53	1.26	2.45	0.25	2.86	0.48
丸龜市 Marugame ,,	0.35	—	—	—	—	—	1.22	0.41
松山市 Matsuyama ,,	14.21	3.13	11.95	5.12	2.12	0.47	32.95	6.59
今治市 Imaharu ,,								
宇和島市 Uwazima ,,								
高知市 Kōchi ,,	37.62	9.00	13.35	2.97	17.06	2.06	14.24	2.03
福岡市 Fukuoka ,,	5.58	1.21	5.26	2.29	8.90	1.96	7.61	1.27
八幡市 Yawata ,,								
若松市 Wakamatsu ,,								
久留米市 Kurume ,,	16.08	3.86	12.93	3.47	4.59	1.83	3.95	—
大牟田市 Ōmuda ,,								
小倉市 Ogura ,,	2.50	0.25	2.86	1.08	2.58	—	9.85	4.17
門司市 Moji ,,	17.63	3.87	17.23	7.23	5.51	2.17	7.48	1.64
大分市 Ōita ,,								
佐賀市 Saga ,,	1.74	0.29	12.76	2.67	36.69	5.92	4.99	1.17
熊本市 Kumamoto ,,	12.04	5.29	1.44	0.18	4.86	2.52	6.65	2.34
鹿兒島市 Kagoshima ,,	1.07	—	0.73	—	0.54	0.18	1.43	0.18
那覇市 Nawa ,,			0.45	—	0.66	0.44	0.65	0.43
首里市 Shuri ,,			—	—	—	—	1.20	1.20
札幌市 Sapporo ,,	11.51	1.81	38.27	6.32	39.62	3.63	38.64	4.31
旭川市 Asahigawa ,,								
小樽市 Otaru ,,	8.64	2.02	8.54	3.89	9.88	2.29	3.58	0.92
函館市 Hakodate ,,	10.45	2.70	9.62	2.73	6.77	1.95	6.40	1.44
室蘭市 Muroran ,,								
釧路市 Kushiro ,,								
合計 Total	7.98	1.97	6.51	1.52	7.44	1.72	13.01	3.00

腸「チフス」患者及死亡都市別

Fever per 10,000 Population in Each City.

同 四十四年 1911.		大正元年 1912.		同 二 年 1913.		同 三 年 1914.		同 四 年 1915.		同 五 年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
37.25	3.72	21.53	3.68	11.57	1.93	31.08	2.70	27.39	2.93	14.97	2.63
11.11	1.46	5.88	1.47	5.80	0.87	15.65	1.45	4.93	1.16	8.41	2.32
4.75	—	8.90	1.55	14.90	3.35	12.68	2.36	7.76	2.29	11.88	3.61
8.43	1.94	5.96	1.36	7.24	1.53	8.42	2.23	11.68	2.56	13.56	3.41
17.45	5.64	8.74	2.62	6.17	1.50	4.38	0.81	6.16	1.11	5.99	1.08
8.91	2.87	34.17	7.84	19.78	2.44	9.76	1.06	11.57	1.80	10.49	2.33
73.21	11.53	24.92	3.34	18.50	3.47	8.40	1.12	10.60	1.90	2.90	0.79
4.80	0.56	5.85	1.67	2.17	1.08	2.67	0.27	6.58	2.11	9.84	2.59
7.07	1.03	8.33	1.56	10.20	1.79	10.51	1.28	11.98	1.80	14.51	2.98
2.37	0.50	2.03	0.70	2.76	1.25	2.36	1.02	5.68	0.92	31.84	5.40
3.85	1.48	11.30	2.73	19.30	4.75	6.84	1.15	6.37	1.55	19.35	3.46
2.47	—	2.82	1.76	1.03	1.03	—	—	—	—	6.71	1.01
										8.00	1.23
3.42	0.68	3.96	0.66	0.54	0.13	3.95	1.17	2.24	0.70	4.15	1.74
13.62	3.85	9.75	2.06	6.24	1.83	10.35	2.55	18.58	4.14	11.84	1.86
—	—	—	—	—	—	—	—	0.30	0.15	0.29	0.15
15.18	3.11	3.33	1.03	3.80	1.77	16.24	4.57	12.69	4.82	21.63	8.91
—	—	—	—	5.22	0.75	1.84	0.37	1.09	1.09	0.36	0.36
49.11	6.51	28.06	3.84	12.18	2.11	5.80	0.93	8.76	0.46	6.39	1.83
21.47	4.29	26.63	8.58	27.07	5.98	21.25	5.67	22.47	9.55	29.53	6.69
6.84	1.59	18.77	3.19	11.73	2.22	4.06	0.96	10.38	1.23	10.58	1.29
						4.23	0.79	20.11	5.29	8.88	1.52
1.94	0.65	10.00	1.21	4.34	1.16	6.23	0.28	11.11	2.78	12.02	1.09
1.52	0.61	2.80	0.93	1.45	0.87	5.57	1.39	15.78	2.94	38.97	7.44
7.71	2.02	7.69	3.15	8.74	2.12	8.36	2.84	14.21	4.36	11.01	1.72
		14.11	1.20								
5.41	0.30			6.41	0.84	3.70	0.26	4.79	0.76	4.06	0.72
3.51	0.62	1.83	0.31	2.09	0.30	2.99	—	17.72	2.70	6.02	0.90
5.95	1.05	14.24	2.43	16.69	2.38	9.70	1.94	16.08	3.66	15.18	2.97
2.15	0.50	13.83	1.77	10.95	1.99	31.93	6.65	25.76	5.65	17.75	2.91
2.97	0.85	0.20	—	2.11	0.19	1.29	—	6.67	1.08	5.59	1.22
1.14	1.14	—	—	—	—	—	—	0.44	—	—	—
37.95	4.82	19.26	2.55	13.52	2.33	22.28	4.28	8.03	0.43	10.44	1.39
						6.19	0.79	14.31	1.73	8.97	2.11
8.78	1.59	6.04	1.09	8.09	1.69	9.34	1.50	19.14	2.94	10.24	2.23
5.47	1.07	5.19	0.81	4.24	0.54	6.43	0.92	3.95	0.81	4.88	0.78
10.53	2.31	9.39	1.97	8.60	1.82	9.59	2.00	10.23	2.17	10.82	2.33

第四十八表 (其四) 人口壹萬ニ對スル

Table No. XLVIII. (No. 4) Cases and Deaths of Typhoid

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	16.02	1.55	12.53	1.04	17.36	3.63	11.86	2.09
秋田市 Akita ,,	7.54	2.32	11.76	2.05	14.18	3.23	15.99	4.13
福井市 Fukui ,,	7.77	2.14	3.50	1.05	4.33	1.39	1.24	0.35
金澤市 Kanazawa ,,	6.38	1.28	4.22	1.21	7.15	1.66	14.08	0.31
富山市 Toyama ,,	7.47	3.14	3.83	1.28	2.61	0.41	2.75	1.46
高岡市 Takaoka ,,	10.24	1.95	3.82	1.02	8.79	1.76	10.37	1.36
鳥取市 Tottori ,,	5.12	0.77	11.64	1.57	14.06	2.88	26.65	4.78
松江市 Matsue ,,	2.04	1.02	5.73	1.72	1.45	0.87	2.93	1.60
岡山市 Okayama ,,	13.58	1.98	7.50	1.82	15.33	3.22	8.88	1.59
廣島市 Hiroshima ,,	5.73	1.50	64.29	20.57	8.47	1.95	13.15	3.92
吳市 Kure ,,	6.83	1.53	16.77	4.28	11.24	1.75	14.11	3.15
尾道市 Onomichi ,,	0.66	0.33	8.97	3.32	2.96	0.66	3.78	0.76
福山市 Fukuyama ,,	4.62	0.92	14.15	4.31	134.88	24.71	57.11	9.74
下關市 Shimonoseki ,,	1.02	0.51	1.26	0.32	5.86	1.43	2.21	0.14
宇部市 Ube ,,								
和歌山市 Wakayama ,,	7.15	1.99	8.42	3.22	10.84	2.56	10.42	2.87
德島市 Tokushima ,,	0.72	0.14	1.56	0.28	7.81	1.39	2.05	0.73
高松市 Takamatsu ,,	26.72	8.40	9.07	2.21	12.72	2.80	16.11	4.08
丸龜市 Marugame ,,	0.35	0.35	6.61	1.76	4.09	0.91	6.94	3.27
松山市 Matsuyama ,,	7.03	2.04	4.21	0.55	8.73	3.14	3.90	0.78
今治市 Imaharu ,,							8.22	1.64
宇和島市 Uwazima ,,								
高知市 Koch i ,,	25.69	4.97	31.76	8.37	28.80	4.46	22.30	7.10
福岡市 Fukuoka ,,	5.42	5.71	7.49	1.41	28.57	5.45	13.00	1.99
八幡市 Yawata ,,	4.22	1.61	6.34	2.36	14.84	5.42	4.89	1.90
若松市 Wakamatsu ,,	10.92	3.40	11.05	3.42	17.38	5.79	4.46	0.81
久留米市 Kurume ,,	8.60	1.08	1.79	0.89	20.34	4.24	4.35	0.69
大牟田市 Ōmuda ,,	11.08	1.80	8.08	1.45	16.69	3.45	10.73	1.40
小倉市 Ogura ,,	9.34	1.47	9.35	2.90	39.34	8.52	16.49	3.83
門司市 Moji ,,	9.11	1.93	9.64	3.31	22.95	7.90	4.58	1.94
大分市 Ōita ,,	4.31	0.23	6.55	1.46	5.20	1.18	3.48	0.70
佐賀市 Saga ,,	8.43	3.61	6.37	1.39	1.37	—	8.35	2.98
熊本市 Kumamoto ,,	9.68	2.76	6.40	0.87	11.94	2.30	8.24	1.27
鹿兒島市 Kagoshima ,,	9.03	2.42	3.26	0.82	13.89	3.11	7.27	1.07
那覇市 Nawa ,,	2.38	0.34	8.38	1.05	14.38	2.05	23.94	5.20
首里市 Shuri ,,	0.89	—	5.69	1.42	1.37	0.34	1.31	—
札幌市 Sapporo ,,	10.69	1.84	32.54	3.07	33.97	5.25	20.86	3.70
旭川市 Asahigawa ,,	7.39	0.80	29.83	3.86	14.78	1.51	32.29	3.59
小樽市 Otaru ,,	6.28	0.77	16.61	3.89	13.17	1.95	41.15	3.05
函館市 Hakodate ,,	5.28	1.22	13.02	1.42	20.58	4.29	21.35	4.01
室蘭市 Muroran ,,			—	—	14.58	3.90	11.06	2.14
釧路市 Kushiro ,,							—	—
合計 Total	10.16	2.25	12.99	3.02	14.61	3.21	12.76	2.74

腸チフス患者及死亡都市別

Fever per 10,000 Population in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
13.10	2.07	9.05	2.26	17.90	2.68								
18.80	5.45	21.51	4.30	17.29	3.72								
4.33	0.52	0.68	—	13.69	3.17								
16.13	3.49	18.93	5.36	12.53	2.20								
5.02	1.57	6.10	1.83	6.68	2.23								
13.37	2.94	16.80	3.94	16.28	3.36								
9.15	2.71	24.24	6.40	27.36	8.21								
3.19	1.06	2.92	1.06	2.92	0.53								
14.48	3.85	21.73	4.45	20.56	5.57								
16.84	4.72	13.06	3.67	16.60	4.74								
14.62	3.29	12.13	3.21	25.67	7.53								
5.07	2.36	2.24	1.49	12.96	5.56								
6.77	1.94	14.24	4.02	6.87	3.88								
8.00	2.50	4.91	0.98	29.98	5.88								
2.38	0.71	31.83	6.89	49.77	8.33								
11.26	2.84	10.42	2.81	6.15	1.74								
2.88	0.86	5.67	2.12	8.94	3.49								
46.28	8.89	26.95	6.54	16.40	3.07								
5.85	0.84	11.26	3.90	15.56	4.00								
3.23	—	4.06	—	3.41	0.18								
11.84	2.63	6.25	1.64	2.75	0.69								
2.79	0.56	9.47	3.62	15.65	2.12								
14.03	2.57	22.01	5.02	14.72	3.58								
38.97	5.23	23.48	4.35	14.28	2.74								
6.15	1.30	6.17	1.80	5.41	1.58								
8.70	1.93	7.02	2.40	8.51	1.95								
6.79	1.81	11.16	1.12	5.56	1.23								
32.05	6.94	9.55	1.97	9.91	2.01								
16.91	3.50	17.63	3.47	20.00	4.29								
10.05	3.35	11.53	2.46	24.12	6.13								
32.07	4.90	21.20	3.64	20.41	2.06								
6.53	0.89	2.49	0.75	5.19	1.48								
23.75	8.37	13.94	3.48	17.47	4.84								
7.51	1.86	5.15	0.98	4.26	0.68								
5.97	0.72	9.36	1.77	5.53	0.35								
0.43	—	2.13	0.43	0.84	—								
8.01	1.21	17.42	1.69	19.44	2.98								
15.72	2.47	12.65	1.74	16.80	2.34								
11.72	2.00	14.01	2.32	16.68	3.60								
9.26	2.50	7.00	0.88	4.84	1.07								
10.50	2.42	6.42	1.17	8.26	1.86								
3.56	0.89	4.89	0.89	5.85	1.67								
15.55	3.48	13.85	3.11	14.95	3.15								

第四十九表 (其一) 人口壹萬ニ對スルパラ

Table No. XLIX. (No. 1) Cases and Deaths of Para-Typhoid

	明治四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tokyō Shi.....	1.15	0.13	1.25	0.10	1.33	0.14	1.27	0.13	0.47	0.20	1.72	0.24	1.89	0.20
八王子市 Hachiōji ,, ...													1.01	—
京都市 Kyōto ,, ...	0.97	0.16	2.50	0.20	1.26	0.11	3.41	0.12	5.72	0.22	19.24	0.08	5.04	0.21
大阪市 Ōsaka ,, ...	0.31	0.09	1.00	0.22	1.19	0.21	1.19	0.28	2.22	0.28	2.01	0.35	1.39	0.33
堺市 Sakai ,, ...	0.66	—	1.33	0.32	2.33	0.62	1.51	0.15	1.03	0.44	0.35	0.29	2.22	0.28
岸和田市 Kishiwada ,, ...														
横濱市 Yokohama ,, ...	0.61	0.06	0.67	0.12	1.34	0.17	0.94	0.17	1.36	0.08	0.67	0.11	1.04	0.11
横須賀市 Yokosuka ,, ...	0.70	—	0.95	0.27	3.30	0.13	3.04	0.12	1.17	0.12	1.45	0.22	1.07	0.11
神戸市 Kōbe ,, ...	0.24	0.05	1.64	0.16	2.68	0.30	2.45	0.24	2.99	0.34	3.35	0.31	1.74	0.26
姫路市 Himeji ,, ...	—	—	0.27	—	0.53	—	1.05	—	1.30	0.26	—	—	—	—
尼ヶ崎市 Amagasaki ,, ...											—	—	1.08	—
明石市 Akashi ,, ...														
長崎市 Nagasaki ,, ...	—	—	0.21	—	0.20	—	—	—	0.14	0.07	0.69	0.15	0.67	—
佐世保市 Saseho ,, ...	0.12	0.12	0.25	—	—	—	0.12	—	0.70	—	0.12	—	0.57	—
新潟市 Niigata ,, ...	—	—	0.65	0.33	0.32	—	0.16	—	1.08	—	0.15	—	0.45	—
長岡市 Nagaoka ,, ...	—	—	1.40	0.28	4.05	0.27	2.64	0.26	3.09	—	2.01	0.25	0.98	—
高田市 Takada ,, ...	—	—	1.08	—	—	—	1.64	—	0.32	—	0.31	—	1.19	0.30
川越市 Kawagoe ,, ...														
前橋市 Maebashi ,, ...	—	—	6.32	0.23	1.73	—	2.52	—	2.46	—	5.79	0.40	12.65	0.78
高崎市 Takasaki ,, ...	—	—	3.99	0.53	2.03	0.76	1.99	0.59	1.69	—	1.18	0.24	1.39	—
桐生市 Kiriu ,, ...														
千葉市 Cniba ,, ...														
水戸市 Mito ,, ...	0.87	—	2.00	0.29	15.73	0.53	5.96	0.26	7.56	1.01	2.44	—	1.90	0.48
宇都宮市 Utsunomiya ,, ...	0.90	0.23	1.09	0.22	2.06	—	6.55	0.40	1.15	—	2.41	0.19	2.86	0.36
足利市 Ashikaga ,, ...														
奈良市 Nara ,, ...	—	—	0.28	—	1.31	0.26	2.00	0.50	2.39	—	4.09	0.45	0.87	—
津市 Tsu ,, ...	1.52	—	0.25	0.25	0.46	—	4.44	0.22	0.86	0.21	0.62	—	—	—
四日市市 Yokkaichi ,, ...	0.35	0.35	0.68	—	—	—	0.32	—	1.25	—	0.30	0.30	0.30	—
宇治山田市 Uji-yamada ,, ...	—	—	3.76	—	—	—	0.78	—	2.29	—	1.01	—	—	—
名古屋市 Nagoya ,, ...	—	—	0.54	0.05	1.43	0.27	0.56	0.09	0.27	—	0.95	0.24	0.97	0.06
豐橋市 Toyohashi ,, ...	—	—	—	—	—	—	0.76	—	0.72	—	0.69	—	1.15	—
岡崎市 Okazaki ,, ...									—	—	0.59	—	1.47	0.29
一宮市 Ichinomiya ,, ...														
靜岡市 Shizuoka ,, ...	—	—	1.06	0.18	0.67	—	2.42	0.17	4.05	—	2.26	—	3.48	—
濱松市 Hamamatsu ,, ...	0.27	—	2.98	—	2.02	—	0.47	—	2.89	—	0.84	—	0.98	0.20
沼津市 Numazu ,, ...														
甲府市 Kofu ,, ...	8.43	—	9.65	0.66	3.34	—	5.75	0.62	2.82	0.20	8.90	0.40	3.88	0.58
大津市 Ōtsu ,, ...	—	—	0.26	—	2.27	—	1.00	—	0.25	—	0.73	—	1.94	—
岐阜市 Gifu ,, ...	—	—	—	—	—	—	1.19	—	0.38	—	1.62	—	0.34	0.17
大垣市 Ōgaki ,, ...														
長野市 Nagano ,, ...	1.94	—	0.82	0.55	0.53	—	1.83	0.26	1.03	—	2.78	0.25	1.25	—
松本市 Matsumoto ,, ...	—	—	—	—	—	—	0.53	—	0.26	—	0.25	—	1.22	—
上田市 Uyeda ,, ...														
仙臺市 Sendai ,, ...	1.06	—	0.73	—	1.11	0.30	0.89	—	2.04	0.19	2.01	0.29	1.97	—
福島市 Fukushima ,, ...	—	—	—	—	0.32	—	16.35	0.96	6.67	—	5.05	—	3.76	—
若松市 Wakamatsu ,, ...	0.54	—	0.27	—	3.13	0.26	4.37	1.29	0.76	0.25	6.25	1.75	1.23	0.25
盛岡市 Morioka ,, ...	—	—	—	—	3.84	—	5.56	0.46	8.46	0.67	2.37	0.22	2.70	—
青森市 Awomori ,, ...	—	—	0.23	—	0.23	0.23	5.49	0.46	5.96	0.68	5.00	0.68	1.81	—
弘前市 Hirosaki ,, ...	—	—	0.91	—	0.29	0.29	1.16	0.58	—	—	1.15	0.29	1.99	—
山形市 Yamagata ,, ...	0.97	—	0.72	—	—	—	0.91	—	0.90	0.22	—	—	0.99	0.50

チフス」患者及死亡都市別

per 10,000 Population in Each City.

同七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
1.04	0.16	1.26	0.14	1.08	0.14	1.17	0.18	1.06	0.11	1.29	0.17								
—	—	—	—	3.34	0.26	1.97	0.25	1.65	—	1.58	—								
2.40	0.37	2.97	0.12	3.65	0.47	3.02	0.16	5.12	0.24	2.08	0.29								
1.89	0.46	2.32	0.44	1.76	0.36	1.75	0.32	2.35	0.45	1.40	0.25								
3.68	0.85	2.82	0.56	1.53	0.12	2.53	0.23	1.91	0.34	1.32	—								
								—	—	0.32	—								
1.00	0.17	1.33	0.05	1.51	0.19	0.91	0.19	1.18	0.21	1.17	0.09								
1.69	0.12	2.03	0.12	3.23	—	2.60	0.11	2.32	0.32	1.75	—								
2.06	0.39	1.51	0.23	1.15	0.20	1.60	0.24	2.12	0.26	1.41	0.17								
0.47	—	2.31	0.23	1.53	0.22	1.51	—	4.24	0.85	—	—								
—	—	—	—	—	—	0.49	—	—	—	0.44	—								
				—	—	1.18	0.30	0.58	0.29	0.85	—								
0.11	—	0.11	0.05	0.11	—	0.28	—	0.33	0.11	0.16	—								
0.48	—	0.34	—	0.46	—	0.41	—	0.54	0.11	1.04	—								
0.32	—	1.38	—	0.87	0.43	1.05	0.10	2.32	0.20	2.54	—								
0.77	—	3.27	0.25	2.88	0.24	6.37	0.94	4.63	0.46	0.91	—								
3.10	0.31	4.38	0.63	4.58	1.06	1.72	1.34	5.03	0.34	1.63	0.33								
								2.21	0.37	2.58	—								
9.61	0.73	2.69	—	30.49	0.64	9.50	0.78	6.81	0.91	9.88	0.88								
1.72	—	0.74	—	1.63	—	2.14	0.27	3.17	0.26	1.04	—								
						13.78	1.25	2.01	—	—	—								
						2.43	0.30	2.43	—	1.22	—								
0.87	0.22	2.07	—	1.27	0.25	4.91	1.23	7.58	1.18	3.90	—								
1.50	0.56	3.49	0.55	1.41	0.16	1.07	0.15	1.19	0.45	0.87	0.29								
						2.40	—	2.40	0.90	0.60	—								
2.03	0.45	3.06	0.66	3.72	0.50	11.46	0.95	2.30	0.46	1.08	0.22								
1.00	0.40	0.78	—	2.09	—	4.45	1.01	1.96	0.39	1.14	—								
0.63	—	—	—	0.28	—	1.40	0.28	0.55	—	0.27	—								
—	—	0.75	0.25	2.04	—	2.27	0.25	6.23	—	1.48	0.25								
0.83	0.05	1.00	0.10	0.86	0.07	0.70	0.16	0.50	0.09	0.44	0.11								
2.59	0.81	2.49	0.16	2.15	0.46	0.59	0.29	0.15	0.01	0.40	0.13								
0.54	0.27	1.79	0.26	5.97	1.04	1.72	—	1.16	0.23	1.33	0.44								
						—	—	0.34	0.34	0.33	—								
1.71	0.14	1.93	0.27	3.24	0.13	3.13	0.26	4.54	0.25	1.59	0.37								
0.89	0.18	15.83	0.50	2.63	0.31	5.87	0.39	0.98	0.12	2.76	0.23								
										1.22	—								
4.16	0.19	3.70	0.19	1.78	—	2.44	0.17	4.28	0.51	1.01	0.17								
1.03	0.26	0.77	0.26	2.23	0.32	3.48	0.63	5.38	—	0.63	—								
—	—	1.43	0.36	0.16	—	0.15	—	0.29	—	0.28	—								
—	—	—	—	1.41	0.35	—	—	0.33	—	—	—								
2.31	0.77	1.28	—	5.36	0.80	7.16	0.27	1.57	—	2.19	—								
0.43	0.21	1.02	0.20	1.00	—	0.19	—	0.74	—	—	—								
		1.14	—	—	—	0.98	—	1.91	—	2.80	1.24								
2.16	1.38	2.01	0.17	2.94	0.25	3.52	0.16	2.23	—	2.96	0.08								
3.61	1.20	0.89	—	10.07	1.12	3.32	0.28	1.64	0.27	—	—								
1.13	—	1.53	0.22	5.86	0.27	2.08	0.52	3.07	—	1.00	—								
1.55	—	3.48	—	2.59	0.71	4.37	—	4.70	0.22	5.46	—								
5.02	0.72	6.27	0.72	3.47	0.20	2.87	—	11.70	1.44	4.31	—								
2.29	0.29	1.43	—	3.05	—	0.61	—	2.12	—	3.01	—								
2.64	0.22	1.30	0.22	0.83	—	0.20	—	—	—	—	—								

第四十九表 (其二) 人口壹萬ニ對スルパラ

Table No. XLIX. (No. 2) Cases and Deaths of Para-Typhoid

	明治四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.		同六年 1917.	
	患者 Cases.	死者 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi.....	—	—	0.28	—	—	—	—	—	0.27	—	0.53	—	3.88	0.26
秋田市 Akita ,, ...	—	—	—	—	—	—	1.45	0.29	0.87	—	8.41	0.29	0.29	—
福井市 Fukui ,, ...	0.40	0.20	0.97	0.19	9.87	1.12	10.51	1.99	5.29	0.71	7.75	1.20	4.55	0.54
金澤市 Kanazawa ,, ...	0.28	—	0.00	0.00	0.43	—	0.91	—	2.24	0.24	2.79	0.31	0.75	0.23
富山市 Toyama ,, ...	0.18	—	1.57	0.17	0.50	0.17	1.62	—	0.63	0.16	1.23	0.31	0.60	0.15
高岡市 Takaoka ,, ...	—	—	1.40	0.56	0.54	0.27	0.23	—	0.77	—	0.65	0.13	0.49	—
鳥取市 Tottori ,, ...	—	—	—	—	0.29	—	—	—	—	—	2.37	—	0.26	—
松江市 Matsue ,, ...	0.28	—	2.79	—	—	—	—	—	1.58	0.26	2.59	1.04	0.26	—
岡山市 Okayama ,, ...	0.39	—	1.04	0.13	0.77	0.13	4.74	—	3.99	—	4.27	—	3.39	0.57
廣島市 Hiroshima ,, ...	—	—	0.14	0.07	0.46	—	0.06	—	0.49	—	0.37	—	0.23	—
呉市 Kure ,, ...	—	—	0.85	—	1.07	—	0.98	0.16	1.09	0.08	1.03	0.07	2.02	0.14
尾道市 Onomichi ,, ...	—	—	—	—	—	—	—	—	—	—	0.34	—	—	—
福山市 Fukuyama ,, ...	—	—	—	—	—	—	—	—	—	—	0.31	—	—	—
下關市 Shimonoseki ,, ...	—	—	1.32	0.17	—	—	0.59	—	0.84	0.42	1.07	—	0.13	—
宇部市 Ube ,, ...														
和歌山市 Wakayama ,, ...	0.69	0.14	0.14	—	0.76	0.15	0.81	0.13	1.20	0.13	0.40	0.13	0.40	0.26
德島市 Tokushima ,, ...	—	—	—	—	—	—	—	—	—	—	0.15	—	1.00	0.14
高松市 Takamatsu ,, ...	—	—	1.03	0.26	0.25	—	4.03	0.25	—	—	—	—	0.25	—
丸龜市 Marugame ,, ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
松山市 Matsuyama ,, ...	—	—	—	—	—	—	0.23	—	—	—	0.46	—	—	—
今治市 Imaharu ,, ...														
宇和島市 Uwazima ,, ...														
高知市 Kochi ,, ...	—	—	—	—	—	—	0.57	—	0.84	—	3.34	0.56	1.38	—
福岡市 Fukuoka ,, ...	0.12	—	1.65	—	0.48	—	0.11	—	0.92	0.10	0.30	0.20	0.38	0.10
八幡市 Yawata ,, ...													0.99	0.25
若松市 Wakamatsu ,, ...							—	—	0.53	—	0.51	—	0.49	—
久留米市 Kurume ,, ...	—	—	—	—	—	—	—	—	—	—	0.82	—	—	—
大牟田市 Ōmuta ,, ...													0.75	0.15
小倉市 Ogura ,, ...	—	—	—	—	0.58	—	1.39	0.28	0.80	—	2.56	0.26	1.72	0.49
門司市 Moji ,, ...	—	—	0.62	—	—	—	0.15	—	0.70	—	1.59	—	1.67	—
大分市 Ōita ,, ...	4.50	—	6.01	0.30	3.90	—	3.44	0.26	4.53	0.25	1.43	—	2.72	0.45
佐賀市 Saga ,, ...	0.62	—	—	—	—	—	1.80	—	3.30	—	1.81	—	0.30	0.30
熊本市 Kumamoto ,, ...	0.53	0.18	1.74	—	3.73	—	0.75	0.15	2.39	0.64	2.82	0.47	1.08	—
鹿兒島市 Kagoshima ,, ...	—	—	2.41	0.32	0.87	0.12	0.65	0.16	1.52	0.14	1.99	0.40	—	—
那覇市 Nawa ,, ...			0.40	—	0.19	—	0.57	0.14	0.90	0.18	—	—	0.17	—
首里市 Shuri ,, ...			—	—	—	—	—	—	0.44	—	—	—	—	—
札幌市 Sapporo ,, ...	10.24	0.45	8.64	0.57	8.39	1.05	21.04	0.74	9.53	0.32	10.54	0.80	9.03	0.18
旭川市 Asahigawa ,, ...							1.43	—	2.17	0.14	1.98	0.13	0.34	—
小樽市 Otaru ,, ...	1.22	0.12	0.97	0.36	0.72	0.24	12.11	1.15	16.31	0.79	5.68	0.45	6.95	1.10
函館市 Hakodate ,, ...	0.71	—	1.27	0.12	3.70	0.11	19.40	3.67	1.72	0.10	1.37	—	1.98	0.19
室蘭市 Muroran ,, ...														
釧路市 Kushiro ,, ...														
合計 Total.....	0.69	0.07	1.22	0.13	1.42	0.15	0.80	0.21	2.15	0.18	1.92	0.23	1.79	0.19

チフス患者及死亡都市別

per 10,000 Population in Each City.

同七年 1918.		同八年 1919.		同九年 1920.		同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
14.10	0.52	11.14	—	3.72	0.47	11.03	0.46	4.07	0.90	6.04	0.89								
2.56	0.26	3.73	—	3.86	—	4.63	—	5.11	0.27	3.99	0.53								
2.10	0.18	1.91	0.17	0.88	0.18	1.04	0.35	0.51	—	5.34	0.67								
1.21	0.07	2.11	0.03	3.48	0.62	1.49	0.15	3.43	0.71	0.90	—								
0.57	—	0.14	—	0.16	—	—	—	3.05	0.15	0.74	0.15								
—	—	—	—	—	—	0.53	—	0.79	—	0.52	—								
0.63	—	1.60	—	1.02	—	2.71	0.34	1.68	—	1.82	0.91								
—	—	0.87	—	0.27	—	—	—	0.53	—	0.27	0.27								
2.05	—	13.22	0.44	2.22	0.21	0.64	0.37	0.82	—	0.99	0.27								
0.93	0.13	0.26	0.07	3.12	—	0.18	0.18	0.30	0.06	0.18	0.06								
1.19	0.07	1.88	0.13	2.45	0.23	1.39	0.15	1.18	0.14	0.40	0.13								
—	—	—	—	—	—	—	—	—	—	—	—								
—	—	—	—	0.34	—	—	—	—	—	1.99	—								
0.16	0.16	0.63	0.16	0.41	—	—	—	0.12	—	0.72	—								
						—	—	0.48	—	—	—								
0.37	0.12	1.46	0.24	0.36	0.12	1.42	0.36	1.29	0.12	0.35	—								
0.28	—	1.26	0.14	0.88	0.44	0.72	0.29	0.71	0.14	2.51	0.70								
1.99	0.22	2.37	—	0.21	—	0.73	—	0.80	0.16	2.34	0.15								
—	—	—	—	—	—	1.26	0.42	—	—	—	—								
—	—	—	—	0.59	—	0.19	—	0.55	—	0.18	—								
				0.65	—	0.33	—	—	—	0.23	—								
						—	—	—	—	0.27	0.27								
0.21	—	—	—	0.20	—	0.40	0.20	0.39	—	—	—								
0.11	—	0.61	—	0.94	—	1.85	0.31	0.86	0.16	0.52	0.07								
0.87	0.12	0.76	—	0.70	—	0.17	0.09	0.23	—	0.26	—								
0.53	0.26	0.26	—	0.20	0.41	—	—	0.37	—	—	—								
—	—	0.85	—	0.23	0.46	—	—	0.45	—	1.93	—								
0.15	0.15	2.90	0.69	1.87	—	3.25	0.30	1.40	0.53	0.67	0.13								
2.58	0.65	3.93	—	—	—	0.87	0.29	0.58	—	2.90	0.86								
1.05	—	0.60	0.15	0.42	0.14	0.94	—	0.52	—	0.62	0.10								
1.46	0.73	1.18	—	0.46	—	1.34	0.45	3.21	0.43	3.30	0.21								
0.83	—	1.09	—	—	—	0.30	—	1.00	—	0.49	—								
1.31	0.44	0.14	—	0.57	0.28	2.98	—	1.60	0.19	1.44	0.23								
0.70	0.12	0.67	—	1.55	0.10	0.56	0.19	0.44	0.09	0.26	—								
0.17	—	0.17	—	0.56	—	—	—	1.06	—	0.86	0.17								
—	—	—	—	—	—	4.43	0.43	0.43	—	0.42	—								
5.69	0.68	16.87	0.56	11.70	0.56	4.10	0.56	9.42	0.18	6.91	0.26								
3.86	0.31	1.21	—	3.10	—	1.23	0.15	3.20	—	1.65	0.14								
4.42	0.63	13.79	0.31	3.05	0.28	2.09	0.27	5.17	0.62	5.44	0.26								
2.76	0.08	1.85	0.07	1.59	0.07	1.25	0.07	0.19	—	0.06	—								
—	—	4.41	0.17	2.32	0.53	1.13	0.16	2.19	0.15	2.13	0.27								
				—	—	—	—	0.67	—	0.63	0.21								
1.53	0.24	2.21	0.19	1.86	0.22	1.95	0.26	1.90	0.21	1.30	0.16								

第五十表 (其一) 人口壹萬ニ對スル

Table No. L. (No. 1) Cases and Deaths of Diphtheria

	明治四十年 1907.		同 四十一年 1908.		同 四十二年 1909.		同 四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tokyō Shi	5.46	1.54	6.30	1.42	5.26	1.11	5.03	0.93
八王子市 Hachioji ,,								
京都市 Kyōto ,,	8.14	1.73	7.88	1.83	7.04	1.92	6.20	1.75
大阪市 Ōsaka ,,	5.33	2.03	4.68	1.51	5.04	1.71	4.49	1.49
堺市 Sakai ,,	3.63	0.38	7.32	2.32	8.22	3.67	4.45	1.71
岸和田市 Kishiwada ..								
横濱市 Yokohama ,,	5.72	1.47	5.79	1.06	3.73	1.02	4.57	1.22
横須賀市 Yokosuka ,,	2.20	0.63	2.20	0.47	1.49	0.89	3.94	1.41
神戸市 Kōbe ,,	8.43	2.90	4.18	1.17	2.92	1.30	3.60	1.04
姫路市 Himeji ,,	1.52	—	4.44	1.39	12.84	3.01	2.94	1.87
尼ヶ崎市 Amagasaki ,,								
明石市 Akashi ,,								
長崎市 Nagasaki ,,	3.81	1.27	2.85	1.03	3.94	1.19	1.58	0.73
佐世保市 Saseho ,,	1.97	0.89	2.99	1.49	2.93	1.49	3.51	1.65
新潟市 Niigata ,,	10.11	3.10	12.93	3.10	7.04	1.72	6.85	1.71
長岡市 Nagaoka ,,	8.68	2.57	11.25	2.43	6.53	1.48	5.51	1.74
高田市 Takata ,,								
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	5.26	0.92	13.79	1.97	7.04	1.46	6.43	1.19
高崎市 Takasaki ,,	5.60	1.12	8.17	2.82	6.89	1.93	6.20	1.62
桐生市 Kiriu ,,								
千葉市 Chiba ..								
水戸市 Mito ,,	5.72	1.20	5.25	2.47	7.19	2.81	5.78	0.61
宇都宮市 Utsunomiya,,	23.01	4.11	10.05	1.72	7.49	1.87	8.48	1.56
足利市 Ashikaga ,,								
奈良市 Nara ,,	4.46	2.08	4.65	1.66	5.00	1.00	4.35	2.01
津市 Tsu ..	6.77	1.56	13.37	1.11	15.32	2.23	21.11	3.89
四日市市 Yokkaichi ,,	1.61	0.32	5.54	1.11	11.71	3.15	8.42	0.72
宇治山田市 Uji-yamada,,	2.42	0.54	8.71	2.25	12.09	2.47	3.49	0.54
名古屋市 Nagoya ,,	6.18	1.34	10.94	2.50	6.96	1.57	8.25	1.51
豐橋市 Toyohashi ,,	13.03	3.58	7.16	1.53	9.93	2.66	8.92	2.52
岡崎市 Okazaki ,,								
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	5.28	1.13	5.78	0.80	3.94	1.77	11.87	1.95
濱松市 Hamamatsu,,								
沼津市 Numazu ,,								
甲府市 Kōfu ,,	6.07	1.80	8.70	2.06	7.40	1.35	7.02	1.32
大津市 Ōtsu ,,	6.06	1.77	6.60	1.85	8.57	2.60	11.79	0.77
岐阜市 Gifu ,,	9.82	1.51	14.51	3.17	13.17	2.15	17.60	2.67
大垣市 Ōgaki ,,								
長野市 Nagano ,,	6.01	2.09	35.80	9.94	8.99	2.25	7.78	1.94
松本市 Matsumoto ,,	0.31	—	5.17	—	4.63	1.85	6.04	1.51
上田市 Uyeda ,,								
仙臺市 Sendai ,,	5.88	0.63	10.96	1.12	9.02	1.13	6.14	0.91
福島市 Fukushima ,,	5.33	1.67	26.00	1.67	16.88	1.95	19.94	2.22
若松市 Wakamatsu,,	1.25	0.31	4.43	1.66	8.78	1.06	12.24	1.28
盛岡市 Morioka ,,	13.41	1.92	4.89	1.44	2.19	0.27	4.20	0.26
青森市 Awomori ,,	17.30	2.16	15.89	2.10	3.75	0.66	8.35	0.84
弘前市 Hirosaki ,,	7.49	0.86	6.55	0.89	12.54	1.19	10.75	1.49
山形市 Yamagata ,,	3.54	0.71	6.39	0.51	4.58	1.02	10.10	2.27

ヂフテリア患者及死亡都市別

per 10,000 Population in Each City.

同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
5.21	1.29	4.60	0.97	6.25	1.64	4.72	1.26	5.69	1.67	3.59	0.96
5.73	1.62	6.35	1.69	5.67	1.58	4.02	1.41	4.02	0.71	3.19	0.92
4.65	1.57	4.24	1.12	4.04	1.30	3.12	0.68	3.76	1.04	2.98	0.75
5.48	1.83	5.50	1.29	4.81	1.86	2.57	1.06	4.85	1.62	2.59	0.86
4.48	1.31	3.65	0.78	6.35	2.06	6.61	1.38	5.94	1.25	4.42	0.84
2.25	0.98	1.76	0.68	2.41	0.89	3.77	1.58	3.03	0.58	2.57	0.34
3.89	1.53	4.38	1.41	5.74	1.99	5.64	1.93	7.59	2.05	4.80	0.93
3.56	2.19	2.45	1.09	3.18	1.33	2.10	1.05	3.91	0.78	2.06	0.52
										1.80	0.72
2.85	0.81	2.13	0.48	2.30	1.01	2.87	1.02	2.32	0.87	3.36	1.15
1.75	0.87	1.25	0.50	1.79	0.95	3.66	1.30	3.97	0.93	1.99	0.37
9.44	2.98	9.49	1.64	5.88	1.27	9.38	1.41	6.15	0.62	3.93	0.60
5.44	1.15	8.15	1.97	4.86	0.81	2.11	0.53	4.38	1.03	2.51	0.50
1.43	—	9.71	2.88	9.15	1.02	11.15	1.31	8.86	0.95	3.68	—
6.47	2.08	5.19	1.58	8.42	1.08	8.84	1.47	6.15	0.82	6.99	0.80
8.63	3.77	3.99	0.53	8.35	2.28	5.21	0.99	7.02	1.94	6.64	1.90
7.00	0.58	5.71	1.14	7.20	2.40	9.07	2.59	8.06	2.27	2.68	0.24
8.11	2.03	6.78	1.31	5.14	2.06	4.76	1.79	7.49	2.69	6.48	2.59
4.97	2.05	2.24	0.28	3.15	1.31	2.25	1.00	3.34	0.95	2.27	1.14
13.42	1.27	11.52	1.96	9.70	0.92	9.33	1.78	9.21	0.21	7.84	1.44
8.74	1.05	5.48	0.68	5.56	0.98	7.64	1.91	6.85	0.62	3.94	0.61
4.62	0.27	5.91	1.08	4.71	0.79	3.88	1.29	4.07	1.02	2.76	0.75
6.40	1.23	5.97	1.31	4.96	0.73	5.39	0.93	3.48	0.61	2.89	0.54
12.78	2.02	4.50	1.07	5.19	1.00	7.41	1.52	4.17	1.09	2.59	1.03
										2.94	0.59
5.46	0.91	4.06	0.88	9.70	3.01	8.08	1.78	8.88	1.56	9.92	1.95
0.54	—	4.88	0.27	12.09	1.01	3.55	—	2.44	1.11	1.46	0.21
10.86	3.33	13.60	2.41	7.93	1.46	5.13	1.03	11.49	3.23	4.94	0.40
5.25	1.57	7.07	0.26	13.10	0.50	22.64	0.25	15.80	1.48	4.40	0.73
9.67	2.36	4.28	0.90	6.08	0.21	9.54	1.79	7.75	0.76	6.82	2.15
7.76	1.39	6.59	2.20	1.85	—	2.87	—	11.08	2.32	6.84	0.51
5.56	0.58	5.44	1.15	5.18	2.72	7.67	1.85	2.06	0.52	3.00	0.25
6.92	0.85	5.46	1.36	6.08	1.42	5.66	0.70	7.69	1.36	7.64	1.05
26.58	2.66	17.28	1.66	15.81	2.26	7.69	1.92	7.30	0.95	10.41	0.95
7.34	1.09	5.41	0.81	6.79	1.83	3.08	0.51	4.81	—	2.75	0.75
7.53	2.60	4.26	1.00	2.88	0.96	4.86	1.39	6.01	1.34	5.16	1.29
15.49	1.88	15.49	2.58	5.96	0.92	10.53	1.14	15.03	2.28	9.09	0.91
12.05	1.51	13.29	1.21	7.85	1.74	12.46	1.45	12.39	3.17	5.73	0.29
5.35	0.73	4.07	1.91	3.48	1.39	5.48	1.60	7.62	1.57	5.05	1.76

第五十表（其二）　人口壹萬ニ對スル

Table No. L. (No. 2)　Cases and Deaths of Diphtheria

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
東京市 Tōkyō Shi	4.19	1.20	3.32	0.87	3.36	1.16	1.74	0.74
八王子市 Hachioji ,,	0.76	0.25	1.73	0.53	3.80	0.95	4.88	1.28
京都市 Kyōto ,,	2.91	0.86	3.31	0.92	2.68	0.75	4.09	1.08
大阪市 Ōsaka ,,	4.00	1.25	3.20	0.89	3.17	0.67	4.24	1.01
堺市 Sakai ,,	5.97	1.53	4.25	1.27	2.54	1.27	2.94	0.59
岸和田市 Kishiwada ,,								
横濱市 Yokohama ,,	5.20	1.23	2.48	0.78	4.39	0.78	5.79	1.11
横須賀市 Yokosuka ,,	1.71	0.21	2.41	0.60	2.15	0.95	1.78	0.45
神戸市 Kōbe ,,	5.30	1.91	3.08	1.00	2.58	0.82	1.38	0.28
姫路市 Himeji ,,	3.32	1.02	4.27	0.95	3.47	1.16	2.40	0.44
尼ヶ崎市 Amagasaki ,,	5.04	1.44	1.82	0.61	0.85	0.56	0.78	—
明石市 Akashi ,,							0.60	0.30
長崎市 Nagasaki ,,	3.98	1.62	3.52	1.05	1.85	0.58	1.53	0.79
佐世保市 Saseho ,,	3.20	1.14	4.65	1.36	1.85	0.59	1.38	0.23
新潟市 Niigata ,,	8.78	1.34	4.28	0.64	3.06	0.49	3.15	0.87
長岡市 Nagaoka ,,	2.70	0.98	2.04	0.26	2.77	0.25	0.48	—
高田市 Takada ,,	5.04	0.59	5.26	2.17	3.44	0.94	3.17	0.70
川越市 Kawagoe ,,								
前橋市 Maebashi ,,	8.17	0.39	8.50	2.22	6.81	1.08	7.54	0.80
高崎市 Takasaki ,,	10.90	1.86	8.35	1.72	5.88	0.74	5.44	1.09
桐生市 Kiriu ,,								
千葉市 Chiba ,,								
水戸市 Mito ,,	3.33	1.43	3.04	0.22	1.66	0.83	3.56	0.76
宇都宮市 Utsunomiya ,,	6.79	2.50	2.81	0.56	3.67	0.92	2.51	0.47
足利市 Ashikaga ,,								
奈良市 Nara ,,	0.87	0.65	1.35	0.23	1.97	0.66	2.23	0.50
津市 Tsu ,,	5.36	0.60	6.99	0.80	3.68	1.94	5.86	1.89
四日市市 Yokkaichi ,,	6.51	0.59	5.66	0.94	4.39	0.63	4.27	0.85
宇治山田市 Uji-yamada ,,	2.97	0.25	2.27	0.76	4.26	0.50	4.07	2.04
名古屋市 Nagoya ,,	2.77	0.62	3.71	1.07	1.83	0.37	2.28	0.53
豐橋市 Toyohashi ,,	1.48	0.16	1.62	0.65	2.49	0.93	0.46	0.15
岡崎市 Okazaki ,,	4.71	0.59	2.43	0.81	1.28	—	2.60	1.04
一宮市 Ichinomiya ,,								
靜岡市 Shizuoka ,,	10.01	0.73	9.27	1.00	5.94	0.97	4.86	0.81
濱松市 Hamamatsu ,,	2.16	0.59	1.43	0.89	1.50	0.33	1.54	0.62
沼津市 Numazu ,,								
甲府市 Kōfu ,,	5.63	1.36	6.99	1.70	7.78	2.41	4.09	1.07
大津市 Ōtsu ,,	1.94	0.97	2.57	0.51	2.06	—	4.13	2.23
岐阜市 Gifu ,,	2.05	0.51	4.41	0.74	1.79	0.54	3.19	0.80
大垣市 Ōgaki ,,			—	—	2.22	0.63	3.18	0.35
長野市 Nagano ,,	8.00	1.00	11.03	2.31	7.91	1.53	5.09	1.88
松本市 Matsumoto ,,	2.43	0.24	2.78	0.64	2.44	0.61	5.20	1.00
上田市 Uyeda ,,					1.52	0.38	4.56	0.76
仙臺市 Sendai ,,	6.75	1.41	5.61	1.38	5.51	0.75	8.40	1.76
福島市 Fukushima ,,	9.40	1.88	9.64	0.90	6.25	0.60	4.19	0.56
若松市 Wakamatsu ,,	2.96	1.23	1.80	0.22	2.40	0.44	1.33	0.27
盛岡市 Morioka ,,	3.11	1.24	3.76	0.66	13.48	3.04	15.09	2.36
青森市 Awomori ,,	11.29	2.26	11.24	3.59	8.19	1.69	12.26	2.04
弘前市 Hirosaki ,,	4.84	0.85	6.88	2.29	5.44	1.15	4.58	0.61
山形市 Yamagata ,,	4.21	0.74	2.64	0.44	1.09	—	1.65	0.21

ヂフテリア患者及死亡都市別

per 10,000 Population in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
3.16	0.91	2.66	0.72	2.49	0.62								
6.40	0.99	3.06	0.24	2.26	0.45								
3.49	0.90	2.53	0.53	2.28	0.76								
2.87	0.87	2.33	0.63	2.94	0.74								
2.64	0.57	1.57	0.45	2.42	1.10								
		0.32	0.32	0.63	—								
3.64	0.81	3.53	0.75	1.41	0.94								
1.95	0.11	1.05	0.32	1.13	0.31								
1.22	0.47	2.28	0.90	1.96	0.55								
0.43	0.22	1.91	0.42	2.51	0.84								
0.49	0.24	1.61	0.69	0.44	—								
0.30	0.30	1.45	1.16	—	—								
1.56	0.80	1.21	—	1.84	0.54								
0.89	0.44	0.54	0.11	0.94	0.31								
3.56	0.63	2.02	0.30	2.54	0.29								
2.12	0.24	1.39	0.23	1.83	0.23								
4.47	0.69	3.02	0.34	1.31	—								
		—	—	0.74	—								
7.01	1.40	7.26	1.36	8 11	2.51								
8.85	1.07	5.80	0.26	4.44	0.78								
0.25	—	0.25	—	0.97	0.49								
6.38	2.13	5.47	1.22	3.97	0.61								
2.95	0.25	4.03	1.18	3.90	1.38								
1.98	0.46	1.04	0.30	1.88	0.14								
1.20	0.90	0.60	—	—	—								
1.67	0.72	2.07	1.15	1.08	0.22								
2.83	1.21	2.91	0.39	2.09	0.38								
8.94	1.40	4.13	0.55	4.08	0.82								
6.82	2.02	7.73	1.50	5.93	0.99								
1.52	0.36	1.25	0.27	1.01	0.21								
1.90	0.88	0.13	0.04	2 28	1.07								
3.69	1.23	2.09	0.47	1.11	0.44								
—	—	0.34	0.34	0.33	0.33								
6.01	1.17	6.31	1.39	3.79	1.10								
0.65	0.26	1.22	0.37	0.92	0.46								
				0.61	0.30								
4.36	1.57	5.65	0.68	5.05	0.84								
3.48	—	2.22	0.32	2.84	0.63								
3.22	0.61	3.39	1.03	1.70	0.28								
1.02	0.34	1.97	0.66	1.27	0.32								
6.37	1.59	4.99	0.26	3.20	0.34								
5.96	0.96	7.59	2.41	6.80	1.07								
4.90	1.96	6.69	2.23	55.9	1.55								
6.96	0.57	7.50	0.80	5.37	0.86								
5.82	0.55	4.66	—	7.86	0.81								
1.04	0.21	1.53	0.26	2.76	1.50								
6 60	1.38	7.38	2.01	6.99	1.31								
8.61	1.02	12.11	1.44	9.86	0.82								
3 65	0.91	3.33	0.91	3.31	0.90								
1.02	0.20	2.00	0.80	2.96	1.98								

第五十表（其三）　人口壹萬ニ對スル

Table No. L. (No. 3)　Cases and Deaths of Diphtheria

	明治四十年 1907.		同四十一年 1908.		同四十二年 1909.		同四十三年 1910.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa Shi	1.53	0.61	4.17	1.19	2.06	0.59	1.16	0.87
秋田市 Akita ,,	11.48	1.40	5.76	1.15	9.32	0.56	17.28	2.99
福井市 Fukui ,,	4.00	1.71	3.18	1.27	3.18	1.06	1.27	0.64
金澤市 Kanazawa ,,	4.46	1.04	6.36	1.59	7.16	2.16	6.44	2.21
富山市 Toyama ,,	6.18	1.20	3.82	0.76	4.21	0.96	2.31	0.77
高岡市 Takaoka ,,	0.33	—	3.70	1.54	0.61	0.30	0.90	—
鳥取市 Tottori ,,	8.79	2.28	5.72	1.35	4.00	2.00	7.95	1.99
松江市 Matsue ,,	5.01	2.06	12.28	2.05	6.10	1.16	3.90	1.56
岡山市 Okayama ,,	4.61	1.21	8.65	1.98	9.36	1.32	14.69	3.03
廣島市 Hiroshima ,,	3.06	1.62	1.71	0.78	0.98	0.68	0.51	0.29
吳市 Kure ,,	3.28	1.37	2.83	1.02	4.17	1.15	4.69	1.63
尾道市 Onomichi ,,	3.38	0.56	1.78	1.07	1.77	0.71	2.83	—
福山市 Fukuyama ,,								
下關市 Shimonoseki ,,	4.64	1.77	3.83	1.15	1.83	1.47	1.59	0.88
宇部市 Ube ,,								
和歌山市 Wakayama ,,	11.25	2.14	13.55	2.07	14.88	4.19	13.51	2.52
德島市 Tokushima ,,	3.21	0.16	7.39	1.48	6.22	2.13	1.96	0.16
高松市 Takamatsu ,,	3.71	1.06	7.81	2.52	3.19	0.74	10.98	1.67
丸龜市 Marugame ,,	—	—	0.40	—	0.40	0.40	0.81	0.41
松山市 Matsuyama ,,	6.82	1.70	7.32	1.46	3.07	1.42	1.14	0.45
今治市 Imaharu ,,								
宇和島市 Uwajima ,,								
高知市 Kōchi ,,	2.89	0.29	5.04	1.48	6.47	0.59	18.02	3.78
福岡市 Fukuoka ,,	1.06	0.45	0.94	0.40	—	—	0.25	—
八幡市 Yawata ,,								
若松市 Wakamatsu ,,								
久留米市 Kurume ,,	13.18	3.54	5.68	1.26	3.36	0.31	2.13	0.61
大牟田市 Ōmuda ,,								
小倉市 Ogura ,,	2.00	0.75	4.64	0.36	3.69	0.74	1.52	0.38
門司市 Moji ,,	17.42	7.31	3.19	0.64	3.35	1.38	2.19	1.28
大分市 Ōita ,,								
佐賀市 Saga ,,	12.46	2.61	2.97	1.48	1.48	0.30	0.88	—
熊本市 Kumamoto ,,	1.28	0.73	0.90	0.54	1.98	—	1.62	0.35
鹿兒島市 Kagoshima ,,	2.86	0.71	4.54	2.00	3.24	0.90	4.46	0.71
那覇市 Nawa ,,			3.12	1.34	2.64	0.88	2.38	0.65
首里市 Shuri ,,			5.31	1.22	6.48	1.62	3.20	0.40
札幌市 Sapporo ,,	20.89	2.47	26.71	3.25	41.87	3.46	25.04	1.66
旭川市 Asahigawa ,,								
小樽市 Otaru ,,	10.66	2.29	11.68	2.26	6.39	1.45	10.28	2.08
函館市 Hakodate ,,	10.34	2.81	14.17	3.64	11.85	2.99	10.57	2.48
室蘭市 Muroran ,,								
釧路市 Kushiro ,,								
合計 Total	6.02	1.61	7.79	1.91	5.75	1.43	5.65	1.29

ヂフテリア患者及死亡都市別

per 10,000 Population in Each City.

同四十四年 1911.		大正元年 1912.		同二年 1913.		同三年 1914.		同四年 1915.		同五年 1916.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
2.87	0.86	6.23	1.70	3.03	0.28	2.97	0.81	0.80	0.27	2.10	0.26
14.33	1.17	9.12	1.47	16.52	4.06	13.62	2.03	10.14	0.87	6.67	0.87
3.56	0.79	3.48	0.97	4.84	2.05	4.89	1.09	3.35	1.41	0.34	—
7.13	1.11	5.15	1.36	3.58	0.86	3.63	0.74	2.48	0.72	1.78	0.31
4.00	1.27	3.32	0.35	2.33	0.67	2.92	0.49	3.16	0.79	2.76	0.92
2.30	0.29	3.36	—	2.71	0.27	4.22	0.26	4.11	1.03	2.98	0.52
5.92	0.93	3.65	0.61	3.18	1.16	2.24	0.28	2.72	0.82	2.64	0.79
6.78	2.26	4.74	0.56	3.25	0.54	2.67	1.60	2.89	0.53	1.55	0.52
14.27	3.08	11.46	2.21	11.35	2.30	7.31	1.79	6.83	2.45	7.77	1.81
1.00	0.57	0.91	0.49	1.25	0.66	0.25	0.25	0.86	0.62	0.56	0.37
4.24	1.38	5.27	1.13	8.73	1.68	3.28	0.82	3.49	0.93	4.78	1.18
1.77	0.35	1.76	0.35	0.69	0.34	—	—	1.68	—	1.34	0.67
										—	—
1.71	0.51	1.49	0.33	1.75	0.81	0.59	0.59	0.70	0.56	0.94	0.54
11.42	3.71	9.48	1.79	11.57	3.35	4.17	1.08	10.16	2.01	6.52	1.20
1.47	0.44	2.52	0.63	2.11	0.22	3.15	1.35	5.61	1.18	1.16	0.58
9.73	2.33	4.36	0.77	1.52	0.51	6.60	1.02	2.79	0.25	1.78	1.53
0.72	0.24	1.15	—	1.87	0.37	1.10	—	—	—	0.36	0.36
8.28	2.07	2.88	1.20	2.81	0.47	2.55	1.16	1.38	0.92	1.83	—
12.27	1.52	14.20	4.14	11.11	1.42	10.76	2.27	5.34	0.56	7.80	1.95
0.24	0.12	0.83	0.24	2.69	0.63	1.71	0.43	0.41	—	1.29	0.30
						0.53	—	3.70	0.79	1.52	1.02
3.87	1.61	1.51	0.61	4.05	1.73	1.13	0.28	4.17	1.11	2.73	0.55
—	—	—	—	1.16	0.87	2.23	0.56	1.34	0.53	0.26	0.26
4.04	0.73	3.32	1.40	3.97	0.53	4.03	1.64	1.27	0.28	1.99	1.06
0.90	—	1.80	0.61	5.29	0.28	2.38	1.32	3.02	0.76	0.95	0.48
0.41	0.21	1.83	—	0.30	—	0.30	—	0.30	0.30	0.30	—
0.70	0.35	2.43	0.35	1.94	0.89	0.75	0.45	1.11	0.32	1.72	0.31
2.81	0.83	2.73	1.13	0.75	0.25	5.02	1.13	3.03	0.83	1.19	0.79
1.27	0.42	2.01	0.40	2.68	0.19	2.44	0.72	1.98	—	1.40	0.35
2.27	1.14	3.86	0.86	5.58	0.42	34.78	4.35	1.31	—	—	—
26.96	1.96	20.25	2.41	13.99	1.63	33.71	4.28	21.63	2.25	2.29	1.19
						5.56	1.11	5.49	1.01	5.67	0.53
8.05	1.46	6.88	1.45	8.09	1.33	8.88	1.15	9.74	3.85	5.68	0.89
7.61	1.19	9.00	2.19	8.05	0.65	7.81	1.72	6.38	1.22	4.79	0.98
5.58	1.38	4.98	1.12	5.36	1.36	4.78	1.12	5.05	1.21	3.52	0.83

第五十表（其四）　人口壹萬ニ對スル

Table No. L. (No. 4)　Cases and Deaths of Diphtheria

	同六年 1917.		同七年 1918.		同八年 1919.		同九年 1920.	
	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
米澤市 Yonezawa shi	—	—	2.87	0.26	0.52	—	1 16	0.47
秋田市 Akita ,,	5.51	0.29	5.37	0.77	3.98	0.50	9.65	1.93
福井市 Fukui ,,	2.14	0.54	1.40	0.53	1.04	1.04	1.06	0.53
金澤市 Kanazawa ,,	2.25	0.83	1.34	0.40	0.38	0.13	1.08	0.39
富山市 Toyama ,,	2.39	0.75	0.57	—	0.55	—	0.32	—
高岡市 Takaoka ,,	1.22	0.24	1.27	0.25	2.51	0.75	5.18	0.55
鳥取市 Tottori ,,	2.30	0.51	1.57	0.94	5.75	—	2.73	0.68
松江市 Matsue ,,	3.06	0.51	2.01	0.29	0.58	—	—	—
岡山市 Okayama ,,	8.91	2.12	8.30	2.50	3.11	0.67	3.81	0.74
廣島市 Hiroshima ,,	0.87	0.52	1.50	0.85	1.24	0.59	0.37	0.19
呉市 Kure ,,	6.34	1.74	6.74	2.25	5.52	1.01	2.30	0.54
尾道市 Onomichi ,,	1.00	0.33	—	—	1.64	1.32	1.13	0.38
福山市 Fukuyama ,,	0.31	0.31	1.85	1.54	0.87	—	0.34	0.34
下關市 Shimonoseki,,	2.69	1.15	2.21	0.95	1.11	0.16	0.69	0.28
宇部市 Ube ,,								
和歌山市 Wakayama ,,	12.32	2.52	5.82	1.49	6.21	0.61	5.15	1.68
德島市 Tokushima ,,	1.86	0.86	2.83	0.57	0.98	0.28	1.02	0.15
高松市 Takamatsu ,,	2.04	1.27	0.88	—	0.65	—	1.72	0.64
丸龜市 Marugame ,,	0.35	0.35	0.44	—	0.45	—	0.41	0.41
松山市 Matsuyama ,,	0.91	—	0.73	0.37	0.87	0.52	0.98	0.39
今治市 Imaharu ,,							—	—
宇和島市 Uwajima ,,								
高知市 Kōchi ,,	3.59	1.10	1.07	0.21	1.83	0.41	1.22	0.41
福岡市 Fukuoka ,,	0.95	0.29	2.06	0.54	1.82	0.36	1.36	0.21
八幡市 Yawata ,,	1.37	0.25	1.49	0.37	0.98	0.22	0.30	—
若松市 Wakamatsu,,	0.73	0.24	1.32	0.79	1.26	0.76	0.20	—
久留米市 Kurume ,,	3.49	1.08	1.56	0.22	0.85	—	0.46	—
大牟田市 Ōmuda ,,	2.40	0.75	1.95	0.75	2.48	0.52	—	—
小倉市 Ogura ,,	1.72	0.25	4.52	0.97	1.97	0.33	0.88	0.29
門司市 Moji ,,	—	—	3.16	1.36	2.98	0.30	0.69	0.28
大分市 Ōita ,,	3.40	1.36	2.67	0.49	1.89	0.47	1.16	0.70
佐賀市 Saga ,,	1.51	0.60	1.66	0.28	0.27	0.27	—	—
熊本市 Kumamoto ,,	0.61	0.15	0.58	0.15	—	—	—	—
鹿兒島市 Kagoshima ,,	0.51	0.13	0.58	0.35	0.78	0.22	2.13	0.48
那覇市 Nawa ,,	0.68	0.34	0.35	—	1.37	1.03	3.90	1.30
首里市 Shuri ,,	0.89	—	1.42	—	—	—	1.31	0.88
札幌市 Sapporo ,,	12.07	1.47	12.40	1.82	14.97	1.34	17.25	1.85
旭川市 Asahigawa ,,	6.48	1.14	8.50	1.85	8.45	1.35	10.27	1.79
小樽市 Otaru ,,	7.61	1.10	9.78	1.16	12.14	1.85	10.08	1.48
函館市 Hakodate ,,	5.09	1.13	5.21	0.87	5.11	0.81	5.60	1.11
室蘭市 Muroran ,,			—	—	9.32	1.53	8.92	1.60
釧路市 Kushiro ,,							—	—
合計 Total	4.08	1.07	3.51	0 91	3.45	0.84	3.35	0.77

ヂフテリア患者及死亡都市別

per 10,000 Population in Each City.

同十年 1921.		同十一年 1922.		同十二年 1923.		同十三年 1924.		同十四年 1925.		同十五年 1926.		同十六年 1927.	
患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.	患者 Cases.	死亡 Deaths.
0.23	—	1.81	0.90	2.68	0.45								
11.44	4.09	11.56	1.34	5.59	0.80								
1.04	0.69	0.34	0.34	1.17	0.17								
0.59	0.22	0.71	0.07	0.21	0.07								
0.63	—	0.46	0.15	—	—								
6.42	1.07	3.94	0.52	4.39	0.78								
4.41	2.03	3.70	1.01	5.17	1.22								
0.27	—	1.86	1.06	—	—								
4.31	1.01	2.45	0.64	1.35	0.18								
0.98	0.49	0.96	0.48	0.53	0.36								
4.97	0.80	3.14	0.77	4.93	1.13								
—	—	0.37	0.37	0.37	0.37								
0.65	0.32	1.24	0.93	0.30	0.30								
0.38	0.13	0.49	0.25	0.84	—								
0.71	0.48	0.95	0.48	1.35	0.23								
4.03	0.71	3.63	0.94	3.13	1.04								
1.29	0.29	0.71	0.28	0.70	0.28								
0.73	0.54	0.96	0.32	1.17	0.44								
1.26	0.42	1.73	0.43	—	—								
0.19	—	0.18	—	0.18	0.18								
—	—	0.33	0.33	0.92	0.46								
0.56	0.28	0.56	0.28	1.06	0.27								
0.79	—	0.77	0.39	0.38	0.19								
0.61	0.10	0.31	—	0.44	0.15								
0.43	0.09	0.53	0.08	1.06	0.33								
0.19	—	0.74	0.74	0.89	—								
0.68	—	2.01	0.89	0.21	—								
1.33	0.59	0.56	0.14	1.74	1.07								
1.17	0.58	0.29	—	2.57	0.57								
1.34	0.54	1.30	0.39	2.81	0.42								
0.89	—	0.21	—	0.82	0.41								
0.30	0.30	—	—	0.49	—								
0.62	0.19	0.66	0.38	0.53	0.08								
0.46	0.09	0.09	0.09	0.09	0.09								
1.27	0.18	1.77	0.53	1.73	0.52								
0.87	0.43	—	—	0.42	—								
8.85	0.93	6.13	0.44	7.67	0.94								
10.63	1.23	4.22	0.73	10.61	1.93								
9.26	1.54	5.08	0.45	7.37	1.14								
7.82	1.58	6.75	1.19	9.19	1.49								
5.82	2.10	3.65	1.02	3.33	0.80								
10.67	1.56	9.11	0.67	5.43	1.67								
3.47	0.85	2.56	0.61	2.49	0.61								

第五十一表　統計區劃別赤痢患者人口壹萬比例累年比較

Table No. LI. Cases of Dysentery per 10,000 Population in Each Statistical District.

	北海道區 Hokkaidō Ku.	東北區 Tōhoku Ku.	關東區 Kantō Ku.	北陸區 Hokuriku Ku.	東山區 Tosan Ku.	東海區 Tōkai Ku.	近畿區 Kinki Ku.	中國區 Chūgoku Ku.	四國區 Shikoku Ku.	九州區 Kyūshū Ku.	沖繩區 Okinawa Ku.	全國 Total
明治十三年 1880.	—	3.05	0.62	0.93	0.19	0.11	0.28	0.79	1.80	4.17	—	1.40
同 十四年 1881.	—	0.42	0.48	0.42	0.36	0.16	0.51	0.84	4.62	8.13	—	1.93
同 十五年 1882.	0.96	0.76	0.29	0.26	0.23	0.38	0.22	1.99	2.87	3.52	—	1.18
同 十六年 1883.	0.38	0.13	0.21	0.14	0.10	0.25	0.36	6.74	20.97	22.63	0.17	5.72
同 十七年 1884.	—	0.13	0.32	0.25	0.10	0.17	1.66	6.67	41.14	13.80	—	6.06
同 十八年 1885.	0.39	0.27	0.24	0.37	0.35	0.32	0.65	20.26	101.11	18.46	0.03	12.51
同 十九年 1886.	0.13	1.08	0.34	1.57	0.44	0.63	4.18	24.09	24.97	6.28	0.03	6.26
同 二十年 1887.	0.03	0.68	0.24	1.07	0.46	0.17	1.71	12.11	13.80	9.24	0.21	4.09
同 二十一年 1888.	0.11	0.23	0.22	0.76	0.27	0.18	2.15	18.89	17.59	20.79	0.45	6.69
同 二十二年 1889.	0.08	0.06	0.11	0.82	0.17	0.13	3.15	10.29	9.54	23.42	—	5.62
同 二十三年 1890.	0.77	0.13	0.19	4.05	0.86	0.11	1.15	7.50	5.26	60.27	0.02	10.41
同 二十四年 1891.	0.11	0.03	0.29	1.39	0.35	0.30	4.36	6.46	5.95	65.71	—	10.02
同 二十五年 1892.	0.26	0.06	0.34	2.19	1.67	4.82	24.30	10.45	20.91	74.86	—	16.99
同 二十六年 1893.	0.07	0.06	1.00	3.58	21.01	5.40	116.71	54.86	83.81	82.69	1.47	39.78
同 二十七年 1894.	0.68	4.12	0.99	17.92	12.18	9.08	45.10	79.83	120.44	74.60	0.53	36.57
同 二十八年 1895.	1.82	4.78	0.69	19.23	13.08	7.79	10.90	19.78	19.63	23.08	22.52	12.24
同 二十九年 1896.	2.12	13.23	22.28	16.02	43.47	20.61	11.76	29.56	28.67	10.77	0.70	19.74
同 三十年 1897.	0.42	9.63	36.62	22.13	24.63	45.68	7.62	16.54	18.34	8.63	0.09	20.71
同 三十一年 1898.	0.56	10.46	26.20	28.35	37.44	47.25	10.03	16.54	15.79	11.02	1.50	20.81
同 三十二年 1899.	3.66	96.92	19.12	42.25	23.90	17.94	5.70	8.18	9.34	9.68	5.25	24.59
同 三十三年 1900.	4.08	21.15	11.89	17.85	12.28	11.62	4.14	5.77	9.51	4.60	1.59	10.35
同 三十四年 1901.	0.31	41.30	9.25	14.31	8.50	8.14	3.26	7.87	5.06	4.70	5.24	10.97
同 三十五年 1902.	0.80	21.67	8.03	7.29	9.13	7.55	3.31	7.51	7.33	4.60	0.12	8.08
同 三十六年 1903.	3.49	21.78	5.55	5.19	4.80	7.39	2.92	5.19	5.56	2.37	0.15	6.29
同 三十七年 1904.	0.32	10.37	4.20	4.71	2.82	7.40	2.21	4.86	4.99	3.79	0.15	4.80
同 三十八年 1905.	2.32	14.72	5.72	6.23	9.31	12.62	9.09	4.99	4.36	7.08	0.15	7.93
同 三十九年 1906.	6.25	5.91	4.49	3.21	5.35	5.13	4.40	3.73	6.45	3.85	0.15	4.59
同 四十年 1907.	2.98	4.40	3.07	6.92	5.36	6.09	4.03	5.68	8.17	6.26	0.04	5.08
同 四十一年 1908.	1.57	4.48	3.40	4.49	5.22	8.60	4.27	7.96	34.00	3.85	0.02	6.38
同 四十二年 1909.	1.23	2.32	2.73	4.65	4.96	5.06	2.64	6.13	29.44	6.29	0.02	5.61
同 四十三年 1910.	0.48	1.48	2.27	3.72	7.42	5.25	3.77	4.71	40.71	7.26	0.04	6.33
同 四十四年 1911.	0.80	7.11	2.11	4.21	3.64	6.20	3.30	5.00	24.71	4.52	—	5.37
大正 元年 1912.	0.52	3.58	1.75	2.36	3.56	4.04	4.49	7.14	17.91	7.65	0.02	4.96
同 二年 1913.	0.28	1.46	1.28	0.90	1.84	2.47	2.70	3.26	9.32	8.01	0.04	3.20
同 三年 1914.	1.26	3.53	1.83	2.90	2.21	3.10	4.75	3.85	12.56	11.06	0.11	4.87
同 四年 1915.	1.32	1.33	2.04	1.71	1.67	2.69	5.38	3.85	9.33	8.18	0.02	3.88
同 五年 1916.	0.40	4.95	2.64	1.57	4.94	3.06	4.32	6.00	6.63	5.43	0.05	4.07
同 六年 1917.	0.10	1.60	2.13	0.94	3.28	2.63	4.12	3.38	5.48	2.65	0.04	2.67
同 七年 1918.	0.22	1.29	1.76	0.43	1.44	2.39	3.61	3.65	5.04	2.99	—	2.46
同 八年 1919.	0.05	3.29	1.36	0.56	1.05	1.63	1.85	4.11	3.57	4.14	0.41	2.30
同 九年 1920.	0.08	4.26	1.52	0.64	1.09	2.00	1.86	2.52	4.50	3.50	0.09	2.27
同 十年 1921.	0.15	3.76	1.60	0.35	1.02	1.83	1.93	3.59	2.52	3.52	0.03	2.19
同 十一年 1922.	0.18	4.16	1.90	0.43	0.67	1.85	2.74	3.97	5.49	3.76	0.56	2.62
同 十二年 1923.	0.16	2.53	4.79	0.26	1.24	5.16	3.09	3.70	7.32	3.60	—	3.47
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

第五十二表　統計區劃別腸「チフス」患者人口壹萬比例累年比較

Table No. LII. Cases of Typhoid Fever per 10,000 Population in Each Statistical District.

	北海道區 Hokkaidō Ku.	東北區 Tōhoku Ku.	關東區 Kantō Ku.	北陸區 Hokuriku Ku.	東山區 Tōsan Ku.	東海區 Tōkai Ku.	近畿區 Kinki Ku.	中國區 Chūgoku Ku.	四國區 Shikoku Ku.	九州區 Kyūshū Ku.	沖繩區 Okinawa Ku.	全國 Total
明治十三年 1880.	—	8.15	6.97	1.89	1.61	4.24	8.10	3.61	3.04	3.11	—	4.77
同十四年 1881.	—	16.12	9.32	2.02	2.88	8.28	8.95	3.71	3.31	3.02	—	6.61
同十五年 1882.	13.88	9.08	4.44	2.79	4.63	6.46	8.10	4.22	5.23	3.11	—	5.26
同十六年 1883.	6.31	5.93	4.67	3.90	3.81	5.50	6.72	4.87	5.03	5.06	0.44	5.07
同十七年 1884.	2.09	8.09	5.13	4.54	5.33	6.33	7.53	6.08	10.03	5.20	0.03	6.22
同十八年 1885.	6.49	10.65	6.93	4.04	7.33	8.05	10.06	7.00	8.69	8.05	0.11	7.77
同十九年 1886.	10.03	23.31	8.50	20.77	19.34	13.56	39.07	11.05	18.86	8.62	0.32	17.05
同二十年 1887.	5.28	22.84	8.83	16.86	12.05	6.88	9.09	9.17	17.11	11.40	0.51	12.01
同二十一年 1888.	7.87	20.75	9.21	11.91	8.99	7.20	7.88	12.32	14.17	8.51	6.87	10.87
同二十二年 1889.	6.03	16.08	8.22	9.74	7.06	7.08	8.13	5.36	14.71	6.51	0.26	8.81
同二十三年 1890.	13.78	18.35	10.27	9.79	8.59	5.04	5.24	4.39	8.64	6.20	0.49	8.48
同二十四年 1891.	13.49	18.64	13.99	8.20	10.52	7.33	8.56	3.86	20.83	7.04	0.68	10.65
同二十五年 1892.	11.68	12.52	12.56	6.56	13.32	9.06	6.26	3.77	7.14	5.69	1.57	8.55
同二十六年 1893.	6.84	10.76	10.28	6.32	13.48	7.96	8.75	3.59	7.24	5.93	0.87	8.10
同二十七年 1894.	16.39	10.94	9.78	8.03	15.95	9.78	8.94	4.60	6.52	5.27	0.12	8.64
同二十八年 1895.	8.20	13.01	10.20	7.35	14.57	7.83	7.12	5.68	9.72	5.25	0.30	8.60
同二十九年 1896.	10.96	19.37	11.90	7.12	14.55	8.41	7.51	5.01	15.14	3.60	0.45	9.77
同三十年 1897.	5.28	14.11	7.42	5.64	8.05	6.68	3.99	2.75	3.13	3.63	0.42	6.07
同三十一年 1898.	12.94	11.93	7.73	4.03	6.66	6.21	4.04	3.53	2.54	3.33	0.15	5.79
同三十二年 1899.	8.01	13.36	7.90	5.00	6.14	6.61	3.40	5.45	2.67	4.23	0.82	5.72
同三十三年 1900.	11.20	10.95	6.39	3.42	4.36	4.92	3.21	3.91	2.42	5.28	0.19	5.33
同三十四年 1901.	9.29	9.71	6.77	3.85	4.43	4.34	2.78	5.93	3.90	4.57	0.84	5.33
同三十五年 1902.	3.84	7.50	6.46	3.36	4.88	4.23	2.59	4.24	3.40	3.84	1.17	4.61
同三十六年 1903.	8.14	8.06	5.39	2.48	4.04	3.33	2.76	3.68	2.14	2.47	0.42	4.04
同三十七年 1904.	8.34	7.65	6.45	2.06	3.46	3.38	3.09	3.34	1.70	2.78	0.06	4.16
同三十八年 1905.	6.25	8.74	5.56	3.20	5.34	3.51	4.15	5.02	2.25	3.84	0.54	4.78
同三十九年 1906.	8.06	9.85	5.98	4.25	6.37	3.40	3.72	4.63	2.01	4.73	0.93	5.19
同四十年 1907.	9.28	8.78	7.22	2.85	6.60	4.02	3.24	3.14	1.86	5.89	1.34	5.29
同四十一年 1908.	8.61	8.50	7.63	2.80	6.93	3.94	3.31	3.32	1.51	3.64	0.04	4.76
同四十二年 1909.	9.74	8.29	7.28	2.80	7.24	3.44	3.63	5.00	1.70	3.14	0.10	5.03
同四十三年 1910.	9.12	12.51	12.05	4.40	8.89	5.61	4.39	4.56	2.33	3.70	0.18	6.98
同四十四年 1911.	8.29	14.05	7.34	6.44	7.41	6.92	5.14	4.64	3.00	4.44	0.98	6.68
大正元年 1912.	6.17	10.77	7.10	4.49	6.55	5.96	5.26	4.45	3.15	5.55	0.01	4.96
同二年 1913.	4.91	8.50	5.47	4.16	5.34	4.85	6.01	3.96	3.24	4.36	0.23	5.29
同三年 1914.	14.45	12.01	7.25	4.74	5.99	4.91	6.52	4.27	4.45	5.35	1.91	6.61
同四年 1915.	10.41	7.64	7.12	3.73	5.99	6.06	7.79	6.29	5.45	7.13	0.79	6.70
同五年 1916.	10.20	11.43	7.37	5.16	5.92	7.69	7.25	7.00	5.92	8.18	1.30	7.59
同六年 1917.	7.92	10.17	7.55	3.59	5.36	5.07	7.63	5.44	4.13	4.70	0.45	6.28
同七年 1918.	14.47	11.14	7.85	3.21	4.50	5.53	8.30	15.29	4.98	4.81	1.38	7.59
同八年 1919.	15.78	14.72	9.59	4.71	6.44	8.68	10.24	9.97	7.45	10.06	1.91	9.72
同九年 1920.	13.64	15.55	11.10	4.10	7.09	11.64	7.95	10.85	5.77	6.11	2.55	9.63
同十年 1921.	6.92	13.54	10.55	6.02	6.67	10.81	8.87	7.32	6.45	6.73	0.67	8.83
同十一年 1922.	10.06	15.64	9.80	8.41	6.03	11.15	9.68	7.35	5.77	5.61	1.36	9.08
同十二年 1923.	7.76	11.44	13.27	5.38	6.41	8.53	9.52	10.09	5.07	5.61	0.74	9.00
同十三年 1924.												
同十四年 1925.												
同十五年 1926.												
同十六年 1927.												

Wellcome Library

第五十三表　統計區劃別「ヂフテリア」患者人口壹萬比例累年比較

Table No. LIII. Cases of Diphtheria per 10,000 Population in Each Statistical District.

	北海道區 Hokkaido Ku.	東北區 Tōhoku Ku.	關東區 Kantō Ku.	北陸區 Hokuriku Ku.	東山區 Tōsan Ku.	東海區 Tōkai Ku.	近畿區 Kinki Ku.	中國區 Chūgoku Ku.	四國區 Shikoku Ku.	九州區 Kyūshū Ku.	沖繩區 Okinawa Ku.	全國 Total
明治十三年 1880.	—	0.74	0.69	0.34	0.44	1.38	0.36	0.33	0.26	0.16	—	0.51
同 十四年 1881.	—	0.83	0.73	0.28	0.56	1.86	0.35	0.24	0.23	0.13	—	0.56
同 十五年 1882.	2.25	0.72	0.84	0.36	0.66	1.42	0.44	0.14	0.35	0.12	—	0.56
同 十六年 1883.	0.33	0.71	0.90	0.40	1.04	1.49	0.55	0.18	0.37	0.20	0.06	0.62
同 十七年 1884.	0.73	0.67	0.80	0.62	0.91	1.55	0.33	0.17	0.45	0.18	—	0.60
同 十八年 1885.	0.49	0.81	1.27	0.62	1.24	1.60	0.46	0.19	0.49	0.20	0.05	0.74
同 十九年 1886.	1.88	1.88	1.34	0.70	1.03	1.24	0.29	0.17	0.68	0.24	—	0.84
同 二十年 1887.	1.38	1.25	1.43	0.88	0.96	0.67	0.18	0.17	0.30	0.17	—	0.69
同 二十一年 1888.	1.47	1.16	1.18	1.18	0.71	0.62	0.23	0.12	0.21	0.18	—	0.64
同 二十二年 1889.	1.77	1.14	1.19	0.80	1.14	0.75	0.36	0.08	0.05	0.18	—	0.66
同 二十三年 1890.	0.97	0.95	1.24	0.59	1.02	0.61	0.36	0.12	0.16	0.12	—	0.60
同 二十四年 1891.	2.06	1.26	1.26	0.69	1.26	1.31	0.96	0.15	0.24	0.19	—	0.83
同 二十五年 1892.	2.66	1.40	1.53	0.75	1.61	1.39	1.53	0.24	0.31	0.36	0.02	1.05
同 二十六年 1893.	3.90	1.52	1.61	0.83	2.23	2.70	1.88	0.34	0.62	0.52	—	1.36
同 二十七年 1894.	2.01	1.41	1.33	1.09	2.25	2.83	1.49	0.41	0.60	0.35	—	1.25
同 二十八年 1895.	2.28	2.03	1.73	0.64	1.59	3.14	1.68	0.68	0.81	0.42	0.07	1.42
同 二十九年 1896.	3.31	3.19	2.50	0.85	1.87	4.24	2.03	0.70	1.30	0.85	—	1.96
同 三十年 1897.	7.33	5.05	5.37	1.54	4.10	6.30	2.92	0.76	2.60	1.85	—	3.49
同 三十一年 1898.	11.04	7.85	5.30	3.00	4.93	6.24	4.27	1.25	2.70	2.88	0.02	4.50
同 三十二年 1899.	7.99	9.13	4.68	3.61	4.58	6.20	4.95	1.83	3.30	3.89	0.06	4.76
同 三十三年 1900.	6.19	7.58	4.65	2.59	4.25	4.79	4.14	2.13	2.74	2.43	0.04	4.00
同 三十四年 1901.	4.96	6.08	4.03	2.78	3.61	3.80	3.09	1.72	2.26	1.83	0.13	3.29
同 三十五年 1902.	4.59	5.49	4.10	3.70	2.92	3.96	2.63	1.80	1.91	1.99	0.14	3.28
同 三十六年 1903.	5.59	4.54	3.32	3.39	2.82	3.93	2.42	1.65	1.66	2.07	0.42	2.94
同 三十七年 1904.	6.13	3.91	3.31	2.91	2.49	3.50	2.42	1.36	1.35	1.98	0.40	2.68
同 三十八年 1905.	6.53	4.03	3.28	2.72	2.66	3.34	2.42	1.80	1.60	1.80	2.26	2.77
同 三十九年 1906.	6.64	3.72	3.65	2.68	2.25	3.75	3.02	1.81	1.90	1.88	2.03	2.92
同 四十年 1907.	6.76	3.82	3.92	2.87	2.52	3.24	3.45	2.00	1.75	1.75	0.66	3.01
同 四十一年 1908.	6.70	4.77	4.77	3.93	3.16	4.66	3.72	2.24	2.15	1.59	1.45	3.46
同 四十二年 1909.	8.54	5.15	4.11	4.47	3.65	4.71	3.50	2.33	2.12	1.53	1.60	3.63
同 四十三年 1910.	8.92	5.50	4.54	4.20	3.93	4.71	3.40	2.67	2.21	1.47	1.70	3.78
同 四十四年 1911.	8.54	6.49	4.72	4.16	4.04	4.98	3.27	2.77	2.18	1.48	1.25	3.93
大正 元年 1912.	7.47	6.10	4.30	4.41	3.71	4.32	3.12	2.84	2.52	1.42	1.41	3.72
同 二年 1913.	6.59	5.03	4.66	3.79	3.56	4.57	3.36	2.74	2.26	1.53	2.36	3.65
同 三年 1914.	9.07	5.29	4.04	3.54	4.02	3.79	2.86	2.16	1.98	1.49	1.73	3.42
同 四年 1915.	9.61	5.66	4.82	3.03	4.30	3.66	3.15	2.07	2.26	1.41	1.06	3.62
同 五年 1916.	7.05	5.24	3.65	2.38	3.74	2.82	2.55	1.81	1.49	1.31	0.94	2.94
同 六年 1917.	7.92	5.14	3.98	2.32	3.25	2.82	3.26	1.97	1.72	1.36	0.73	3.12
同 七年 1918.	7.60	4.88	3.31	2.30	3.23	2.44	2.56	2.00	1.58	1.27	0.82	2.77
同 八年 1919.	8.28	4.21	2.96	2.04	2.70	2.13	2.28	1.65	1.30	1.04	0.89	2.56
同 九年 1920.	9.16	4.97	3.28	2.25	2.61	2.26	2.30	1.28	1.55	0.83	1.05	2.71
同 十年 1921.	7.60	4.79	3.13	2.10	2.62	2.36	1.99	1.53	1.27	0.72	1.26	2.56
同 十一年 1922.	5.13	5.38	2.93	1.88	2.70	2.25	1.79	1.21	1.17	0.67	0.70	2.38
同 十二年 1923.	6.34	4.21	2.51	1.76	2.62	2.11	1.73	1.03	1.08	0.67	0.79	2.18
同 十三年 1924.												
同 十四年 1925.												
同 十五年 1926.												
同 十六年 1927.												

WELLCOME LIBRARY INSTITUTE

印刷所　東京印刷株式會社
東京市日本橋區兜町二番地

印刷者　神谷岩次郎
東京市日本橋區兜町二番地

內務省衞生局

大正十三年十二月二十八日發行
大正十三年十二月二十五日印刷